

Ausgabe: KN 10-2020, S. 16ff.
Thema: Einfach distalisieren bei verringerter Reibung
Autoren: Dr. Bashar Muselmani

Literatur

1.

Proffit W. Contemporary Orthodontics. St Louis: Mosby, 1992

2.

Burgersdijk R, Truin GJ, Frankenmolen F, Kalsbeek H, van't Hof M, Mulder J. Malocclusion and orthodontic treatment need of 15-74-year-old Dutch adults. Community Dent Oral Epidemiol 1991; 19: 64-67

3.

Willems G, De Bruyne I, Verdonck A, Fieuws S, Carels C. Prevalence of dentofacial characteristics in a belgian orthodontic population. Clin Oral Investig 2001; 5: 220-226

4.

Benedict W, Willmann J. H, Drescher D. Distalisierung mit dem Bendeslider-ein Update KN Wissenschaft & Praxis. www.kn-aktuell.de Jan./Feb. 2020

5.

Park J, H. Die modifizierte C-Gaumenplatte (MCP) KN Wissenschaft & Praxis. www.kn-aktuell.de Okt. 2019

6.

Pawankumar D, T. Ketan K. Vakil, Jeegar K. Vakil, Ketan A. Gore Distalization of maxillary arch and correction of Class II with miniimplants- A report of two cases. Contemp Clin Dent. 2015 Apr-Jan; 6(2): 226-232

7.

Ricketts RM. Bioprogressive therapy as an answer to orthodontic needs. Part I. Am J Orthod Sep 1976;70:24168

8.

Ricketts RM. Bioprogressive therapy as an answer to orthodontic needs. Part II. *Am J Orthod Oct* 1976;70:359-97.

9.

Siatkowski RE. Force system analysis of V-bend sliding mechanics. *J Clin Orthod* 1994;28:539-46.

10.

Gjessing P. Biomechanical design and clinical evaluation of a new canine retraction spring. *Am J Orthod* 1985;87:353-362.

11.

Darendeliler MA, Darendeliler H, Uner O. The Drum spring (DS) retractor: a constant and continuous force for canine retraction. *Eur J Orthod* 1997;19:115-130.

12.

Ferreira MDA, Oliveira FTD, Ignácio SA et al. Experimental Force Definition System for a New Orthodontic Retraction Spring. *Angle Orthod* 2005;75:368-377.

13.

Bennett JC, McLaughlin RP. *Orthodontic Treatment Mechanics and the Pre Adjusted Appliance*. Barcelona ES: Mosby- Wolf Company, 1993;74.

14.

Kumar YM, Ravindran NS, Balasubramaniam MR. Holographic Analysis of the Initial Canine Displacement Produced by Four Different Retraction Springs. *Angle Orthod* 2008;79:368-372.

15.

Roberts WE. Bone physiology and metabolism and biomechanics in orthodontics In: Graber TM, Vanarsdall RL, Vig KWL, eds. *Orthodontics: Current Principles and Techniques*. 4th edn. St. Louis: Mosby-Elsevier Inc 2005;263-275

16.

Thilander B, Rygh P, Reitan K. Tissue reactions in orthodontics In: Graber TM, Vanarsdall RL, Vig KWL, eds. *Orthodontics: Current Principles and Techniques*. 4th edn. St. Louis: Mosby-Elsevier Inc 2005;174-178. 13.

17.

Ziegler P, Ingervall B. A clinical study of maxillary canine retraction with a retraction spring and with sliding mechanics. *Am J Orthod Dentofacial Orthop* 1989;95:99– 106.

18.

Martins RP, Buschang PH, Gandini LG et al. Changes over time in canine retraction: An implant study. *Am J Orthod Dentofacial Orthop* 2009;136:87-93. 15.

19. Dixon V, Read MFJ, O'Brien KD et al. A randomized clinical trial to compare three methods of orthodontic space closure. *J Orthod* 2002;29:31-6.

20. Thiruvenkatachari B, Ammayappan P, Kandaswamy R. Comparison of rate of canine retraction with conventional molar anchorage and titanium implant anchorage. *Am J Orthod Dentofacial Orthop* 2008;134:30-5.