

## LITERATUR

**Ausgabe:** Implantologie Journal 11/20

**Thema:** Einfluss biologischer und technischer Faktoren auf Implantatenerfolg  
Eine retrospektive Analyse

**Autor:** Dr. Richard Schmitz, Univ.-Prof. Dr. Dr. Wolf-Dieter Grimm

---

1. Adell R, Lekholm U, Rockler B, Branemark PI (1981). A 15-year study of osseointegrated implants in the treatment of the edentulous jaw. *Int J Oral Surg*; 10:387-416
2. Aghaloo TL, Moy PK (2007). Which hard tissue augmentation techniques are the most successful in furnishing bony support for implant placement? *Int J Oral Maxillofac Implants*. 22 Suppl: 49-70
3. Aires I, Berger J (2002). Simultaneous immediate placement and immediate loading of implants in the maxilla: a case presentation. *J Calif Dent Assoc*. Mar; 30(3):227-32
4. Albrektsson T, Brånemark PI, Hansson HA, Lindström J (1981). Osseo-integrated titanium implants. Requirements for ensuring a long- lasting direct bone-to-implant anchorage in man. *Acta Orthop Scand*; 52:155–170
5. Al Nawas B, Götz H (2003). Three-dimensional topographic and metrologic evaluation of dental implants by confocal laser scanning microscopy. *Clin Impl Dent Relat Res* 5
6. Al-Nawas B, Wagner W, Grötz KA (2006). Insertion Torque and Resonance Frequency Analysis of Dental Implant Systems in an Animal Model with Loaded Implants. *Int J Oral Maxillofac Implants*; 21:726-732
7. Araújo MG, Linder E, Lindhe J (2011). Bio-Oss collagen in the buccal gap at immediate implants: a 6-month study in the dog. *Clin Oral Implants Res*; 22(1): 1-8.
8. Arbeitskreis Versorgungsforschung beim wissenschaftlichen Beirat der Bundesärztekammer (2004): Definition und Abgrenzung der Versorgungsforschung. <http://www.definitionen.versorgungsforschung.net/>
9. Atieh MA, Ibrahim HM, Atieh AH (2010). Platform switching for marginal bone preservation around dental implants: a systematic review and meta-analysis. *J Periodontol*; 81(10): 1350-66.
10. Attard N J, Zarb GA (2004). Long-term treatment outcomes in edentulous patients with implant-fixed prostheses: the Toronto study. *Int J Prosthodont* 17(4): 417-24
11. Atwood DA (1963). Postextraction changes in the adult mandible as illustrated by microradiographs of midsagittal section and serial cephalometric roentgenograms. *J Prosthet Dent* 1963; 13: 810–824
12. Becker W, Becker BE, Israelson H, Lucchini JP, Handelsman M, Ammons W, Rosenberg E, Rose L, Tucker LM, Lekholm U (1997). One-Step Surgical Placement of Branemark Implants: A Prospective Multicenter Clinical Study. *Int J Oral Maxillofac Implants*. 12(4): 454-62
13. Botticelli D, Berglundh T, Buser D, Lindhe J (2003). The jumping distance revisited: An experimental study in the dog. *Clin Oral Implants Res*; 14(1): 35-42

14. Botticelli D, Berglundh T, Lindhe J (2004) Resolution of bone defects of varying dimension and configuration in the marginal portion of the peri-implant bone. An experimental study in the dog. *J Clin Periodontol*. 31(4): 309-17
15. Branemark PI, Zarb GA, Albrektsson T (1985). *Gewebeintegrierter Zahnersatz*. Berlin. Quintessenz
16. Branemark PI, Breine U, Adell R, Hansson B, Lindström J, Ohlsson A (1969). Intraosseous anchorage of dental prostheses. I. Experimental studies. *Scand J Plast Reconstr Surg*; 3: 81-100
17. Brånemark PI, Hansson B, Adell R, Breine U, Lindstrom J, Hallen O, Ohman A (1977). Osseointegrated implants in the treatment of the edentulous jaw. *Scand J Plast Reconstr Surg* 11 (Suppl 16)
18. Branemark, PI, Engstrand P, Ohrenell LO, Grondahl K, Nilsson P, Hagberg K, Darle C, Lekholm U (1999). Branemark Novum: a new treatment concept for rehabilitation of the edentulous mandible. Preliminary results from a prospective clinical follow-up study. *Clin Implant Dent Relat Res*; 1(1): 2-16
19. Brink J, Meraw SJ, Sarment DP (2007). Influence of implant diameter on surrounding bone. *Clin Oral Implants Res*; 18(5): 563-8
20. Buchs AU, Levine L, Moy P (2001). Preliminary report of immediately loaded Altiva Natural Tooth Replacement dental implants. *Clin Implant Dent Relat Res*; 3(2): 97-106
21. Bueno Rde B, Adachi P, Castro-Raucci LM, Rosa AL, Nanci A, Oliveira PT (2011). Oxidative nanopatterning of titanium surfaces promotes production and extracellular accumulation of osteopontin. *Braz Dent J*; 22:179-184
22. Buser D, Weber HP, Lang NP (1990). Tissue integration of non-submerged implants. 1-year results of a prospective study with 100 ITI hollow-cylinder and hollow-screw implants. *Clin Oral Implants Res*. 1 33-40
23. Buser D, Mericske-Stern R, Bernard JP, Behneke A, Behneke N, Hirt HP, Belser UC, Lang NP (1997). Long-term evaluation of non-submerged ITI implants. Part 1: 8-year life table analysis of a prospective multi-center study with 2359 implants. *Clin Oral Implants Res*; 8(3): 161-72
24. Buser D, Janner SF, Wittneben JG, Brägger U, Ramseier CA, Salvi GE (2012). 10-year survival and success rates of 511 titanium implants with a sandblasted and acid-etched surface: a retrospective study in 303 partially edentulous patients. *Clin Implant Dent Relat Res*, 14(6): 839-51
25. Cafiero C, Annibali S, Gherlone E, Grassi FR, Gualini F, Magliano A, Romeo E, Tonelli P, Lang NP, Salvi GE ITI Study Group Italia, (2008). Immediate transmucosal implant placement in molar extraction sites: a 12-month prospective multicenter cohort study. *Clin Oral Implants Res*; 19(5): 476-82
26. Calandriello R., Tomatis M, Rangert B (2003) Immediate functional loading of Branemark System implants with enhanced initial stability: a prospective 1- to 2-year clinical and radiographic study. *Clin Implant Dent Relat Res*; 5 Suppl 1: 10-20
27. Caneva M, Salata LA, de Souza SS, Baffone G, Lang NP, Botticelli D (2010). Influence of implant positioning in extraction sockets on osseointegration: histomorphometric analyses in dogs. *Clin Oral Implants Res*; 21(1): 43-9
28. Canullo L, Rasperini G (2007). Preservation of peri-implant soft and hard tissues using platform switching of implants placed in immediate extraction sockets: a proof-of-concept study with 12- to 36-month follow-up. *Int J Oral Maxillofac Implants*; 22(6): 995-1000
29. Canullo L, Goglia G, Iurlaro G, Iannello G (2009). Short-term bone level observations associated with platform switching in immediately placed and restored single maxillary implants: a preliminary report. *Int J Prosthodont*; 22(3): 277-82

30. Canullo L, Pellegrini G, Allievi C, Trombelli L, Annibali S, Dellavia C (2011). Soft tissues around long-term platform switching implant restorations: a histological human evaluation. Preliminary results. *J Clin Periodontol*; 38(1): 86-94
31. Canullo L, Iannello G, Peñarrocha M, Garcia B (2012) Impact of implant diameter on bone level changes around platform switched implants: preliminary results of 18 months follow-up a prospective randomized match-paired controlled trial. *Clin Oral Implants Res*; 23(10) 1142-6
32. Cappiello M, Luongo R, Di Iorio D, Bugea C, Cocchetto R, Celletti R (2008). Evaluation of peri-implant bone loss around platform-switched implants. *Int J Periodontics Restorative Dent*, 28(4): 347-55
33. Cecchinato D, Olsson C, Lindhe J (2004). Submerged or non-submerged healing of endosseous implants to be used in the rehabilitation of partially dentate patients. *J Clin Periodontol*; 31(4): 299-308
34. Chappuis V, Buser R, Brägger U, Bornstein MM, Salvi GE, Buser D (2013) Long-Term Outcomes of Dental Implants with a Titanium Plasma-Sprayed Surface. A 20-Year Prospective Case Series Study in Partially Edentulous Patients. *Clin Implant Dent Relat Res*; 15(6): 780-90
35. Chen ST, Darby IB, Reynolds EC (2007). A prospective clinical study of non-submerged immediate implants: clinical outcomes and esthetic results. *Clin Oral Implants Res*; 18(5): 552-62
36. Chen, S.; Buser, D (2008). Implants in post-extraction sites: A literature review. Buser D, Belser U, Wismeijer D (eds). *ITI Treatment Guide. Vol 3: Implants in extraction sockets*. Quintessence.
37. Chiapasco M., Gatti C, Rossi E, Haefliger W, Markwalder TH (1997). Implant-retained mandibular overdentures with immediate loading. A retrospective multicenter study on 226 consecutive cases. *Clin Oral Implants Res*; 8(1): 48-57
38. Chiapasco M., Abati S, Romeo E, Vogel G (2001). Implant-retained mandibular overdentures with Branemark System MKII implants: a prospective comparative study between delayed and immediate loading. *Int J Oral Maxillofac Implants*; 16(4): 537-46
39. Chiapasco M (2004). Early and immediate restoration and loading of implants in completely edentulous patients. *Int J Oral Maxillofac Implants*; 19 Suppl: 76-91
40. Cochran DL, Buser D, ten Bruggenkate CM, Weingart D, Taylor TM, Bernard JP, Peters F, Simpson JP (2002). The use of reduced healing times on ITI implants with a sandblasted and acid-etched (SLA) surface: early results from clinical trials on ITI SLA implants. *Clin Oral Implants Res*; 13(2): 144-53
41. Crespi R, Capparé P, Gherlone E, Romanos GE (2008). Immediate versus delayed loading of dental implants placed in fresh extraction sockets in the maxillary esthetic zone: a clinical comparative study. *Int J Oral Maxillofac Implants*; 23(4): 753-8
42. Cumbo C, Marigo L, Somma F, La Torre G, Minciacci I, D'Addona A (2013). Implant platform switching concept: a literature review. *Eur Rev Med Pharmacol Sci*; 17(3): 392-7
43. De Bruyn H, Collaert B (1994). The effect of smoking on early implant failure. *Clin Oral Implants Res*; 5(4): 260-4
44. De Bruyn H, Collaert B (2002). Early loading of machined-surface Branemark implants in completely edentulous mandibles: healed bone versus fresh extraction sites. *Clin Implant Dent Relat Res*; 4(3): 136-42
45. Degidi M, Piattelli A (2003). Immediate functional and non-functional loading of dental implants: a 2- to 60- month follow-up study of 646 titanium implants. *J Periodontol*; 74(2): 225-41

46. Degidi M, Daprile G, Nardi D, Piattelli A (2012). Buccal bone plate in immediately placed and restored implant with Bio-Oss((R)) collagen graft: a 1-year follow-up study. *Clin Oral Implants Res*; 24(11): 1201-5
47. [www.DGZMK.de](http://www.DGZMK.de) Implantologie, Stellungnahme der DGZMK V 2.0, Stand 1/98
48. [www.DGZMK.de](http://www.DGZMK.de), Lebenserwartung von Implantaten und Implantatlager, Stellungnahme der DGZMK V 1.1. Stand 4/00.
49. [www.DGZMK.de](http://www.DGZMK.de) Implantologie in der Zahnheilkunde, Stellungnahme der DGZMK und DGI V 3.0, Stand 7/05)
50. Ding X, Liao SH, Zhu XH, Zhang XH, Zhang L (2009). Effect of diameter and length on stress distribution of the alveolar crest around immediate loading implants. *Clin Implant Dent Relat Res*; 11(4): 279-87
51. Douglass GL, Merin RL (2002). The immediate dental implant. *J Calif Dent Assoc*. 30(5):362-5, 368-74
52. Engquist, B., et al., Simplified methods of implant treatment in the edentulous lower jaw. Part II: Early loading. *Clin Implant Dent Relat Res*, 2004. 6(2): p. 90-100.
53. Enkling N, Jöhren P, Klimberg V, Bayer S, Mericske-Stern R, Jepsen S (2011). Effect of platform switching on peri-implant bone levels: a randomized clinical trial. *Clin Oral Implants Res*; 22(10): 1185-92
54. Esposito M, Worthington HV, Coulthard P (2003). Interventions for replacing missing teeth: different times for loading dental implants. *Cochrane Database Syst Rev*; (1):CD003878
55. Esposito MA, Koukouloupoulou A, Coulthard P, Worthington HV (2006). Interventions for replacing missing teeth: dental implants in fresh extraction sockets (immediate, immediate-delayed and delayed implants). *Cochrane Database Syst Rev*; 18; (4): CD005968
56. Esposito M, Grusovin MG, Chew YS, Coulthard P, Worthington HV (2009). One-stage versus two-stage implant placement. A Cochrane systematic review of randomised controlled clinical trials. *Eur J Oral Implantol*; 2(2): 91-9
57. Esposito M, Grusovin MG, Felice P, Karatzopoulos G, Worthington HV, Coulthard P (2009). The efficacy of horizontal and vertical bone augmentation procedures for dental implants – a Cochrane systematic review. *Eur J Oral Implantol*; 2(3):167-184
58. Esposito M, Grusovin MG, Martinis E, Coulthard P, Worthington HV (2009). Interventions for replacing missing teeth: 1- versus 2-stage implant placement. *Cochrane Database Syst Rev*; (3): CD006698.
59. Esposito M, Grusovin MG, Polyzos IP, Felice P, Worthington HV (2010). Timing of implant placement after tooth extraction: immediate, immediate-delayed or delayed implants? A Cochrane systematic review. *Eur J Oral Implantol*; 3(3): 189-205
60. Eriksson RA, Adell R (1986). Temperatures during drilling for the placement of implants using the osseointegration technique. *J Oral Maxillofac Surg*; 44(1): 4-7
61. Ericsson I, Nilson H, Lindh T, Nilner K, Randow K (2000). Immediate functional loading of Branemark single tooth implants. An 18 months' clinical pilot follow-up study. *Clin Oral Implants Res*; 11(1): 26-33
62. Fallschlüssel GKH (1986). Das Lagergewebe dentaler Implantate. Zahnärztliche Implantologie. Quintessenz, Berlin
63. Farronato D, Santoro G, Canullo L, Botticelli D, Maiorana C, Lang NP (2012). Establishment of the epithelial attachment and connective tissue adaptation to implants installed under the concept of "platform switching": a histologic study in minipigs. *Clin Oral Implants Res*; 23(1): 90-4

64. Fernández-Formoso N<sup>1</sup>, Rilo B, Mora MJ, Martínez-Silva I, Díaz-Afonso AM (2012). Radiographic evaluation of marginal bone maintenance around tissue level implant and bone level implant: a randomised controlled trial. A 1-year follow-up. *J Oral Rehabil*; 39(11): 830-7
65. Friberg B, Ekestubbe A, Sennerby L (2002). Clinical outcome of Branemark System implants of various diameters: a retrospective study. *Int J Oral Maxillofac Implants*; 17(5): 671-7
66. Friberg B, Jemt T (2013). Rehabilitation of Edentulous Mandibles by Means of Osseointegrated Implants: A 5-Year Follow-Up Study on One or Two-Stage Surgery, Number of Implants, Implant Surfaces, and Age at Surgery. *Clin Implant Dent Relat Res*; 17(3):413-24
67. Gaggl A, Schultes G., Rainer H., Kärcher H (2000). Histologische und histomorphometrische Ergebnisse der Implantation dentaler Implantate bei Früh- oder Spätimplantationen. *Mund Kiefer GesichtsChir*; 5: 278-284
68. Gardner DM (2005). Platform switching as a means to achieving implant esthetics. *N Y State Dent J*; 71(3): 34-7
69. Garcia RV<sup>1</sup>, Kraehenmann MA, Bezerra FJ, Mendes CM, Rapp GE (2008). Clinical analysis of the soft tissue integration of non-submerged (ITI) and submerged (3i) implants: a prospective-controlled cohort study. *Clin Oral Implants Res*; 19(10): 991-6
70. Gatti C., Haefliger W, Chiapasco M (2000). Implant-retained mandibular overdentures with immediate loading: a prospective study of ITI implants. *Int J Oral Maxillofac Implants*. 15(3): 383-8
71. Gatti C, Chiapasco M (2002). Immediate loading of Branemark implants: a 24-month follow-up of a comparative prospective pilot study between mandibular overdentures supported by Conical - 73 -transmucosal and standard MK II implants. *Clin Implant Dent Relat Res*; 4(4): 190- 9
72. Glauser R, Ree A, Lundgren A, Gottlow J, Hammerle CH, Scharer P (2001). Immediate occlusal loading of Branemark implants applied in various jawbone regions: a prospective, 1-year clinical study. *Clin Implant Dent Relat Res*; 3(4): 204-13
73. Glauser R, Lundgren AK, Gottlow J, Sennerby L, Portmann M, Ruhstaller P, Hammerle CH (2003). Immediate occlusal loading of Branemark TiUnite implants placed predominantly in soft bone: 1-year results of a prospective clinical study. *Clin Implant Dent Relat Res*; 5 Suppl 1: 47-56
74. Glauser R, Sennerby L, Meredith N, Ree A, Lundgren A, Gottlow J, Hammerle CH,(2004). Resonance frequency analysis of implants subjected to immediate or early functional occlusal loading. Successful vs. failing implants. *Clin Oral Implants Res*; 15(4): 428-34
75. Haider R, Watzek G, Plenk H (1993). Effects of drill cooling and bone structure on IMZ implant fixation. *Int J Oral Maxillofac Implants*. 8(1): 83-91
76. Henry PJ, van Steenberghe D, Blomback U, Polizzi G, Rosenberg R, Urgell JP, Wendelhag I (2003). Prospective multicenter study on immediate rehabilitation of edentulous lower jaws according to the Branemark Novum protocol. *Clin Implant Dent Relat Res*; 5(3): 137-42
77. Horiuchi K, Uchida H, Yamamoto K, Sugimura M (2000). Immediate loading of Branemark system implants following placement in edentulous patients: a clinical report. *Int J Oral Maxillofac Implants*; 15(6): 824-30
78. Hui E, Chow J, Li D, Liu J, Wat P, Law H (2001). Immediate provisional for single-tooth implant replacement with Branemark system: preliminary report. *Clin Implant Dent Relat Res*; 3(2): 79-86

79. Hultin M, Komiyama A, Klinge B (2007). Supportive therapy and the longevity of dental implants: a systematic review of the literature. *Clin Oral Implants Res*; 18 Suppl 3: 50-62
80. Hürzeler M, Fickl S, Zuhr O, Wachtel HC (2007). Peri-implant bone level around implants with platform-switched abutments: preliminary data from a prospective study. *J Oral Maxillofac Surg*; 65(7 Suppl 1): 33-9
81. Ivanoff CJ, Gröndahl K, Sennerby L, Bergström C, Lekholm U (1999). Influence of variations in implant diameters: a 3- to 5-year retrospective clinical report. *Int J Oral Maxillofac Implants*; 14(2): 173-80
82. Jensen T, Schou S, Stavropoulos A, Terheyden H, Holmstrup P (2012). Maxillary sinus floor augmentation with Bio-Oss or Bio-Oss mixed with autogenous bone as graft in animals: a systematic review. *Int J Oral Maxillofac Surg*; 41(1): 114-20
83. Ji YJ, Tang ZH, Wang R, Cao J, Cao CF, Jin LJ (2014). Effect of glycine powder air-polishing as an adjunct in the treatment of peri-implant mucositis: a pilot clinical trial. *Clin Oral Implants Res*; 25(6):683-9
84. Karoussis IK, Brägger U, Salvi GE, Bürgin W, Lang NP (2004). Effect of implant design on survival and success rates of titanium oral implants: a 10-year prospective cohort study of the ITI Dental Implant System. *Clin Oral Implants Res*; 15(1): 8-17
85. Koeck B, Wagner W (1996). Einleitung In: Koeck, B., Wagner, W. (Hrsg.): *Praxis der Zahnheilkunde Bd. 13. Implantologie*. Urban & Schwarzenberg, München-Wien-Baltimore
86. Koeck B, Wagner W (2004). *Praxis der Zahnheilkunde Band 13 Implantologie 2*. Auflage 2-6. Urban & Schwarzenberg, München-Wien-Baltimore
87. Lachmann S, Kimmerle-Müller E, Axmann D, Gomez-Roman G, Weber H, Haas R (2007). Reliability of findings around healthy implants in association with oral hygiene measures: a clinical, microbiological, and immunological follow-up in edentulous patients. *Clin Oral Implants Res*; 18(6): 686-98
88. Lang NP, Tonetti MS, Suvan JE, Pierre Bernard J, Botticelli D, Fourmouis I, Hallund M, Jung R, Laurell L, Salvi GE, Shafer D, Weber HP; European Research Group on Periodontology (2007). Immediate implant placement with transmucosal healing in areas of aesthetic priority. A multicentre randomized-controlled clinical trial I. Surgical outcomes. *Clin Oral Implants Res*; 18(2): 188-96
89. Lazzara RJ, Porter SS (2006). Platform switching: a new concept in implant dentistry for controlling postrestorative crestal bone levels. *Int J Periodontics Restorative Dent*; 26(1): 9-17
90. Ledermann PD (1996). Der Sofort-Implantat-Steg im zahnlosen Unterkiefer. Über 20jährige Erfahrungen. *Swiss Dent*; 17(4): 5-18
91. Lekholm U; Zarb GA (1985). Patient selection and preparation. Brånemark P.I.; Zarb G.; Albrektsson T, eds. *Tissue integrated prosthesis: Osseointegration in clinical dentistry*. Chicago: Quintessence
92. Lindquist LW, Carlsson GE, Jemt T (1996). A prospective 15-year follow-up study of mandibular fixed prostheses supported by osseointegrated implants. Clinical results and marginal bone loss. *Clin Oral Implants Res*; 7(4): 329-36
93. Linkevicius T, Apse P, Grybauskas S, Puisys A (2009). The influence of soft tissue thickness on crestal bone changes around implants: a 1-year prospective controlled clinical trial. *Int J Oral Maxillofac Implants*; 24(4): 712-9
94. Linkevicius T, Apse P, Grybauskas S, Puisys A (2010). Influence of thin mucosal tissues on crestal bone stability around implants with platform switching: a 1-year pilot study. *J Oral Maxillofac Surg*; 68(9): 2272-7

95. Linkevicius T, Puisys A, Linkeviciene L, Peciuliene V, Schlee M (2015). Crestal Bone Stability around Implants with Horizontally Matching Connection after Soft Tissue Thickening: A Prospective Clinical Trial. *Clin Implant Dent Relat Res*; 17(3):497-508
96. López-Marí L, Calvo-Guirado JL, Martín-Castellote B, Gomez-Moreno G, López-Marí M,(2009). Implant platform switching concept: an updated review. *Med Oral Patol Oral Cir Bucal*; 14(9): e450-4
97. Malo P, Friberg B, Polizzi G, Gualini F, Vighagen T, Rangert B (2003). Immediate and early function of Branemark System implants placed in the esthetic zone: a 1-year prospective clinical multicenter study. *Clin Implant Dent Relat Res*; 5 Suppl 1: 37-46
98. Micheelis W, Schiffner U (2005). (Gesamtbearbeitung) Vierte Deutsche Mundgesundheitsstudie (DMS IV) Neue Ergebnisse zu oralen Erkrankungsprävalenzen, Risikogruppen und zum zahnärztlichen Versorgungsgrad in Deutschland. mit Beiträgen von: Thomas Hoffmann, Mike John, Thomas Kerschbaum, Wolfgang Micheelis, Peter Potthoff, Elmar Reich, Ursula Reis, Florian Reiter, Ulrich Schiffner, Ernst Schroeder
99. Mijiritsky E, Mazor Z, Lorean A, Levin L (2013). Implant diameter and length influence on survival: interim results during the first 2 years of function of implants by a single manufacturer. *Implant Dent*; 22(4): 394-8
100. Misch CE (1990). Density of bone: effect on treatment plans, surgical approach, healing, and progressive boen loading. *Int J Oral Implantol*; 6, 23–31
101. Misch CE, Degidi M (2003). Five-year prospective study of immediate/early loading of fixed prostheses in completely edentulous jaws with a bone quality-based implant system. *Clin Implant Dent Relat Res*; 5(1): 17-28
102. Mombelli A., van Oosten MAC, Schürch E, Lang NP (1987). The microbiota associated with successful or failing osseointegrated titanium implants. *Oral Microbiol Immunol*; 2: 145-151
103. Nkenke E, Lehner B, Weinzierl K, Thams U, Neugebauer J, Steveling H, Radespiel-Troger M, Neukam FW (2003). Bone contact, growth, and density around immediately loaded implants in the mandible of mini pigs. *Clin Oral Implants Res*; 14(3): 312-21
104. Nikellis I, Levi A, Nicolopoulos C (2004). Immediate loading of 190 endosseous dental implants: a prospective observational study of 40 patient treatments with up to 2-year data. *Int J Oral Maxillofac Implants*; 19(1): 116-23
105. Noelken R, Neffe BA, Kunkel M, Wagner W (2014). Maintenance of marginal bone support and soft tissue esthetics at immediately provisionalized OsseoSpeed implants placed into extraction sites: 2-year results.; 25(2):214-20
106. Nordin T, Nilsson R, Frykholm A, Hallman M (2004). A 3-arm study of early loading of rough-surfaced implants in the completely edentulous maxilla and in the edentulous posterior maxilla and mandible: results after 1 year of loading. *Int J Oral Maxillofac Implants*; 19(6): 880-6
107. Örtorp A, Jemt T (2002). Clinical experience of CNC-milled titanium frameworks supported by implants in the edentulous jaw: a 3-year interim report. *Clin Implant Dent Relat Res*; 4(2): 104-9
108. Ortega-Martínez J, Pérez-Pascual T, Mareque-Bueno S, Hernández-Alfaro F, Ferrés-Padró E (2012). Immediate implants following tooth extraction. A systematic review. *Med Oral Patol Oral Cir Bucal*; 17(2): e251-61
109. O'Sullivan D, Sennerby L, Jagger D, Meredith N (2004). A comparison of two methods of enhancing implant primary stability. *Clin Implant Dent Relat Res*; 6(1): 48-57
110. Pfaff H (2003). Versorgungsforschung - Begriffsbestimmung, Gegenstand und Aufgaben. In H. Pfaff, M. Schrappe, K. W. Lauterbach, U. Engelmann, & M. Halber (Eds.), *Gesundheitsversorgung und Disease Management. Grundlagen und Anwendungen der Versorgungsforschung* (pp. 13-23). Bern: Verlag Hans Huber.

111. Pagni G, Pellegrini G, Giannobile WV, Rasperini G (2012). Postextraction alveolar ridge preservation: biological basis and treatments. *Int J Dent*; 2012: 151030.
112. Papaspyridakos P, Chen CJ, Singh M, Weber HP, Gallucci GO (2012). Success criteria in implant dentistry: a systematic review. *J Dent Res*; **91**(3): 242-8
113. Pellizzer EP, Verri FR, de Moraes SL, Falcón-Antenucci RM, de Carvalho PS, Noritomi PY (2013). Influence of the implant diameter with different sizes of hexagon: analysis by 3-dimensional finite element method. *J Oral Implantol*; 39(4): 425-31
114. Petersson A, Rangert B, Randow K, Ericsson I (2001). Marginal bone resorption at different treatment concepts using Branemark dental implants in anterior mandibles. *Clin Implant Dent Relat Res*; 3(3): 142-7
115. Pieri F, Aldini NN, Marchetti C, Corinaldesi G (2011). Influence of implant-abutment interface design on bone and soft tissue levels around immediately placed and restored single-tooth implants: a randomized controlled clinical trial. *Int J Oral Maxillofac Implants*; 26(1): 169-78
116. Plenck H, Zitter H (1993). Materialkundliche Überlegungen. In: Watzek G: Enossale Implantate in der oralen Chirurgie. Quintessenz Verlags GmbH
117. Prosper L, Redaelli S, Pasi M, Zarone F, Radaelli G, Gherlone EF (2009). A randomized prospective multicenter trial evaluating the platform-switching technique for the prevention of postrestorative crestal bone loss. *Int J Oral Maxillofac Implants*; 24(2): 299-308
118. Quesada-García MP, Prados-Sánchez E, Olmedo-Gaya MV, Muñoz-Soto E, Vallecillo-Capilla M, Bravo M (2012). Dental implant stability is influenced by implant diameter and localization and by the use of plasma rich in growth factors. *J Oral Maxillofac Surg*; 70(12): 2761-7
119. Quirynen M, Soete MDe, van Steenberghe D (2002). Infectious risks for oral implants: a review of the literature. *Clin Oral Implants Res*; 13(1): 1-19
120. Raghoobar GM, Friberg B, Grunert I, Hobkirk JA, Tepper G, Wendelhag I (2003). 3-year prospective multicenter study on one-stage implant surgery and early loading in the edentulous mandible. *Clin Implant Dent Relat Res*; 5(1): 39-46
121. Renouard F, Nisand D (2006). Impact of implant length and diameter on survival rates. *Clin Oral Implants Res*; 17 Suppl 2: 35-51
122. Ribeiro FS, Pontes AE, Marcantonio E, Piattelli A, Neto RJ, Marcantonio E Jr (2008). Success rate of immediate nonfunctional loaded single-tooth implants: immediate versus delayed implantation. *Implant Dent*; 17(1): 109-17
123. Romeo E, Chiapasco M, Lazza A, Casentini P, Ghisolfi M, Iorio M, Vogel G (2002). Implant-retained mandibular overdentures with ITI implants. *Clin Oral Implants Res*; 13(5): 495-501
124. Rossi F, Zavanelli AC, Zavanelli RA (2011). Photoelastic comparison of single tooth implant-abutment bone of platform switching vs conventional implant designs. *J Contemp Dent Pract*; 12(2): 124-30
125. Sagara M, Akagawa Y, Nikai H, Tsuru H (1993). The effects of early occlusal loading on one-stage titanium alloy implants in beagle dogs: a pilot study. *J Prosthet Dent*; 69(3): 281-8
126. Salimi H, Savabi O, Nejatidanesh F (2011). Current results and trends in platform switching. *Dent Res J (Isfahan)*; 8(Suppl 1): S30-6
127. Sartori S, Silvestri M, Forni F, Icaro Cornaglia A, Tesesi P, Cattaneo V (2003). Ten-year follow-up in a maxillary sinus augmentation using anorganic bovine bone (Bio-Oss). A case report with histomorphometric evaluation. *Clin Oral Implants Res*; 14(3):369-72
128. Schmacke N (2004). Versorgungsforschung - auf dem Weg zu einer Theorie der "letzten Meile". *Gesundh.ökon.Qual.manag.*, 9. Jahrgang, Heft 3, 167-171.



129. Schmitz HJ, Kettner R, Eren S (1996). Implantatmaterialien. In: Koeck, B., Wagner, W. (Hrsg.): Praxis der Zahnheilkunde Bd. 13, Implantologie. Urban & Schwarzenberg, München-Wien-Baltimore
130. Schnitman PA, Wohrle PS, Rubenstein JE (1990). Immediate fixed interim prostheses supported by two-stage threaded implants: methodology and results. *J Oral Implantol* 16(2): 96-105
131. Schnitman PA, Wohrle PS, Rubenstein JE, DaSilva JD, Wang NH (1997). Ten-year results for Branemark implants immediately loaded with fixed prostheses at implant placement. *Int J Oral Maxillofac Implants*; 12(4): 495-503
132. Schroeder A, Sulter F, Buser D, Krekeler G (1994). *Orale Implantologie. Allgemeine Grundlagen und ITI-System*. 2. Auflage
133. Schwenger N; Ehrenfeld M (2009). *Zahnärztliche Chirurgie, Zahn-Mund-Kiefer-Heilkunde*. Thieme Verlag Stuttgart
134. Sharawy M, Misch CE, Weller N, Tehemar S (2002). Heat generation during implant drilling: the significance of motor speed. *J Oral Maxillofac Surg* 60(10): 1160-9.
135. Singh R, Singh SV, Arora V (2013). Platform switching: a narrative review. *Implant Dent*; 22(5): 453-9
136. Sorni-Broker M, Penarrocha-Diago M, Penarrocha-Diago M (2009). Factors that influence the position of the peri-implant soft tissues: a review. *Med Oral Patol Oral Cir Bucal*; 14(9): e475-9
137. Strassburg M (1983). 107. Jahrestagung der Deutschen Gesellschaft für Zahn-, Mund- und Kieferheilkunde. *Dtsch Zahnärztl Z* 38:131
138. Sullivan RM (2001). Implant Dentistry and the Concept of Osseointegration: A Historical Perspective. *CDA Journal*; 11 737-45
139. Sykaras N, Iacopino AM, Marker VA, Triplett RG, Woody RD (2000). Implant materials, designs, and surface topographies: their effect on osseointegration. A literature review *Int J Oral Maxillofac Implants*; 15 675-90
140. Szmukler-Moncler S, Piattelli A, Favero GA, Dubruille JH (2000). Considerations preliminary to the application of early and immediate loading protocols in dental implantology. *Clin Oral Implants Res*; 11(1): 12-25
141. Tarnow DP, Emtiaz S, Classi A (1997). Immediate loading of threaded implants at stage 1 surgery in edentulous arches: ten consecutive case reports with 1- to 5-year data. *Int J Oral Maxillofac Implants*; 12(3): 319-24
142. Testori T, Del Fabbro M, Szmukler-Moncler S, Francetti L, Weinstein RL (2003). Immediate occlusal loading of Osseotite implants in the completely edentulous mandible. *Int J Oral Maxillofac Implants*; 18(4): 544-51
143. Testori T, Meltzer A, Del Fabbro M, Zuffetti F, Troiano M, Francetti L, Weinstein RL (2004). Immediate occlusal loading of Osseotite implants in the lower edentulous jaw. A multicenter prospective study. *Clin Oral Implants Res*; 15(3): 278-84
144. Thomas KA, Cook SD (1985). An evaluation of variables influencing implant fixation by direct bone apposition. *J Biomed Mater Res*, 19 875-901.
145. Tomasi C, Sanz M, Cecchinato D, Pjetursson B, Ferrus J, Lang NP, Lindhe J (2010). Bone dimensional variations at implants placed in fresh extraction sockets: a multilevel multivariate analysis. *Clin Oral Implants Res*; 21(1): 30-6
146. Tonetti M, Palmer R; Working Group 2 of the VIII European Workshop on Periodontology (2012). Clinical research in implant dentistry: study design, reporting and outcome measurements: consensus report of Working Group 2 of the VIII European Workshop on Periodontology. *J Clin Periodontol*; 39 Suppl 12:73-80.
147. Touati B, Guez G (2002). Immediate implantation with provisionalization: from literature to clinical implications; 14(9):699-707

148. Trisi P, Berardi D, Paolantonio M, Spoto G, D'Addona A, Perfetti G (2013). Primary stability, insertion torque, and bone density of conical implants with internal hexagon: is there a relationship? *J Craniofac Surg*; 24:841-844
149. Tröndle JMR (2007). Der Einfluss verschiedener Oberflächen auf das Osseointegrationsverhalten von enossalen Implantaten Eine Literaturübersicht  
Dissertation zur Erlangung des Grades eines Doktors der Zahnheilkunde der Medizinischen Fakultät der Universität des Saarlandes
150. Vairo G, Sannino G (2013). Comparative evaluation of osseointegrated dental implants based on platform-switching concept: influence of diameter, length, thread shape, and in-bone positioning depth on stress-based performance. *Comput Math Methods Med*; 2013: 250929.
151. Vanden Bogaerde L, Pedretti G, Dellacasa P, Mozzati M, Rangert B (2003). Early function of splinted implants in maxillas and posterior mandibles using Branemark system machined-surface implants: an 18-month prospective clinical multicenter study. *Clin Implant Dent Relat Res* 5 Suppl 1: 21-8
152. Vandeweghe S, Nicolopoulos C, Thevissen E, Jimbo R, Wennerberg A, De Bruyn H,(2013). Immediate loading of screw-retained all-ceramic crowns in immediate versus delayed single implant placement. *Int J Prosthodont* 26(5): 458-64.
153. van Kesteren CJ, Schoolfield J, West J, Oates T (2010). A prospective randomized clinical study of changes in soft tissue position following immediate and delayed implant placement. *Int J Oral Maxillofac Implants* 25(3): 562-70
154. van Steenberghe D, Ericsson I, Van Cleynenbreugel J, Schutyser F, Brajnovic I, Andersson M (2004). High precision planning for oral implants based on 3-D CT scanning. A new surgical Technique for immediate and delayed loading. *Applied Osseointegration Research*, 4(Prosthetics & Esthetics); 27-31
155. Vervaeke S, Dierens M, Bessler J, De Bruyn H (2014). The Influence of Initial Soft Tissue Thickness on Peri-Implant Bone Remodeling. *Clin Implant Dent Relat Res*; 16(2):238-47
156. Vervaeke S, Collaert B, Cosyn J, Deschepper E, De Bruyn H (2015). .A Multifactorial Analysis to Identify Predictors of Implant Failure and Peri-Implant Bone Loss. *Clin Implant Dent Relat Res*; 17 Suppl 1: e298-307
157. Wallace SS, Froum SJ, Cho SC, Elian N, Monteiro D, Kim BS, Tarnow DP (2005). Sinus augmentation utilizing anorganic bovine bone (Bio-Oss) with absorbable and nonabsorbable membranes placed over the lateral window: histomorphometric and clinical analyses. *Int J Periodontics Restorative Dent*; 25(6): 551-9
158. Wang GS, Li SW, Cai L (2012). Quantitative analysis on guided bone regeneration-membrane technique with Bio-Oss in dental implantation. *Shanghai Kou Qiang Yi Xue*; 21(3): 317-20
159. Watzek G, Blahout R (1993). Historischer Rückblick. In: Watzek, G.: Enossale Implantate in der oralen Chirurgie. Quintessenz. Berlin, Chicago, London, S. Paulo, Tokio, Moskau, Prag und Warschau 17-19
160. Watzek G, Mailath-Pokorny G (2000). Zahnärztliche Implantate. In: Schwenger, N., Ehrenfeld, M. Zahn-Mund-Kiefer-Heilkunde: Lehrbuch zur Aus- und Weiterbildung Bd. 3, Zahnärztliche Chirurgie, 3. Aufl., 127- 168, Thieme Verlag, Stuttgart
161. Farbatlant der Zahnmedizin, Band 1, Parodontologie, 3. Überarbeitete und erweiterte Aufl., S. 511