

Literaturliste

Wiederherstellung von Ästhetik und Funktion bei einem zahnlosen Patienten

Dr. Burghardt Zimny, M.Sc., M.Sc., ZTM Nikolai Küffner/Berlin

Implantologie Journal 4/2012

1. Chung, S., A. McCullagh, and T. Irinakis, *Immediate loading in the maxillary arch: evidence-based guidelines to improve success rates: a review*. J Oral Implantol, 2011. 37(5): p. 610-21.
2. Eccellente, T., et al., *Immediate loading of dental implants in the edentulous maxilla*. Quintessence Int, 2011. 42(4): p. 281-9.
3. Castellon, P., et al., *Immediate loading of the edentulous mandible: delivery of the final restoration or a provisional restoration--which method to use?* J Oral Maxillofac Surg, 2004. 62(9 Suppl 2): p. 30-40.
4. Balshi, T.J. and G.J. Wolfinger, *Teeth in a day for the maxilla and mandible: case report*. Clin Implant Dent Relat Res, 2003. 5(1): p. 11-6.
5. Kawahara, H., et al., *Osseointegration under immediate loading: biomechanical stress-strain and bone formation--resorption*. Implant Dent, 2003. 12(1): p. 61-8.
6. Uribe, R., et al., *Immediate loading in oral implants. Present situation*. Med Oral Patol Oral Cir Bucal, 2005. 10 Suppl 2: p. E143-53.
7. Mozzati, M., et al., *Immediate Postextractive Dental Implant Placement with Immediate Loading on Four Implants for Mandibular-Full-Arch Rehabilitation: A Retrospective Analysis*. Clin Implant Dent Relat Res, 2012.
8. Heschl, A., et al., *Immediate rehabilitation of the edentulous mandible with screw type implants: results after up to 10 years of clinical function*. Clin Oral Implants Res, 2011.
9. Babbush, C.A., G.T. Kutsko, and J. Brokloff, *The all-on-four immediate function treatment concept with NobelActive implants: a retrospective study*. J Oral Implantol, 2011. 37(4): p. 431-45.
10. Hruska, A., et al., *Immediate loading implants: a clinical report of 1301 implants*. J Oral Implantol, 2002. 28(4): p. 200-9.
11. Gatti, C., W. Haefliger, and M. Chiapasco, *Implant-retained mandibular overdentures with immediate loading: a prospective study of ITI implants*. Int J Oral Maxillofac Implants, 2000. 15(3): p. 383-8.
12. Lefkove, M.D. and R.P. Beals, *Immediate loading of cylinder implants with overdentures in the mandibular symphysis: the titanium plasma-sprayed screw technique*. J Oral Implantol, 1990. 16(4): p. 265-71.
13. Malo, P., et al., *"All-on-4" Immediate-Function Concept for Completely Edentulous Maxillae: A Clinical Report on the Medium (3 Years) and Long-Term (5 Years) Outcomes*. Clin Implant Dent Relat Res, 2011.
14. Jensen, O.T., et al., *Trans-sinus dental implants, bone morphogenetic protein 2, and immediate function for all-on-4 treatment of severe maxillary atrophy*. J Oral Maxillofac Surg, 2012. 70(1): p. 141-8.
15. Malo, P., et al., *A longitudinal study of the survival of All-on-4 implants in the mandible with up to 10 years of follow-up*. J Am Dent Assoc, 2011. 142(3): p. 310-20.
16. Jensen, O.T., et al., *The all on 4 shelf: mandible*. J Oral Maxillofac Surg, 2011. 69(1): p. 175-81.
17. Jensen, O.T., et al., *The All-on-4 shelf: maxilla*. J Oral Maxillofac Surg, 2010. 68(10): p. 2520-7.
18. Takahashi, T., I. Shimamura, and K. Sakurai, *Influence of number and inclination angle of implants on stress distribution in mandibular cortical bone with All-on-4 Concept*. J Prosthodont Res, 2010. 54(4): p. 179-84.
19. Jensen, O.T. and M.W. Adams, *All-on-4 treatment of highly atrophic mandible with mandibular V-4: report of 2 cases*. J Oral Maxillofac Surg, 2009. 67(7): p. 1503-9.

20. Malo, P., B. Rangert, and M. Nobre, *All-on-4 immediate-function concept with Branemark System implants for completely edentulous maxillae: a 1-year retrospective clinical study*. Clin Implant Dent Relat Res, 2005. 7 Suppl 1: p. S88-94.
21. Jensen, O.T. and M.W. Adams, *The maxillary M-4: a technical and biomechanical note for all-on-4 management of severe maxillary atrophy--report of 3 cases*. J Oral Maxillofac Surg, 2009. 67(8): p. 1739-44.