

Ausgabe: Endodontie Journal 4/2020

Thema: Geschichte und Verwendung von Mineral-Trioxid-Aggregat

Autoren: Dr. Massimo Giovarruscio, Dr. Francesca Cerutti

Literatur

- 1 Torabinejad M, Parirokh M. Mineral trioxide aggregate: a comprehensive literature review--part II: leakage and biocompatibility investigations. *J Endod.* 2010;36(2):190-202.
- 2 Parirokh M, Torabinejad M, Dummer PMH. Mineral trioxide aggregate and other bioactive endodontic cements: an updated overview - part I: vital pulp therapy. *Int Endod J.* 2017.
- 3 Parirokh M, Torabinejad M. Mineral trioxide aggregate: a comprehensive literature review--Part I: chemical, physical, and antibacterial properties. *J Endod.* 2010;36(1):16-27.
- 4 Mente J, Geletneky B, Ohle M, Koch MJ, Friedrich Ding PG, Wolff D, et al. Mineral trioxide aggregate or calcium hydroxide direct pulp capping: an analysis of the clinical treatment outcome. *J Endod.* 2010;36(5):806-13.
- 5 Staffoli S, Plotino G, Nunez Torrijos BG, Grande NM, Bossù M, Gambarini G, et al. Regenerative Endodontic Procedures Using Contemporary Endodontic Materials. *Materials.* 2019;12(908):1-28.
- 6 Torabinejad M, Parirokh M, Dummer PMH. Mineral trioxide aggregate and other bioactive endodontic cements: an updated overview - part II: other clinical applications and complications. *Int Endod J.* 2017.
- 7 Chen I, Karabucak B, Wang C, Wang HG, Koyama E, Kohli MR, et al. Healing after root-end microsurgery by using mineral trioxide aggregate and a new calcium silicate-based bioceramic material as root-end filling materials in dogs. *J Endod.* 2015;41(3):389-99.
- 8 Asgary S, Eghbal MJ, Ehsani S. Periradicular regeneration after endodontic surgery with calcium-enriched mixture cement in dogs. *J Endod.* 2010;36(5):837-41.
- 9 Kohout GD, He J, Primus CM, Opperman LA, Woodmansey KF. Comparison of Quick-Set and mineral trioxide aggregate root-end fillings for the regeneration of apical tissues in dogs. *J Endod.* 2015;41(2):248-52.
- 10 Hakki SS, Bozkurt SB, Ozcopur B, Purali N, Belli S. Periodontal ligament fibroblast response to root perforations restored with different materials: a laboratory study. *Int Endod J.* 2012;45(3):240-8.
- 11 Giovarruscio M, Tonini R, Zavattini A, Foschi F. Reparative procedures for endodontic perforations: towards a standardised approach. *ENDO EPT.* 2020;14(3):217-28.
- 12 Gorni FG, Andreano A, Ambrogi F, Brambilla E, Gagliani M. Patient and Clinical Characteristics Associated with Primary Healing of Iatrogenic Perforations after Root Canal Treatment: Results of a Long-term Italian Study. *J Endod.* 2016;42(2):211-5.
- 13 Hashem AA, Wanees Amin SA. The effect of acidity on dislodgment resistance of mineral trioxide aggregate and bioaggregate in furcation perforations: an in vitro comparative study. *J Endod.* 2012;38(2):245-9.
- 14 Rahimi S, Ghasemi N, Shahi S, Lotfi M, Frougheyhani M, Milani AS, et al. Effect of blood contamination on the retention characteristics of two endodontic biomaterials in simulated furcation perforations. *J Endod.* 2013;39(5):697-700.

15 Song M, Yue W, Kim S, Kim W, Kim Y, Kim JW, et al. The effect of human blood on the setting and surface micro-hardness of calcium silicate cements. *Clin Oral Investig.* 2016;20(8):1997-2005.

16 Charland T, Hartwell GR, Hirschberg C, Patel R. An evaluation of setting time of mineral trioxide aggregate and EndoSequence root repair material in the presence of human blood and minimal essential media. *J Endod.* 2013;39(8):1071-2.