

**Ausgabe:** KN 12-2020, S. 10ff.  
**Thema:** Wenn die Mitte nicht im Zentrum ist  
**Autoren:** Dr. Santiago Isaza-Penco, Dr. Andrea Nakleh, Stefano Negrini  
und Dr. Thomas Lietz.

---

## Literatur

1. Eigenwillig, P: Virtuell geplant, exakt umgesetzt. KN 16: 1+8-10 (2018).
2. Feng, X, Yang, Z, Dai, J, et al.: Miniscrew anchorage for the correction of midline discrepancies. J Clin Orthod 48: 169-179 (2014).
3. Frass, K: Der OSAMU-Retainer. Kieferorthopädie Journal 5: 20 - 23 (2003).
4. Gribel, MN, and Gribel, BF: Planas Direct Tracks in young patients with Class II malocclusion. World J Orthod 6: 355-368 (2005).
5. Mavropoulos, A, Karamouzos, A, Kiliaridis, S, et al.: Efficiency of noncompliance simultaneous first and second upper molar distalization: a three-dimensional tooth movement analysis. Angle Orthod 75: 532-539 (2005).
6. Möhlhenrich, SC, Brandt, M, Kniha, K, et al.: Accuracy of orthodontic mini-implants placed at the anterior palate by tooth-borne or gingiva-borne guide support: a cadaveric study. Clin Oral Investig (2019).
7. Papadopoulos, M: Orthodontic treatment of class II noncompliant patient - current principles and techniques. Mosby Elsevier 2006.
8. Papadopoulos, MA: Due to his experience on the subject of. The Journal of the Argentinian Orthodontic 70: 46-58 (2007).
9. Papadopoulos, MA, Mavropoulos, A, and Karamouzos, A: Cephalometric changes following simultaneous first and second maxillary molar distalization using a non-compliance intraoral appliance. J Orofac Orthop 65: 123-136 (2004).