

# Die kieferorthopädische Behandlung erwachsener Patienten - *eine interdisziplinäre Therapie*

## Teil III: Kieferorthopädie nach parodontalregenerativen Maßnahmen

### Autoren

- 1) **N. Watted**  
Prof. Dr. med. dent
- 2) **J. Bill**  
PD. Dr.med. Dr. med. dent.
- 3) **T. Teuscher**  
Dr. med. dent
- 4) **A. Awadi**  
Dr. med. dent.
- 5) **Sh. Gara**  
Dr. med. dent.

### References

1. Anderegg C, Martin S, Gray J, Mellinig J, Gher M.: Clinical evaluation of the use of decalcified freeze-dried bone allograft with guided tissue regeneration in the treatment of molar furcation invaginations. J Periodontol 62: 264-268, 1991.
2. Aukhil I, Petterson E, Suggs C.: Guided tissue regeneration. An experimental procedure in beagle dogs. J Periodontol 57: 727-734, 1986.
3. Becker W, Becker B, Prichard J, Caffesse R, Rosenberg E, Gian-Grasso J: Root isolation for new attachment procedures. A surgical and suturing method: Three case reports. J Periodontol 58: 819 – 826, 1987.
4. Becker W, Becker B E, Berg L, Prichard J, Caffesse R, Rosenberg E.: New attachment after treatment with root isolation procedures: Report for treated Class

- III and Class II furcations and vertical osseous defects. *Int J Periodont Rest Dent* 8: 2-16, 1988.
5. Bergland O, Semb G, Abyholm FE.. Elimination of the residual alveolar cleft by secondary bone grafting and subsequent orthodontic treatment. *Cleft Palate J* 23: 175-205, 1986.
  6. Bowers G M, Chadroff B, Carnevale R, Mellonig J, Cario R, Emerson J, et al.: Histologic evaluation of new attachment apparatus formation in humans. Parts I, II & III *J Periodontol* 60: 664-693, 1989.
  7. Cortellini P, Pini Patro G, Baldi C, Clauser C.: Guided tissue regeneration with different materials. *Int J Periodont Rest Dent* 10: 137-151, 1990.
  8. Cortellini P, Clauser C, Pini Prato GP: Histologic assessment of new attachment following the treatment of a human buccal recession by means of a guided tissue regeneration procedure. *J Periodontol* 64: 387-391, 1993.
  9. Drago M R, Sullivan H C: A clinical and histological evaluation of autogenous iliac bone grafts in humans: Part I. Wound healing 2-8 months. *J Periodontol* 44: 599-612, 1973.
  10. Enemark H, Sindet-Pedersen S, Bundgaard M, Simonsen E K.: Combined orthodontic-surgical treatment for alveolar clefts. *Ann Plast Surg* 21: 127-133, 1988.
  11. Ericsson I, Thilander B, Lindhe J: The effect of orthodontic tilting movement on the periodontal tissues of infected and non-infected dentitions in the dog. *J Clin Periodontol* 4: 115-127, 1977.
  12. Ericsson I, Thilander B, Lindhe J: Periodontal condition after orthodontic tooth movement in the dog. *Angle Othod* 48: 210-218, 1978.

13. Flores-de-Jacoby L, Zimmerman A, Tsalikis L: Experiences with guided tissue regeneration in the treatment of advanced periodontal disease. A clinical reentry study. Part I. Vertical, horizontal and combined vertical and horizontal periodontal defects. *J Clin Periodontol* 21: 113-117, 1994.
14. Freihofer H P, Kuijpers-Jagtman A M.: Early secondary osteoplastic closure of the residual alveolar cleft in combination with orthodontic treatment. *J Craniomaxillofac Surg* 17: 26-27, 1989.
15. Geraci T F, Nevins M, Crosetti H W, Drizen K, Ruben M P.: Reattachment of the periodontium after tooth movement into an osseous defect in a monkey. Part I. *Int J Periodont Rest Dent* 10: 185-207, 1990.
16. Gottlow, J, Nyman, S, Karring, T, Lindhe, J: New attachment formation as the result of controlled tissue regeneration. *J Clin Periodontol* 11: 494-503, 1984.
17. Gottlow J, Nyman S, Lindhe J, Karring T, Wennstrom J: New attachment formation in the human periodontium by guided tissue regeneration: Case reports. *J Clin Periodontol* 13: 604–616, 1986.
18. Gottlow J, Nyman S, Karring T: Maintenance of new attachment gained through guided tissue regeneration. *J Clin Periodontol* 19: 315-317, 1992.
19. Guillemin M R, Mellonig J T, Brunsvold M A: Healing in periodontal defects treated by decalcified freeze-dried bone allografts in combination with ePTFE membranes. (I). Clinical and scanning electron microscope analysis. *J Clin Periodontol* 20: 528–536, 1993.
20. Harris E F, Baker W C.: Loss of root length and crestal bone height before and during treatment in adolescent and adult orthodontic patients. *Am J Orthod Dentofacial Orthop* 98: 463-469, 1990.
21. Karring T, Nyman S, Lindhe J: Healing following implantation of periodontitis affected roots into bone tissue. *J Clin Periodontol* 7: 96–105, 1980.

22. Karring T, Nyman S, Thilander B, Magnusson I.: Bone regeneration in orthodontically produced alveolar bone dehiscences. *J Periodont Res* 17: 309-315, 1982.
23. Lekovic V, Kenney E B, Carranza F A, Danilovic V: Treatment of Class II furcation defects using porous hydroxylapatite in conjunction with a polytetrafluoroethylene membrane. *J Periodontol* 61: 575–578, 1990.
24. Lindhe J: *Textbook of Clinical Periodontology*, 2<sup>nd</sup> edition, Munksgaard, Copenhagen 1989.
25. Lindskog-Stokland B; Ennstrom J L, Nyman S, Thilander B.: Orthodontic tooth movement into edentulous areas with reduced bone height. An experimental study in the dog *Eur J Orthod* 15: 89-96, 1993.
26. Listgarten, M A, Rosenberg, M M: Histological study of repair following new attachment procedures in human periodontal lesions. *J Periodontol* 50: 336-334, 1979.
27. Mayer T, Basdra E K, Komposch G, Staehle HJ.: Localized alveolar ridge augmentation before orthodontic treatment. A case report. *Int J Oral Maxillofac Surg* 23: 226-228, 1994.
28. Maxson B B, Baxter S D, Vig K W L, Fonseca R J.: Allogeneic bone for secondary alveolar cleft osteoplasty. *J Oral Maxillofac Surg* 48: 933-941, 1990.
29. McClain P, Schallhorn R G.: Long-term assessment of combined osseous composite grafting, root conditioning, and guided tissue regeneration. *Int J Periodont Rest Dent* 13: 6-27, 1993.
30. Melcher A H: On the repair potential of periodontal tissues. *J Periodontol* 47: 256–260, 1976.

31. Melsen, B: Behandlungsprobleme bei erwachsenen Patienten. Fortschr Kieferorthop 44: 12, 1983.
32. Mellonig, J T: Technik der Knochenimplantation in parodontale Defekte. Int J Periodont Rest Zahnheil 4: 277-287, 1990.
33. Moskow B S, Karsh F, Stein D S: Histological assessment of autogenous bone graft. A case report and critical evaluation. J Periodontol 50: 290-300, 1979.
34. Nemcovsky, C E, Zubery, Y, Arzi, Z, Liebermann, M: Orthodontic tooth movement following guided tissue regeneration: Report of three cases. Int. J. Adult Orthognath. Surg 11: 347-355, 1996.
35. Nemcovsky, C E, Watted, N, Liebermann, M: Orthodontische Zahnbewegung nach vorausgegangener gesteuerter Gewebereaktion (Guided Tissue Regeneration = GTR). Inf orthodo Kieferorthop im Druck.
36. Nyman S, Karring T, Lindhe J, Planten S: Healing following implantation of periodontitis affected roots into gingival connective tissue. J Clin Periodontol 7: 394-401, 1980.
37. Nyman, S., Gottlow, J., Karring, T., Lindhe, J.: The regenerative Potential of the periodontal ligament. An Experimental study in the monkey. J Clin Periodontol 9:257-265, 1982.
38. Polson A, Caton J, Polson A P, Nyman S, Novak J, Reed B.: Periodontal response after tooth movement into entrabony defects. J Periodontal 55: 197-202, 1984.
39. Pontoriero R, Lindhe J, Nyman S, Karring T, Rosenberg E, Sanavi F.: Guided tissue regeneration in degree II furcation involved mandibular molars. J Clin Periodontol 15: 247-254, 1988.

40. Pontoriero R, Lindhe J, Nyman S, Karring T, Rosenberg E, Sanavi F.: Guided tissue regeneration in the treatment of furcation defects in mandibular molars. A clinical study of degree III involvements. *J Clin Periodontol* 16:170-174, 1989.
41. Schallhorn R G, Hiatt W H, Boyce W: Iliac transplants in periodontal therapy. *J Periodontol* 41: 556-580, 1970.
42. Schallhorn R G: The use of autogenous hip marrow biopsy implants for bony crater defects. *J Periodontol* 39: 145-147, 1968.
43. Schallhorn R G, McClain P.: Combined osseous composite grafting, root conditioning and guided tissue regeneration. *Int J Periodont Rest Dent* 8: 9-32, 1988.
44. Stahl S S, Froum S J, Tarnow D.: Human histologic responses to guided tissue regenerative techniques in intrabony lesions. Case report on 9 sites. *J Clin Periodontol* 17: 191-198, 1990.
45. Stahl S S, Froum S J: Healing of human suprabony lesions treated with guided tissue regeneration and coronally anchored flaps. *J Clin Periodontol* 18: 69-74, 1991.
46. Stahl S S, Froum S J.: Histologic healing responses in human vertical lesions following the use of osseous allografts and barrier membranes. *J Clin Periodontol* 1: 149-152, 1991.
47. Ten Cate A R, Mills C: The development of the periodontium: The origin of alveolar bone. *Anat Rec* 173: 69-78, 1972.
48. Wenzel A, Warrer K, Karring T.: Digital subtraction radiography in assessing bone changes in periodontal defects following guided tissue regeneration. *J Clin Periodontol* 19: 208-213, 1992.

49. Wennstrom J L, Lindskog-Stokland B, Nyman S, Thilander B.: Perodontal tissue response to orthodontic movement of teeth with infrabony pockets. Am J Orthod Dentofacial Orthop 103: 313-319, 1993.

50. Zappa, U.: Resorbierbare Membranen I und II. Klinische und histologische Aspekte. Schweiz Monatschr Zahnmed 101: 1147-1151, 1991.