

LITERATUR

Ausgabe: Implantologie Journal 4/21

Thema: Belastungsausgleich bei implantatgelagerten Freierdprothesen

Autoren: Dr. med. dent. Malin Janson, Univ.-Prof. (em.) Dr. med. dent. Wilhelm Niedermeier

1. Jordan RA, Bodechtel C, Hertrampf K, Hoffmann T, Kocher T, Nitschke I, Schiffner U, Stark H, Zimmer S, und Micheelis W. The Fifth German Oral Health Study (Fünfte Deutsche Mundgesundheitsstudie, DMS V) - rationale, design, and methods. *BMC oral health* 2014;14: 161.
2. Awad MA, Lund JP, Shapiro SH, Locker D, Klemetti E, Chehade A, Savard A, und Feine JS. Oral health status and treatment satisfaction with mandibular implant overdentures and conventional dentures: a randomized clinical trial in a senior population. *Int J Prosthodont* 2003;16: 390-6.
3. Meijer HJ, Raghoobar GM, und Van 't Hof MA. Comparison of implant-retained mandibular overdentures and conventional complete dentures: a 10-year prospective study of clinical aspects and patient satisfaction. *Int J Oral Maxillofac Implants* 2003;18:879-85.
4. Thomason JM, Lund JP, Chehade A, und Feine JS. Patient satisfaction with mandibular implant overdentures and conventional dentures 6 months after delivery. *Int J Prosthodont* 2003;16:467-73.
5. Thomason JM, Kelly SA, Bendkowski A, und Ellis JS. Two implant retained overdentures--a review of the literature supporting the McGill and York consensus statements. *J Dent* 2012;40:22-34.
6. Ludwig P und Niedermeier W. *Prothetik, Checklisten der Zahnmedizin*, Stuttgart: Georg Thieme Verlag 2002.
7. Hanif A, Qureshi S, Sheikh Z, und Rashid H. Complications in implant dentistry. *European J Dent* 2017;11:135-40.
8. Burns DR, Unger JW, Elswick RK, Jr., und Beck DA. Prospective clinical evaluation of mandibular implant overdentures: Part I--Retention, stability, and tissue response. *J Prosthet Dent* 1995;73:354-63.
9. Burns DR, Unger JW, Elswick RK, Jr., und Giglio JA. Prospective clinical evaluation of mandibular implant overdentures: Part II--Patient satisfaction and preference. *J Prosthet Dent* 1995;73:364-9.
10. Thomason JM, Feine J, Exley C, Moynihan P, Muller F, Naert I, Ellis JS, Barclay C, Butterworth C, Scott B, Lynch C, Stewardson D, Smith P, Welfare R, Hyde P, McAndrew R, Fenlon M, Barclay S, und Barker D. Mandibular two implant-supported overdentures as the first choice standard of care for edentulous patients-The York Consensus Statement. *Brit Dent J* 2009; 207:185-6.
11. Niedermeier W. Das Pollerteleskop nach drei Jahren klinischer Bewährung. *Z Zahnärztl Impl* 2003;19:30-7.
12. Manju V und Sreelal T. Mandibular implant-supported overdenture: an in vitro comparison of ball, bar, and magnetic attachments. *J Oral Impl* 2013;39:302-7.

13. Jemt T, Carlsson L, Boss A. In vivo load measurements on osseointegrated implants supporting fixed or removable prostheses. *J Oral Maxillofac Implants* 1991;6:413–417.
14. DE 10 2016 124 012 A1 2018.06.14, Aktenzeichen 10 2016 124 012.5 Zahnprothetische Anordnung, Bredent GmbH & Co. KG, 89250 Senden, Niedermeier, W, Deutsches Patent- und Markenamt
15. DeLong R und Douglas WH. An artificial oral environment for testing dental materials. *IEEE Trans Biomed Eng* 1991;38:339-45.
16. Besimo CH, Graber G, und Fluhler M. Retention force changes in implant-supported titanium telescope crowns over long-term use in vitro. *J Oral Rehabil* 1996;23:372-8.
17. Gungor MA, Artunc C, Sonugelen M. Parameters affecting retentive force of conus crowns. *J Oral Rehabil* 2004;31:271-7.
18. Misch CE. Chapter 8 - Stress Treatment Theorem for Implant Dentistry: The Key to Implant Treatment Plans, Mosby: St. Louis: Dental Implant Prosthetics (Second Edition) 2015;S. 159-92.
19. Weigl P, Hahn L, Lauer HC. Advanced Biomaterials Used for a New Telescopic Retainer for Removable Dentures: Ceramics vs. Electroplated Gold Copings: Part I. In Vitro Tribology Effect. *J Biomed Mater Res* 2000;53:320-36.
20. Heckmann S M SA, Graef F, Wichmann M G, Weber H P. Mandibular two-implant telescopic overdentures. *Clin Oral Implants Res* 2004;15:560-9.
21. Heckmann SM, Winter W, Meyer M, Weber HP, und Wichmann MG. Overdenture attachment selection and the loading of implant and denture-bearing area. Part 2: A methodical study using five types of attachment. *Clin Oral Implants Res* 2001;12:640-7.
22. Rinke S, Buegers R, Ziebolz D, und Roediger M. Clinical outcome of double crown-retained implant overdentures with zirconia primary crowns. *J Adv Prosthodont* 2015;7:329-37.
23. Koutouzis T. RJ, Lundgren T. Comparative soft and hard tissue responses to titanium and polymer healing abutments. *J Oral Impl* 2011;37:174-82.
24. Sereno N, Rosentritt M, Jarman-smith M, Lang R, Kolbeck C. In-vitro performance evaluation of polyetheretherketone (PEEK) implant prosthetics with a cantilever design. *Clin Oral Impl Res* 2015;26:296.
25. Niedermeier W. Das Pollerteleskop als Attachment für implantatgestützte Deckprothesen. *Implantologie* 2016;24:157-67.
26. Meijer HJ, Starmans FJ, Steen WH, und Bosman F. Loading conditions of endosseous implants in an edentulous human mandible: a three-dimensional, finite-element study. *J Oral Rehabil* 1996;23:757-63.
27. Elsyad MA, Mohamed SS, und Shawky AF. Posterior Mandibular Ridge Resorption Associated with Different Retentive Systems for Overdentures: A 7-Year Retrospective Preliminary Study. *Int J Prosthodont* 2017;30:260-5.
28. Chavez H, Ortman LF, DeFranco RL, und Medige J. Assessment of oral implant mobility. *J Prosthet Dent*, 1993;70:421-6.
29. Niedermeier W, Kraft, J. Biometrische Untersuchungen an implantierten und natürlichen Prothesenpfeilern. *Dtsch Zahnarztl Z*, 1990;45:571-5.
30. Sadig W. A comparative in vitro study on the retention and stability of implant-supported overdentures. *Quintessence Int* 2009;40:313-9.
31. Rösch R M-SR. Zirconia and removable partial dentures. *Schweiz Monatsschr Zahnmed* 2008;118:959-66.