

References

Zirconia implant: Close to the natural root?

Dr Fabrice Baudot & Dr Giancarlo Bianca, France; Dr Pascal Eppe, Belgium

ceramic implants – international magazine of ceramic implant technology 1/21

1. Buser D, Sennerby L, De Bruyn H. Modern implant dentistry based on osseointegration: 50 years of progress, current trends and open questions. *Periodontol 2000* 2017;73:7-21.
2. Bosshardt DD, Chappuis V, Buser D. Osseointegration of titanium, titanium alloy and zirconia dental implants: current knowledge and open questions. *Periodontol 2000* 2017;73:22-40.
3. Jung RE, Zembic A, Pjetursson BE, Zwahlen M, Thoma DS. Systematic review of the survival rate and the incidence of biological, technical, and aesthetic complications of single crowns on implants reported in longitudinal studies with a mean follow-up of 5 years. *Clin Oral Implants Res* 2012;23 Suppl 6:2-21.
4. Daubert DM, Weinstein BF, Bordin S, Leroux BG, Flemming TF. Prevalence and predictive factors for peri-implant disease and implant failure: a cross-sectional analysis. *J Periodontol.* 2015 Mar;86(3):337-4
5. T.G. Wilson, Jr., P. Valderrama, M. Burbano, J. Blansett, R. Levine, H. Kessler, and D.C. Rodrigues. Foreign Bodies Associated With Peri-Implantitis Human Biopsies. *J Periodontol* • January 2015
6. Safioti LM, Kotsakis GA, Pozhitkov AE, Chung WO, Daubert DM. Increased Levels of Dissolved Titanium Are Associated With Peri-Implantitis - A Cross-Sectional Study. *J Periodontol.* 2017 May;88(5):436-442.
7. Mombelli A, Hashim D, Cionca N. What is the impact of titanium particles and biocorrosion on implant survival and complications? A critical review. *Clin Oral Implants Res* 2018;29 (suppl18):s53
8. CHARALAMPAKIS G, RABE P, LEONHARDT A, DAHLEN G. Clinical and microbiological characteristic of peri-implantitis cases: a retrospective multicenter study. *Clinical Oral Implants Research* 2012 ;23,issue9 ;1045-1054.
9. Scarano A, Piattelli M, Caputi S, Favero GA, Piattelli A. Bacterial adhesion on commercially Pure titanium and zirconium oxide disks: an in vivo human study. *J Periodontol* 2004; 75 (2): 292-6.
10. Callister WD. *Sciences et génie des matériaux*, 5ème édition. Paris: Dunod ; 2001.
11. Sterner T, Schütze N, Saxler G, Jakob F, Rader CP. Effects of clinically relevant alumina ceramic, zirconia ceramic and titanium particles of different sizes and concentrations on TNF-alpha release in a human macrophage cell line. *Biomed Tech (Berl).* 2004 Dec;49(12):340-4.

12. Stejskal V, Reynolds T, Bjørklund G . Increased frequency of delayed type hypersensitivity to metals in patients with connective tissue disease. *J Trace Elem Med Biol.* 2015; 31: 230–236.
13. Georges Tawil, DDS, DSc Odont /Peter Tawil, DDS, MSc/Carla Irani, MD, MSCE ·Zirconium Implant as an Alternative to Titanium Implant in a Case of Type IV Titanium Allergy: Case Report . *JOMI Volume 35, Number 3, 2020 :639-644*
14. Lim HC, Jung RE, Hämmerle CHF, Kim MJ, Paeng KW, Jung UW, Thoma DS. Tissue integration of zirconia and titanium implants with and without buccal dehiscence defects. *J Periodontal Implant Sci.* 2018 Jun 30;48(3):182-192.
15. Cionca N, Hashim D, Mombelli A. Zirconia dental implants: where are we now, and where are we heading? *Periodontol 2000* 2017;73:241-58.
16. Kohal RJ, Weng D, Bächle M, Strub JR. Loaded custom-made zirconia and titanium implants show similar osseointegration: an animal experiment. *J Periodontol* 2004;75:1262-8.
17. Sennerby L, Dasmah A, Larsson B, Iverhed M. Bone tissue responses to surface-modified zirconia implants: A histomorphometric and removal torque study in the rabbit. *Clin Implant Dent Relat Res* 2005;7 Suppl 1:S13-20
18. Hashim D, Cionca N, Courvoisier DS, Mombelli A. A systematic review of the clinical survival of zirconia implants. *Clin Oral Investig.* 2016 Sep;20(7):1403-17
19. Sivaraman K, Chopra A, Narayan AI, Balakrishnan D. Is zirconia a viable alternative to titanium for oral implant? A critical review. *J Prosthodont Res* 2018 ; 62 : 121-33.
20. Tetè S, Mastrangelo F, Bianchi A, Zizzari V, Scarano A. Collagen fiber orientation around machined titanium and zirconia dental implant necks: an animal study. *Int J Oral Maxillofac Implants* 2009;24:52-8.
21. Welander M, Abrahamsson I, Berglundh T. The mucosal barrier at implant abutments of different materials. *Clin Oral Implants Res* 2008;19:635-41.
22. Berglundh T, Lindhe J, Ericsson, Marinello CP, Liljenberg B, Thomsen P. The soft tissue barrier at implants and teeth. *Clin Oral Implants Res* 1991; 2: 81–90
23. Berglundh T, Lindhe J, Jonsson K, Ericsson. The topography of the vascular systems in the periodontal and peri-implant tissues in the dog. *J Clin Periodontol* 1994; 21: 189–193.
24. Degidi M, Piattelli A, Scarano A, Sibli JA, Iezzi G. Peri-implant collagen fibers around human cone morse connection implants under polarized light: a report of three cases. *Int J Periodontics Restorative Dent* 2012; 32: 323–328.
25. Piattelli A, Scarano A, Piattelli M, Bertolai R, Panzoni E. Histologic aspects of the bone and soft tissues surrounding three titanium non-submerged plasma-sprayed implants retrieved at autopsy: a case report. *J Periodontol* 1997; 68: 694–700.
26. Schierano G, Ramieri G, Cortese M, Aimetti M, Preti G. Organization of the connective tissue barrier around long-term loaded implant abutments in man. *Clin Oral Implants Res* 2002; 13: 460–464.
27. Rompen E, Domken O, Degidi M, Pontes AE, Piattelli A. The effect of material characteristics, of surface topography and of implant components and connections on soft tissue integration: a literature review. *Clin Oral Implants Res.* 2006 Oct;17 Suppl 2:55-67.
28. Noronha Oliveira M, Schunemann WVH, Mathew MT, Henriques B, Magini RS, Teughels W, Souza JCM Can degradation products released from dental implants affect peri-implant tissues? *J Periodontal Res.* 2018 Feb;53(1):1-11.

29. Rimondini, L. et al. : Bacterial Colonization of Zirconia Ceramic Surfaces: An In vitro and In Vivo Study, *The International Journal of Oral and Maxillofacial Implants* 2002; 17, 6 -10.
30. Nascimento CD, Pita MS, Fernandes FHNC, Pedrazzi V, De Albuquerque junior RF, Ribeiro RF.: Bacterial adhesion on the titanium and zirconia abutment surfaces. *Clin Oral Impl Res* 2014 Mars 25(3): 337-343.
31. Nascimento CD, Pita MS, Santos Ede S, Monesi N, Pedrazzi V, De Albuquerque junior RF, Ribeiro RF.: Microbiome of titanium and zirconia dental implants abutments . *Dent Mater* 2016 Janv 32(1): 93-101.
32. De Freitas AR, Silva TSO, Ribeiro RF, De Albuquerque Junior RF, Pedrazzi V, Nascimento CD.: Oral Bacterial colonization on dental implant restored with titanium and zirconia abutments: 6 month follow up. *Clin Oral Investig* 2018 Jul 22(6): 2335-43
33. Iglhaut, G., Schwarz, F., Winter, R. R., Mihatovic, I., Stimmelmayer, M., & Schliephake, H. (2014). Epithelial attachment and downgrowth on dental implant abutments—a comprehensive review. *Journal of Esthetic and Restorative Dentistry*, 26, 324–331.
34. Nothdurft, F. P., Fontana, D., Ruppenthal, S., May, A., Aktas, C., Mehraein, Y., Kaestner, L. (2015). Differential behavior of fibroblasts and epithelial cells on structured implant abutment materials: A comparison of materials and surface topographies. *Clinical Implant Dentistry and Related Research*, 17, 1237–1249.
35. Negahdari R, Rahoar M, Fakhrzadeh V, Eslami H, Akbari T, Bohluli S: Comparison of proinflammatory cytokine levels in gingival crevicular fluid around dental implants with ceramic and titanium abutments. *J Contemp. Dent. Pract.* 2017 sep 1; 18(9): 831-836.
36. Linkevicius T, Vaitelis J. The effect of zirconia or titanium as abutment material on soft peri-implant tissues. A systematic review and meta-analysis. *Clin Oral Impl Res* 2015, 26 suppl 11: 139-47.
37. Martin IS, Sanchez IS, Carillor de Albormoz A, Figuero E, Sanz M.: Effects of modified abutment characteristics on peri-implant soft tissue health: a systematic review and meta analysis. *Clin Oral. Impl Res*, 2018, 29: 118-129.
38. Bianchi, A.E et al: . In vitro and In Vivo Follow-up of titanium transmucosal implant with zirconia collar. *Journal of Applied Biomaterials & Biomechanics* Vol2, Number 3, 2004.
39. Dong-Joon Lee, Joon-Sang Ryu, Masaki Shimono, Keun-Woo Lee, Jong-Min Lee and Han-Sung Jung. Differential healing patterns of mucosal seal on zirconia and titanium implant. *Front. Physiol.*, July 2019, 10; 796: &-11
40. Kajiwara N, Nasaki C, Makaido T, Kondo Y, Nakamoto T, Hosokawa R. Soft tissue biological response to zirconia and metal abutments compared with natural tooth : microcirculation monitoring as a novel bioindicator. *Implant Dent.* 2015 Feb, 24(1) : 37-41.