

LITERATUR

Ausgabe: Implantologie Journal 5/21

Thema: Stabiles Weichgewebe – der Erfolgsfaktor für die Ästhetik
Rezessionsdeckung mit einer azellulären dermalen Matrix

Autoren: Dr. Jan Klenke, Dr. Andrea Vossmeier

[1] A. Happe, G. Körner Erfolg mit Implantaten in der ästhetischen Zone: Parodontale, implantologische und restaurative Behandlungsstrategien Quintessenz Publishing 06.2018.

[2] Chen St, Buser D. Clinical and esthetic outcomes of implants placed in postextraction sites. Int J Oral Maxillofac Implants. 2009; 24 Suppl: 186-217.

[3] Miller PD. A classification of marginal tissue recession. Int. J Periodontics Restorative Dent. 1985a: 5(2):9-13.

[4] Nica Ch., Lin Z., Sculean A., Asparuhova M. Adsorption and release of growth factors from four different porcine-derived collagen matrices. 2020. Materials, 13: 2635.

[5] Lin Z, Nica Ch., Sculean A., Asparuhova M. Enhanced wound healing potential of primary human oral fibroblast and periodontal ligament cells cultured on four different porcine-derived collagen matrices. 2020. Materials, 13: 3819.

[6]]Otto Zuhr et al.. Surgery without papilla incision: tunneling flap procedures in plastic periodontal and implant surgery. Periodontology 2000: 77, 2018, 123-149.

[7]]Pini Prato G, et al.: Coronally advanced flap procedure for root coverage. Flap with tension versus flap without tension: a randomized controlled clinical study. J. Periodontol 2000: 71 188-201.