

Literaturliste

Ästhetische Versorgung mit Keramik

Priv.-Doz. Dr. Arne F. Boeckler/Halle (Saale), ZTM Michael Seitz/München

Implantologie Journal 3/2012

1. Ozkurt Z, Kazazoglu E Clinical success of zirconia in dental applications. *J Prosthodont* 2010; 19: 64-68.
2. Oliva X, Oliva J, Oliva JD Full-mouth oral rehabilitation in a titanium allergy patient using zirconium oxide dental implants and zirconium oxide restorations. A case report from an ongoing clinical study. *Eur J Esthet Dent* 2010; 5: 190-203.
3. Bonfante EA, Coelho PG, Navarro JM, Jr., Pegoraro LF, Bonfante G, Thompson VP, Silva NR Reliability and failure modes of implant-supported Y-TZP and MCR three-unit bridges. *Clin Implant Dent Relat Res* 2010; 12: 235-243.
4. Abbo B, Razzoog ME, Vivas J, Sierraalta M Resistance to dislodgement of zirconia copings cemented onto titanium abutments of different heights. *J Prosthet Dent* 2008; 99: 25-29.
5. Jemt T Customized titanium single-implant abutments: 2-year follow-up pilot study. *Int J Prosthodont* 1998; 11: 312-316.
6. Marchack CB A custom titanium abutment for the anterior single-tooth implant. *J Prosthet Dent* 1996; 76: 288-291.
7. Zembic A, Sailer I, Jung RE, Hammerle CH Randomizedcontrolled clinical trial of customized zirconia and titanium implant abutments for single-tooth implants in canine and posterior regions: 3-year results. *Clin Oral Implants Res* 2009; 20: 802-808.
8. Polack MA, Mahn DH The use of a customized prefabricated zirconia abutment and zirconia crown in the restoration of an immediately provisionalized implant in the esthetic zone. *Compend Contin Educ Dent* 2008; 29: 358-362.
9. Sailer I, Zembic A, Jung RE, Hammerle CH, Mattiola A Single-tooth implant reconstructions: esthetic factors influencing the decision between titanium and zirconia abutments in anterior regions. *Eur J Esthet Dent* 2007; 2: 296-310.
10. Watkin A, Kerstein RB Improving darkened anterior periimplant tissue color with zirconia custom implant abutments. *Compend Contin Educ Dent* 2008; 29: 238-40, 242.
11. Jung RE, Sailer I, Hammerle CH, Attin T, Schmidlin P In vitro color changes of soft tissues caused by restorative materials. *Int J Periodontics Restorative Dent* 2007; 27: 251-257.
12. Jung RE, Holderegger C, Sailer I, Khraisat A, Suter A, Hammerle CH The effect of all-ceramic and porcelain-fusedto-metal restorations on marginal peri-implant soft tissue color: a randomized controlled clinical trial. *Int J Periodontics Restorative Dent* 2008; 28: 357-365.
13. Bae KH, Han JS, Seol YJ, Butz F, Caton J, Rhyu IC The biologic stability of alumina-zirconia implant abutments after 1 year of clinical service: a digital subtraction radiographic evaluation. *Int J Periodontics Restorative Dent* 2008; 28: 137-143.
14. Linkevicius T, Apse P Influence of abutment material on stability of peri-implant tissues: a systematic review. *Int J Oral Maxillofac Implants* 2008; 23: 449-456.
15. Welander M, Abrahamsson I, Berglundh T The mucosal barrier at implant abutments of different materials. *Clin Oral Implants Res* 2008; 19: 635-641.
16. Yuzugullu B, Avci M The implant-abutment interface of alumina and zirconia abutments. *Clin Implant Dent Relat Res* 2008; 10: 113-121.
17. Strub JR, Rekow ED, Witkowski S Computer-aided design and fabrication of dental restorations: current systems and future possibilities. *J Am Dent Assoc* 2006; 137: 1289-1296.
18. Kim S, Kim HI, Brewer JD, Monaco EA, Jr. Comparison of fracture resistance of pressable metal ceramic custom implant abutments with CAD/CAM commercially fabricated zirconia implant abutments. *J Prosthet Dent* 2009; 101: 226-230.

19. Margeas R, Humphrey R Predictable tissue integration and natural aesthetics using a zirconia CAD/CAM abutment and crowns. *Pract Proced Aesthet Dent* 2007; 19: 615-619.
20. Gomes AL, Montero J Zirconia implant abutments: A review. *Med Oral Patol Oral Cir Bucal* 2010.
21. Nakamura K, Kanno T, Milleding P, Ortengren U Zirconia as a dental implant abutment material: a systematic review. *Int J Prosthodont* 2010; 23: 299-309.
22. Adatia ND, Bayne SC, Cooper LF, Thompson JY Fracture resistance of yttria-stabilized zirconia dental implant abutments. *J Prosthodont* 2009; 18: 17-22.
23. Blatz MB, Bergler M, Holst S, Block MS Zirconia abutments for single-tooth implants-- rationale and clinical guidelines. *J Oral Maxillofac Surg* 2009; 67: 74-81.
24. Sailer I, Sailer T, Stawarczyk B, Jung RE, Hammerle CH In vitro study of the influence of the type of connection on the fracture load of zirconia abutments with internal and external implant-abutment connections. *Int J Oral Maxillofac Implants* 2009; 24: 850-858.
25. Aramouni P, Zebouni E, Tashkandi E, Dib S, Salameh Z, Almas K Fracture resistance and failure location of zirconium and metallic implant abutments. *J Contemp Dent Pract* 2008; 9: 41-48.
26. Lee CY, Hasegawa H Immediate load and esthetic zone considerations to replace maxillary incisor teeth using a new zirconia implant abutment in the bone grafted anterior maxilla. *J Oral Implantol* 2008; 34: 259-267.
27. Canullo L Clinical outcome study of customized zirconia abutments for single-implant restorations. *Int J Prosthodont* 2007; 20: 489-493.
28. Nothdurft FP, Doppler KE, Erdelt KJ, Knauber AW, PosPiech PR Fracture behavior of straight or angulated zirconia implant abutments supporting anterior single crowns. *Clin Oral Investig* 2010.
29. Nothdurft F, PosPiech P Prefabricated zirconium dioxide implant abutments for single-tooth replacement in the posterior region: evaluation of peri-implant tissues and abutments after 12 months of function. *Clin Oral Implants Res* 2010; 21: 857-865.
30. Dawson A, Chen S, Buser D, Cordaro L, Martin W, Belser U The SAC Classification in Implant Dentistry. Quintessence, Berlin, Chicago, London 2009.
31. Wismeijer D, Casentini P, Gallucci G, Chiapasco M ITI Treatment Guide: Loading Protocols in Implant Dentistry - Edentulous Patients. Quintessence, Berlin, Chicago, London 2010.
32. Chen S, Buser D ITI Treatment Guide Implant Placement in Post-Extraction Sites. Quintessence, Berlin, Chicago, London 2008.
33. Muller HP, Eger T Masticatory mucosa and periodontal phenotype: a review. *Int J Periodontics Restorative Dent* 2002; 22: 172-183.