

## Literaturliste

### Abformung und Registrierung für implantatgetragenen Zahnersatz

Prof. Dr. Gregor-Georg Zafiropoulos

*Implantologie Journal 3/2012*

1. Ghazal M, Albasraireh ZS, Kern M. The ability of different materials to reproduce accurate records of interocclusal relationships in the vertical dimension. *J Oral Rehabil* 2008;35:816-820
2. Zafiropoulos G-G, Hoffmann O. Five-year study of implant placement in regenerated bone and rehabilitation with telescopic-crown retained dentures. A case report. *J Oral Implantol* 2009;35:303-309
3. Hoffmann O, Beaumont C, Tatakis DN, Zafiropoulos GG. Telescopic crowns as attachments for implant supported restorations: a case series. *J Oral Implantol* 2006;32:291-299
4. Biewer ZP. Development of the G.E.S. electroforming technique: biocompatible, corrosion-free production of telescopic crowns. *J Dent Technol* 1999;16:24-29
5. Ntounis A, Pelekanos S. Custom copings for accurate impressions of multiple internal connection implants. *Implant Dent* 2010;19:365-369
6. Cabral LM, Guedes CG. Comparative analysis of 4 impression techniques for implants. *Implant Dent* 2007;16:187-194
7. Vigolo P, Fonzi F, Majzoub Z, et al. An evaluation of impression techniques for multiple internal connection implant prostheses. *J Prosthet Dent* 2004;92:470-476
8. Stamoulis K. Intraoral registration coping formation using an interim restoration as a matrix. *J Prosthodont* 2010;19:406-408
9. Stamoulis K. Intraoral acrylic resin coping fabrication for making interocclusal records. *J Prosthodont* 2009;18:184-187
10. Ganddini MR, Schejtman N, Ercoli C, Graser GN. Prosthodontic application for implant carriers. *J Prosthet Dent* 2004;92:399-402
11. Conrad HJ, Pesun IJ, DeLong R, et al. Accuracy of two impression techniques with angulated implants. *J Prosthet Dent* 2007;97:349-356
12. Kaufman M, Cranin AN, Sayed A, Ley J, DeGrado J, Banton B. A modified occlusal registration and implant transfer technique. *J Oral Implantol* 1996;22:258-262
13. Furhauser R, Florescu D, Benesch T, Haas R, Mailath G, Watzek G. Evaluation of soft tissue around single tooth implant crowns: the pink esthetic score. *Clin Oral Implants Res* 2005;16:639-644
14. Meijer HJ, Stellingsma K, Meijndert L, Raghoebar GM. A new index for rating aesthetics of implant-supported single crowns and adjacent soft tissues - the implant crown aesthetic Index. *Clin Oral Implants Res* 2005;16:645-649
15. Lewis SG, Llamas D, Avera S. The UCLA abutment: a four-year review. *J Prosthet Dent* 1992;67:509-515
16. Romanos GE, Nentwig GH. Immediate functional loading in the maxilla using implants with platform switching: five-year results. *Int J Oral Maxillofac Implants* 2009;24:1106-1112