

LITERATUR

Ausgabe: Jahrbuch Implantologie 2021

Thema: Sofortimplantation im Frontzahnbereich unter Anwendung von Eigenblutkonzentrat

Autoren: Dr. Christian Ortmeier, Werner Baisch, Marcus Bilek

[1] Choukroun, A. Diss, A. Simonpieri, M.-O. Girard, C. Schoeffler, S.L. Dohan, A.J.J. Dohan, J. Mouhyi, D.M. Dohan: Platelet-rich fibrin (PRF): a second-generation platelet concentrate. Part V: histologic evaluations of PRF effects on bone allograft maturation in sinus lift., *Oral Surg. Oral Med. Oral Pathol. Oral Radiol. Endod.* 101 (2006) 299–303.

[2] Choukroun, S. Ghanaati: Reduction of relative centrifugation force within injectable platelet-rich-fibrin (PRF) concentrates advances patients' own inflammatory cells, platelets and growth factors: the first introduction to the low speed centrifugation concept, *Eur. J. Trauma Emerg. Surg.* 44 (2018) 87–95.

[3] S. Ghanaati, C.H. Vizcaino, S. Al-maawi, J. Lorenz, R.J. Miron, K. Nelson, F. Schwarz, J. Choukroun, R. Sader (2018): Fifteen years of platelet rich fibrin (PRF) in dentistry and oromaxillofacial surgery : How high is the level of scientific evidence ?JOI accepted.

[4] Kinaia BM, Ambrosio F, Lambie M, Hope K, Shah M, Neely AL: Soft Tissue Changes Around Immediately Placed Implants: A Systematic Review and Meta-Analyses With at Least 12 Months of Follow-Up After Functional Loading. *J Periodontol.* 2017 Sep;88(9):876-886.

[5] Gakonyo J, Mohamedali AJ, Mungure EK: Cone Beam Computed Tomography Assessment of the Buccal Bone Thickness in Anterior Maxillary Teeth: Relevance to Immediate Implant Placement. *Int. J. Oral Maxillofac. Implants* 2018, 33, 880–887.

[6] Chappuis V, Araujo MG, Buser D: Clinical relevance of dimensional bone and soft tissue alterations post-extraction in esthetic sites. *Periodontol* 2000 / 73 / 73-83 / 2017.

[7] Lee J, Park D, Koo KT, Seol YJ, Lee YM: Validity of a regenerative procedure for a minor bone defect with immediate implant placement: a systematic review and meta-analysis. *Acta Odontol Scand.* 2019;77:99-106.

[8] Buser D, Chappuis V, Bornstein MM, Wittneben JG, Frei M, Belser UC: Long-term stability of contour augmentation with early implant placement following single tooth extraction in the esthetic zone - a prospective, cross-sectional study in 41 patients with a 5- to 9-year follow-up. *J Periodontol* 2013; 84(11): 1517-1527.

[9] Arunyanak SP, Pollini A, Ntounis A, Morton D: Clinician assessments and patient perspectives of single-tooth implant restorations in the esthetic zone of the maxilla: A systematic review. *J Prosthet Dent.* 2017 Jul;118(1):10-17

[10] Wittneben JG, Millen C, Bragger U. Clinical performance of screw- versus cement-retained fixed implant-supported reconstructions—a systematic review. *Int J Oral Maxillofac Implants* 2014;29(Suppl):84–98.