

Literature

Graft volumetric changes of collagenated xenograft

For the 3D reconstruction of atrophic maxillae

Dr Livio Lo Faro, Dr Francesco Giachi Carù & Prof. Tiziano Testori, Italy

implants – international magazine of oral implantology 3/21

1. Testori T, Wiseman L, Woolfe S, Porter SS. A prospective multicenter clinical study of the Osseotite implant: four-year interim report. *Int J Oral Maxillofac Implants* 2001;16:193-200.
2. Carlsson GE, Thilander H, Hedegård B. Histologic changes in the upper alveolar process after extractions with or without insertion of an immediate full denture. *Acta Odontol Scand* 1967;25:21-43.
3. Pietrokovski J. The bony residual ridge in man. *J Prosthet Dent* 1975; 34:456-462.
4. Di Stefano DA, Arosio P, Pagnutti S, Vinci R, Gherlone EF. Distribution of Trabecular Bone Density in the Maxilla and Mandible: *Implant Dent* 2019;28:340–348.
5. Chiapasco M, Casentini P. Horizontal bone-augmentation procedures in implant dentistry: prosthetically guided regeneration. *Periodontol 2000* 2018;77:213–240.
6. Del Fabbro M, Testori T, Francetti L, Weinstein R. Systematic review of survival rates for implants placed in the grafted maxillary sinus. *Int J Periodontics Restorative Dent*. 2004 Dec;24(6):565-77.
7. Del Fabbro M, Rosano G, Taschieri S. Implant survival rates after maxillary sinus augmentation. *Eur J Oral Sci*. 2008 Dec;16(6):497-506.
8. Nkenke E, Stelzle F. Clinical outcomes of sinus floor augmentation for implant placement using autogenous bone or bone substitutes: a systematic review. *Clin Oral Implants Res* 2009; 20(Suppl 4):124–133.
9. Aghaloo TL, Moy PK. Which hard tissue augmentation techniques are the most successful in furnishing bony support for implant placement? *Int J Oral Maxillofac Implants* 2007; 22(Suppl):49–70.
10. Urban IA, Lozada JL. A prospective study of implants placed in augmented sinuses with minimal and moderate residual crestal bone: results after 1 to 5 years. *Int J Oral Maxillofac Implants* 2010; 25:1203–1212.
11. Melcher AH. On the repair potential of periodontal tissues. *J Periodontol* 1976; 47:256–260.
12. Urban IA, Nagursky H, Lozada JL. Horizontal ridge augmentation with a resorbable membrane and particulated autogenous bone with or without anorganic bovine bone-derived mineral: a prospective case series in 22 patients. *Int J Oral Maxillofac Implants* 2011; 26:404–414.

13. Urban IA, Lozada JL, Jovanovic SA, Nagy K. Horizontal guided bone regeneration in the posterior maxilla using recombinant human platelet-derived growth factor: a case report. *Int J Periodontics Restorative Dent* 2013; 33: 421–425.
14. Urban IA, Nagursky H, Lozada JL, Nagy K. Horizontal ridge augmentation with a collagen membrane and a combination of particulated autogenous bone and anorganic bovine bone-derived mineral: a prospective case series in 25 patients. *Int J Periodontics Restorative Dent* 2013; 33:299–307.
15. Wang HL, Boyapati L. “PASS” principles for predictable bone regeneration. *Implant Dent* 2006; 15:8–17.
16. Simion M, Fontana F, Rasperini G, Maiorana C. Longterm evaluation of osseointegrated implants placed in sites augmented with sinus floor elevation associated with vertical ridge augmentation: a retrospective study of 38 consecutive implants with 1- to 7-year follow-up. *Int J Periodontics Restorative Dent* 2004; 24:208–221.
17. Urban I, Caplanis N, Lozada JL. Simultaneous vertical guided bone regeneration and guided tissue regeneration in the posterior maxilla using recombinant human platelet-derived growth factor: a case report. *J Oral Implantol* 2009; 35:251–256.
18. Urban IA, Jovanovic SA, Lozada JL. Vertical ridge augmentation using guided bone regeneration (GBR) in three clinical scenarios prior to implant placement: a retrospective study of 35 patients 12 to 72 months after loading. *Int J Oral Maxillofac Implants* 2009; 24:502–510.
19. Testori T, Tavelli T, Yu S, Scaini R, Darnahal A, Wallace S, Wang H. Maxillary sinus elevation difficulty score with lateral wall technique. *Int J Oral Maxillofac Implants*. May/Jun 2020;35(3):631-638.
20. Testori T, Yu S, Tavelli L, Wang H. Perforation risk assessment in maxillary sinus augmentation with lateral wall technique. *Int J Periodontics Restorative Dent*. May/Jun 2020;40(3):373-380.
21. Mayfield L, Skoglund A, Nobreus N, Attstrom R. Clinical and radiographic evaluation, following delivery of fixed reconstructions, at GBR treated titanium fixtures. *Clin Oral Implants Res* 1998; 9:292–302.
22. Jung RE, Fenner N, Hammerle CH, Zitzmann NU. Longterm outcome of implants placed with guided bone Maxillary Reconstruction via Guided Bone Regeneration and Sinus Augmentation regeneration (GBR) using resorbable and non-resorbable membranes after 12-14 years. *Clin Oral Implants Res* 2013; 24:1065–1073.
23. Hammerle CH, Jung RE, Feloutzis A. A systematic review of the survival of implants in bone sites augmented with barrier membranes (guided bone regeneration) in partially edentulous patients. *J Clin Periodontol* 2002; 29(Suppl 3):226–231; discussion 232–223.
24. Donos N, Mardas N, Chadha V. Clinical outcomes of implants following lateral bone augmentation: systematic assessment of available options (barrier membranes, bone grafts, split osteotomy). *J Clin Periodontol* 2008; 35:173–202.