

LITERATUR

Ausgabe: Implantologie Journal 1+2/22

Thema: Weichgewebsaugmentation bei Implantaten mit einer azellulären dermalen Matrix

Autor: Dr. Inga Boehncke, ZTM Moritz Thole

[1] Linkevicius T, Apse P, Grybauskas S, Puisys A: Reaction of crestal bone around implants depending on mucosal tissue thickness. A 1-year prospective clinical study. Stomatologija. 2009;11(3):83-91

[2] Puisys A, Linkevicius T: The influence of mucosal tissue thickening on crestal bone stability around bone-level implants. A prospective controlled clinical trial. Clin Oral Implants Res. 2015;26(2):123-129

[3] Linkevicius T, Puisys A, Steigmann M, Vindasiute E, Linkeviciene L: Influence of vertical soft tissue thickness on crestal bone changes around implants with platform switching: a comparative clinical study. Clin Implant Dent Relat Res. 2015;17(6): 1228-1236

[4] Di Gianfilippo R, Valente NA, Toti P, Wang HL, Barone A: Influence of implant mucosal thickness on early bone loss: a systematic review with meta analysis. J Periodontal Implant Sci. 2020;50(4): 209-225

[5] Tavelli L, Barootchi S, Avila-Ortiz G, Urban IA, Giannobile WV, Wang H-L: Peri-implant soft tissue phenotype modification and its impact on peri-implant health: A systematic review and network meta-analysis. J Periodontol. 2021;92(1):21-44

[6] Zaffe D, D'Avenia F: A novel bone scraper for intraoral harvesting: a device for filling small bone defects. Clin Oral Implants Res. 2007; 18(4):525-533

[7] Park SH, Lee KW, Oh TJ, Misch CE, Shotwell J, Wang HL: Effect of absorbable membranes on sandwich bone augmentation. Clin Oral Implants Res. 2008;19(1):32-41