

Ausgabe. ZWP Zahnarzt Wirtschaft Praxis 7+8/12, 54-59

Thema: DVT in der Endodontie- Sinn oder Unsinn?

Autor: Oscar Freiherr v. Stetten

Literaturverzeichnis

1. Use of cone beam computed tomography in endodontics.
Scarfe WC, Levin MD, Gane D, Farman AG.
Int J Dent. 2009;2009:634567. Epub 2010 Mar 31.
2. J Endod. 2011 Mar;37(3):326-31.
Endodontic outcome predictors identified with periapical radiographs and cone-beam computed tomography scans.
Liang YH, Li G, Wesselink PR, Wu MK.
3. Int Endod J. 2009 Aug;42(8):656-66. Epub 2009 Jun 22.
Limitations of previously published systematic reviews evaluating the outcome of endodontic treatment.
Wu MK, Shemesh H, Wesselink PR.
4. Int Endod J. 2012 Aug;45(8):711-23.
The detection of periapical pathosis using digital periapical radiography and cone beam computed tomography - Part 2: a 1-year post-treatment follow-up.
Patel S, Wilson R, Dawood A, Foschi F, Mannocci F. Source
5. Int Endod J. 2011 Jul;44(7):583-609.
A prospective study of the factors affecting outcomes of nonsurgical root canal treatment: part 1: periapical health.
Ng YL, Mann V, Gulabivala K.
6. J Endod. 2012 Jul;38(7):965-70. Epub 2012 May 18.
Accuracy of cone-beam computed tomography and periapical radiography in detecting small periapical lesions.
Tsai P, Torabinejad M, Rice D, Azevedo B.
7. Dentomaxillofac Radiol. 2011 Dec;40(8):506-12.
A suggested technique for the application of the cone beam computed tomography periapical index.
Esposito S, Cardaropoli M, Cotti E.
8. J Endod. 2011 Feb;37(2):151-7.
Comparison of periapical radiography and limited cone-beam computed tomography in mandibular molars for analysis of anatomical landmarks before apical surgery.
Bornstein MM, Lauber R, Sendi P, von Arx T.

9. Dentomaxillofacial Radiology (2012) 41, 64–69 2012 The British Institute of Radiology

Detection of periodontal bone loss using cone beam CT and intraoral radiography
K de Faria Vasconcelos¹, KM Evangelista¹, CD Rodrigues², C Estrela³, TO de Sousa¹
and MAG Silva*

10. Image artifact in dental cone-beam CT

Akitoshi Katsumata, DDS, PhD,^a Akiko Hirukawa, RT,^b Marcel Noujeim, DDS, MS,^c
Shinji Okumura, RT,^d Munetaka Naitoh, DDS, PhD,^e Masami Fujishita, DDS, PhD,^f
Eiichiro Arijii, DDS, PhD,^g and Robert P. Langlais, DDS, MS,^h Gifu and Nagoya,
Japan, and San Antonio, Texas (Oral Surg Oral Med Oral Pathol Oral Radiol Endod
2006;101:652-7)

11. Vol. 111 No. 4 April 2011

“All that glitters is not gold”: standards for cone-beam
computerized tomographic imaging

12. Incidental findings in the maxillofacial area with 3-dimensional cone-beam imaging

Jung-Yul Cha,^a James Mah,^b and Peter Sinclair^c
(Am J Orthod Dentofacial Orthop 2007;132:7-14)

13. Detection of Horizontal Root Fracture with Small-volume Cone-Beam Computed
Tomography in the Presence and Absence of Intracanal Metallic Post

Felipe Ferreira Costa, DDS, Bruno Felipe Gaia, DDS, Otavio Shoiti Umetsubo, DDS, MS,
and Marcelo Gusmão Paraiso Cavalcanti, DDS, MS, PhD
(J Endod 2011;37:1456–1459)

14. Interpreting the Cone Beam Data Volume for Occult Pathology

Dale A. Miles
Semin Orthod 2009;15:70-76.)

15. Patient Image Selection Criteria for Cone Beam Computed Tomography Imaging

Stuart C. White and Eung-Kwon Pae
Semin Orthod 2009;15:19-28.

16. European Journal of Radiology 80 (2011) 483–488

Evaluation of subjective image quality in relation to diagnostic task for cone beam
computed tomography with different fields of view

Sara Lofthag-Hansena,^b, Anne Thilander-Klangc,^d, Kerstin Gröndahla,^e,²

17. European Journal of Radiology 81 (2012) 267–271

Effective dose range for dental cone beam computed tomography scanners

Ruben Pauwelsa,[□], Jilke Beinsbergera,¹, Bruno Collaertb,², Chrysoula

Theodorakouc,^d,³,

Jessica Rogerse,³, Anne Walkerc,³, Lesley Cockmartinf,⁴, Hilde Bosmansf,⁵, Reinhilde
Jacobsa,⁶,

Ria Bogaertsg,⁷, Keith Hornerd,⁸, The SEDENTEXCT Project Consortium⁹

18. Accuracy of Cone Beam Computed Tomography and Panoramic and Periapical
Radiography for Detection of Apical Periodontitis

Carlos Estrela, DDS, MSc, PhD,* Mike Reis Bueno, DDS, MSc,†

Cláudio Rodrigues Leles, DDS, MSc, PhD,† Bruno Azevedo, DDS, MSc,§
and José Ribamar Azevedo, DDS
(J Endod 2008;34:273–279)

20. Endodontie 2010;19(4):399–409
Michael Arnold, Frank Paqué

Klinisches Management X-förmiger Wurzelkanalkonfigurationen bei ersten
Oberkiefermolaren