

**Ausgabe:** ZWP Spezial 7+8/12, S. 14-18

**Thema:** Kurzimplantate reduzieren die Notwendigkeit von Knochenaugmentationsverfahren

**Autoren:** Prof. vis. Univ. Cartagena Dr. Univ. Rom Mauro Marincola; Vincent Morgan DMD; Prof. UniRoma Andrea Cicconetti; Dr. Stefano Carelli

**Literaturverzeichnis:**

- 1. Buser D., Schenk R.K., Steinmann S., Fiorellini J.P., Fox C.H., Stich H.**  
Influence of surface characteristics on bone of titanium implants. A histomorphometric study in miniature pigs.  
J. Biomed. Mater. Res. 1991; 25: 889 – 902
- 2. Trisi P., Lazarra R., Rebaudi A., Rao W., Testori T., Porter S.S.**  
Bone-implant contact on machined and dual acid-etched surfaces after 2 month of healing in the human maxilla.  
J. Periodontal. 2003; 74: 945-56
- 3. Lemons J.E.**  
Biomaterials, Biomechanis, Tissue Healing, and Immediate-Function Dental Implants  
Journal of Oral Implantology, Vol. XXX No. 5, 2004
- 4. Chess J.T.**  
Technique for Placement of Root Form Implants of the Finned or Serrated Type  
The Journal of American Dental Association, 121 (3), 414 ß 417, September 1990
- 5. Di Carlo F, Marincola M, Quaranta A.**  
Micro CT Scan evaluation of the Locking Taper connection.  
Dental Cadmos 2008, 76(3):55-60.5.
- 6. Dibart S., Warbington M., Su M.F., Skobe Z.**  
In Vitro Evaluation of the Implant-Abutment Bacterial Seal: The Locking-Taper System  
Journal of Oral and Maxillofacial Surgery, Vol. 20, No. 5 p 732 – 737, September 2005
- 7. Bozkaya D. and Müftü S., Muftu A.**  
Evaluation of Load Transfer Characteristics of Five Different Implant Systems in Compact Bone at Different Load Levels Finite Element Analysis  
Journal of Prosthetic Dentistry, Vol. 92, p. 525 – 530, December 2004
- 8. Lemons J.E.**  
Biomaterials, Biomechanis, Tissue Healing, and Immediate-Function Dental Implants  
Journal of Oral Implantology, Vol. XXX No. 5, 2004

**9. Li Shi, BEng, MSc1/Haiyan Li, BEng, MSc, PhD2/Alex S. L. Fok, BEng, MSc, PhD, CEng3/Cemal Ucer, BDS,MSc4/ Hugh Devlin, BDS, BSc, MSc, PhD5/Keith Horner, BChD, MSc, PhD, FDSRCPS, DDR, FRCR6**

Shape Optimization of Dental Implants  
Int J ORAL MAXILLOFAC IMPLANTS 2007;22:911–920

**10. Hedia HS,Mahmoud NA.**

Design optimization of functionally graded dental implant  
Biomed Mate Eng 2004;14:133–143.

**11. Proos K, Steven G, Swain M, Ironside J.**

Preliminary studies on  
the optimum shape of dental bridges.  
Computer Methods in  
Biomechanics and Biomedical Engineering 2000;4:77–92.

**12. Petrie CS, Williams JL.**

Shape optimization of dental implant  
designs under oblique loading using the p-version finite element  
method.  
J Mechanics Med Biol 2002;2:339–345.

**13. Li Shi, BEng, MSc1/Haiyan Li, BEng, MSc, PhD2/Alex S. L. Fok, BEng, MSc, PhD, CEng3/Cemal Ucer, BDS,MSc4/ Hugh Devlin, BDS, BSc, MSc, PhD5/Keith Horner, BChD, MSc, PhD, FDSRCPS, DDR, FRCR6**

Shape Optimization of Dental Implants  
Int J ORAL MAXILLOFAC IMPLANTS 2007;22:911–920

**14. Gentile MA ,Shuang SK, Dodson TB.**

Survival estimates and risk factors for failure with 6x5,7mm implants.A 8 year  
retrospective study.  
Int J of Oral&Maxillofac Implants 2005, 20(6):930-7.