

Ausgabe: ZWP Zahnarzt Wirtschaft Praxis 9/22

Thema: Nicht-chirurgische Behandlung tiefer persistierender Parodontaltaschen

Autoren: Prof. Dr. Anton Friedmann, Dr. Hakan Bilhan und Dr. Rico Jung

---

## Literatur

[1] Page RC, Kornman KS. The pathogenesis of human periodontitis: an introduction. *Periodontology* 2000 1997; 14: 9–11.

[2] Renvert S et al. *J Clin Periodontol.* 2006; 33: 362-369.

[3] Sanz M, Herrera D, Kerschull M, et al. On behalf of the EFP Workshop Participants and Methodological Consultants. Treatment of stage I–III periodontitis – The EFP S3 level clinical practice guideline. *J Clin Periodontol.* 2020; 47: 4–60.

[4] Hägi TT, Laugisch O, Ivanovic A, Sculean A. Regenerative periodontal therapy. *Quintessence Int.* 2014; 45:185-192.

[5] Tsitoura E, Tucker R, Suvan J, Laurell L, Cortellini P, Tonetti M. Baseline radiographic defect angle of the intrabony defect as a prognostic indicator in regenerative periodontal surgery with enamel matrix derivative. *J Clin Periodontol.* 2004; 31:643-647.

[6] Jepsen S, Gennai S, Hirschfeld J, Kalemaj Z, Buti J, Graziani F. Regenerative surgical treatment of furcation defects: A systematic review and Bayesian network meta-analysis of randomized clinical trials. *J Clin Periodontol.* 2019 Dec 20.doi: 10.1111/jcpe.13238.

[7] Jurczyk K, Nietzsche S, Ender C, Sculean A, Eick S. In-vitro activity of sodium-hypochlorite gel on bacteria associated with periodontitis. 2015: doi:10. 1007/ s00784-016-1711-9.

[8] Bergqvist K, Almhöjd U, Herrmann I, Eliasson B. The role of chloramines in treatment of diabetic foot ulcers: an exploratory multicentre randomised controlled trial. *Clinical Diabetes and Endocrinology* 2016; 2: 6.

- [9] Becker M, Ciupka J, Pierchalla T, Fischer KR, Friedmann A. Does chemical preconditioning contribute to the effectiveness of scaling and root planing? An in vitro pilot investigation. *Int J Dent Hyg.* 2018;16:151-156.
- [10] Kalkwarf KL, Tussing GJ, Davis MJ. Histologic evaluation of gingival curettage facilitated by sodium hypochlorite solution. *J Periodontol.* 1982; 53: 63–70.
- [11] Iorio-Siciliano V, Ramaglia L, Isola G, Blasi A, Salvi GE, Sculean A. Changes in clinical parameters following adjunctive local sodium hypochlorite gel in minimally invasive nonsurgical therapy (MINST) of periodontal pockets: a 6-month randomized controlled clinical trial. *Clin Oral Investig.* 2021; 25: 5331-5340.
- [12] Rajan P, Dusanapudi LN, Kumar CS, Nair D. Hyaluronic acid - a simple, unusual polysaccharide: A potential mediator for periodontal regeneration. *Universal Research Journal of Dentistry.* 2013; 3: 113.
- [13] Carlson GA, Dragoo JL, Samimi B, Bruckner DA, Bernard GW, Hedrick M, et al. Bacteriostatic properties of biomatrices against common orthopaedic pathogens. *Biochem Biophys Res Commun* 2004; 321: 472-478.
- [14] Pirnazar P, Wolinsky L, Nachnani S, Haake S, Pilloni A, Bernard GW. Bacteriostatic effects of hyaluronic acid. *Journal of Periodontology* 1999; 70: 370-374.
- [15] King SR, Hickerson WL, Proctor KG. Beneficial actions of exogenous hyaluronic acid on wound healing. *Surgery.* 1991; 109: 76-84.
- [16] Yıldırım S, Özener HÖ, Doğan B, Kuru B. Effect of topically applied hyaluronic acid on pain and palatal epithelial wound healing: An examiner-masked, randomized, controlled clinical trial. *J Periodontol.* 2018; 89: 36-45.
- [17] Voigt J, Driver VR. Hyaluronic acid derivatives and their healing effect on burns, epithelial surgical wounds, and chronic wounds: a systematic review and meta-analysis of randomized controlled trials. *Wound Repair Regen.* 2012; 20: 317-331.
- [18] Eliezer M, Sculean A, Miron RJ, Nemcovsky C, Weinberg E, Weinreb M, Zoabi H, Bosshardt DD, Fujioka-Kobayashi M, Moses O. Hyaluronic acid slows down collagen membrane degradation in uncontrolled diabetic rats. *J Periodontal Res.* 2019; 54: 644-652.