Literature

Two-piece zirconia implant for global metal-free restoration

Dr Riccardo Scaringi, Italy

Ceramic implants – international magazine of ceramic implant technology 2/22

---

1. Vatteroni R, Arcangeli G, Borello A, Majani C, Piconi C. ENEA Contribution to the Development of Sol-Gel Technologies, ENEA RT/INN/94/46

2. Lughi V, Sergo V. Low temperature degradation aging of zirconia: A critical review of the relevant aspects in dentistry. Dent Mater 2010:26:807-20.

3. Christel P, Meunier A, Heller M, Torre J-P, Cales B, Peille CN. Mechanical Properties and short-term *in-vivo* evaluation of Yttrium Oxide-Partially-Stabilized Zirconia. J Biomed Mater Res 1989;23:45-61.

4. Piconi C, Maccauro G, Muratori F, Brach del Prever E. Alumina and zirconia ceramics in joint replacements: a review. J Appl Biomat Biomech 2003;1:19-32

5. Covacci V, Bruzzese N, Maccauro G et al. *In vitro* evaluation of the mutagenic and carcinogenic power of high purity zirconia ceramics. Biomaterials 1999;20:371-6.

6. Miani C, Piconi C, Piselli D, Ponti M. Experimental *in vivo* studies on zirconia in oral implantology. Italian Osseoint J 1993:3:23-34

7. Akagawa Y, Ichikawa Y, Nikai H, Tsuru H. Interface histology of unloaded and early loaded partially stabilized zirconia endosseous implant in initial bone healing. Journal of Prosthetic Dentistry 1993:69:599-604.

8. Depprich R, Zipprich H, Ommerborn M et al. Osseointegration of zirconia implants compared with titanium: an *in vivo* study. Head Face Med 2008;4:30.

9. Gahlert M, Roehling S, Sprecher CM, Kniha H, Milz S, Bormann K. *In vivo* performance of zirconia and titanium implants: a histomorphometric study in mini pig maxillae. Clin Oral Implants Res 2012;23:281-6.

10. Spriano S, Sarath Chandra V, Cochis A et al. How do wettability, zeta potential and hydroxylation degree affect the biological response of biomaterials? Mater Sci Eng C 2017;74:542-5 9

11. Watanabe H, Saito K, Kokubo K et al. Change in surface properties of zirconia and initial attachment of osteoblast-tlike cells with hydrophilic treatment. Dent Mater 2012;31:806-14.

12. Rimondini L, Cerroni L, Carrassi A, Torricelli P. Bacterial colonization of zirconia ceramic surfaces: an *in vitro* and *in vivo* study. Int J Oral Maxillofac Implants 2002:17:793-8.

13. Röhling S, Astasov-Frauenhoffer M, Hauser-Gerspach I, Braissant O, Woelfler H, Waltimo T, Kniha H, Gahlert M. *In Vitro* Biofilm Formation on Titanium and Zirconia Implant Surfaces. J Periodontol 2017;88(3):298-307.

14. Oda Y, Miura T, Mori G, Sasaki H, Ito T, Yoshinari M, Yajima Y. Adhesion of streptococci to titanium and zirconia. PLoS One 2020;24;e0234524.

15. Scarano A, Piattelli M, Caputi S, Favero GA, Piattelli A. Bacterial adhesion on commercially titanium and zirconium oxide disks: an *in vivo* human study. J Periodontol 2004:75:292-6.

16. Nascimento CD, Pita MS, Fernandes FHNC, Pedrazzi V, de Albuquerque Junior RF, Ribeiro RF. Bacterial adhesion on the titanium and zirconia abutment surfaces. Clin Oral Implants Res 2014 Mar; 25(3):337-43.

17. Blaschke C, Volz U. Soft and hard tissue response to zirconium dioxide dental implants - a clinical study in man. Neuro Endocrinol Lett 2006;27:69-72

18. Scaringi R, Nannelli M, Franchina A, Lizio G, Stefanelli L.V, Pagliarulo M, De Angelis F, Pellegrino G. Full Zirconia Implant-Born Prosthetic Rehabilitation with CAD/CAM Technology after Accurate Digital Planning. A Case Report. Int. J. Environ. Res. Public Health 2021

19. Gahlert M, Burtscher D, Grunert I, Kniha H, Steinhauser E. Failure analysis of fractured dental zirconia implants. Clin Oral Implants Res 2012:23:287-93.

20. Kobayashi K, Kuwajima H, Masaki T. Phase change and mechanical properties of ZrO2-Y2O3 solid electrolyte after aging. Solid State Ionics 1981;3-4:461-87. 10

21. Lughi V, Sergo V. Low temperature degradation -aging- of zirconia: A critical review of the relevant aspects in dentistry. Dent Mater 2010:26:807-20.

22. Ross IM, Rainforth WM, McComb DW, Scott AJ, Brydson R. The role of trace addition of alumina to yttria-tetragonal zirconia polycrystals (Y-TZP). Scripta Mater 2001;45:653-60.

23. Reveron H, Fornabaio M, Palmero P, Fürderer T, Adolfsson E, Lughi V et al. Towards long lasting zirconia-based composites for dental implants: transformation induced plasticity and its consequence on ceramic reliability. Acta Biomater 2017:48:423-32.

24. Denkena B. Wippermann A, Busemann S, Kuntz M, Gottwik L. Comparison of residual strength behavior after indentation, scratching and grinding of zirconia-based ceramics for medical-technical