

Ausgabe: Jahrbuch Implantologie 2023/24
Thema: Einzelzahnversorgung mit zweiteiligem Keramikimplantatsystem
Autor: Dr. Harald Fahrenholz

Literatur

- 1 Daubert DM, Weinstein BF, Bordin S, Leroux BG, Flemming TF. Prevalence and predictive factors for peri-implant disease and implant failure: a cross-sectional analysis. *J Periodontol*. 2015 Mar;86(3):337-4
- 2 Lindhe J, Meyle J, Group D of European Workshop on Periodontology. Peri-implant diseases: Consensus Report of the Sixth European Workshop on Periodontology. *J Clin Periodontol* (2008) 35:282–285. doi: 10.1111/j.1600-051X.2008.01283.x
- 3 T.G. Wilson, Jr., P. Valderrama, M. Burbano, J. Blansett, R. Levine, H. Kessler, and D.C. Rodrigues. Foreign Bodies Associated With Peri-Implantitis Human Biopsies. *J Periodontol* • January 2015
- 4 Safioti LM, Kotsakis GA, Pozhitkov AE, Chung WO, Daubert DM. Increased Levels of Dissolved Titanium Are Associated With Peri-Implantitis - A Cross-Sectional Study. *J Periodontol*. 2017 May;88(5):436-442.
- 5 Mombelli A, Hashim D, Cionca N. What is the impact of titanium particles and biocorrosion on implant survival and complications? A critical review. *Clin Oral Implants Res* 2018;29 (suppl18):s53
- 6 Lee CT, Huang YW, Zhu L, Weltman R. Prevalences of peri-implantitis and peri-implant mucositis: systematic review and meta-analysis. *J Dent*. 2017 Jul;62:1-12. doi: 10.1016/j.jdent.2017.04.011. Epub 2017 May 3. PMID: 28478213.
- 7 Scarano A, Piattelli M, Caputi S, Favero GA, Piattelli A. Bacterial adhesion on commercially Pure titanium and zirconium oxide disks: an in vivo human study. *J Periodontol* 2004; 75 (2): 292-6.
- 8 Callister WD. *Sciences et gé nie des maté riaux, 5è me é dition*. Paris: Dunod ; 2001.
- 9 Sterner T, Schütze N, Saxler G, Jakob F, Rader CP. Effects of clinically relevant alumina ceramic, zirconia ceramic and titanium particles of different sizes and concentrations on TNF-alpha release in a human macrophage cell line. *Biomed Tech (Berl)*. 2004 Dec;49(12):340-4.
- 10 Stejskal V, Reynolds T, Bjørklund G . Increased frequency of delayed type hypersensitivity to metals in patients with connective tissue disease. *J Trace Elem Med Biol*. 2015; 31: 230–236.
- 11 Georges Tawil, DDS, DSc Odont /Peter Tawil, DDS, MSc/Carla Irani, MD, MSCE .Zirconium Implant as an Alternative to Titanium Implant in a Case of Type IV Titanium Allergy: Case Report . *JOMI Volume 35, Number 3, 2020* :639-644
- 12 Brüll F, van Winkelhoff AJ, Cune MS. Zirconia dental implants: a clinical, radiographic, and microbiologic evaluation up to 3 years. *Int J Oral Maxillofac Implants*. 2014 Jul-Aug;29(4):914-20. doi: 10.11607/jomi.3293. PMID: 25032772.

13 Becker J, John G, Becker K, Mainusch S, Diedrichs G, Schwarz F. Clinical performance of two-piece zirconia implants in the posterior mandible and maxilla: a prospective cohort study over 2 years. *Clin Oral Implants Res.* 2017 Jan;28(1):29-35. doi: 10.1111/clr.12610. Epub 2015 May 6. PMID: 25951536.

14 Iglhaut, G., Schwarz, F., Winter, R. R., Mihatovic, I., Stimmelmayer, M., & Schliephake, H. (2014). Epithelial attachment and downgrowth on dental implant abutments—a comprehensive review. *Journal of Esthetic and Restorative Dentistry*, 26, 324–331.

15 Martin IS, Sanchez IS, Carillor de Albormoz A, Figuero E, Sanz M.: Effects of modified abutment characteristics on peri-implant soft tissue health: a systematic review and meta analysis. *Clin Oral. Impl Res*, 2018, 29: 118-129.

16 Nascimento CD, Pita MS, Fernandes FHNC, Pedrazzi V, De Albuquerque junior RF, Ribeiro RF.: Bacterial adhesion on the titanium and zirconia abutment surfaces. *Clin Oral Impl Res* 2014 Mars 25(3): 337-343.

17 Rimondini, L. et al. : Bacterial Colonization of Zirconia Ceramic Surfaces: An In vitro and In Vivo Study, *The International Journal of Oral and Maxillofacial Implants* 2002; 17, 6 -10.

18 Zipprich H, Weigl P, Ratka C, Lange B, Lauer HC. The micromechanical behavior of implant-abutment connections under a dynamic load protocol. *Clin Implant Dent Relat Res.* 2018 Oct;20(5):814-823. doi: 10.1111/cid.12651. Epub 2018 Jul 24. PMID: 30039915.

19 Rompen E, Domken O, Degidi M, Pontes AE, Piattelli A. The effect of material characteristics, of surface topography and of implant components and connections on soft tissue integration: a literature review. *Clin Oral Implants Res.* 2006 Oct;17 Suppl 2:55-67.

20 Rompen E. The impact of the type and configuration of abutments and their (repeated) removal on the attachment level and marginal bone. *Eur J Oral Implantol.* 2012;5 Suppl:S 83-90. PMID: 22834397

21 Glauser, R., Schupbach, P. Early bone formation around immediately placed two-piece tissue-level zirconia implants with a modified surface: an experimental study in the miniature pig mandible. *Int J Implant Dent* 8, 37 (2022). <https://doi.org/10.1186/s40729-022-00437-z>

22 Fiorillo L, Milone D, D'Andrea D, Santonocito D, Risitano G, Cervino G, Cicciù M. Finite Element Analysis of Zirconia Dental Implant. *Prosthesis.* 2022; 4(3):490-499. <https://doi.org/10.3390/prosthesis4030040>