

Ausgabe: ZWP 12/2012, S. 58-64

Thema: Risiko Zahnmedizin: Rolle der Pflege und Stärkung fragiler Schutzbarrieren

Autor: Dr. Mikael Zimmerman, DDS, PhD, Privatdozent

Literatur:

1. Fine DH, et al. Assessing pre-procedural subgingival irrigation and rinsing with an antiseptic mouthrinse to reduce bacteremia. *J Am Dent Assoc.* 1996 May;127(5):641-2, 645-6.
2. Fine JB, et al. Short-term microbiological and clinical effects of subgingival irrigation with an antimicrobial mouthrinse. *J Periodontol.* 1994 Jan;65(1):30-6.
3. Heimdahl A, et al. Detection and quantitation by lysis-filtration of bacteremia after different oral surgical procedures. *J Clin Microbiol.* 1990 Oct;28(10):2205-9.
4. Lewis D.L., et al. Resistance of microorganisms to disinfection in dental and medical devices. *Nature Medicine*, Vol 1 No 9, Sept 1995, p 956-958.
5. Lussi A, et al. Iatrogenic damage to adjacent teeth during classical approximal box preparation. *J Dent.* 1998 Jul-Aug;26(5-6):435-41.
6. Lussi A. Verletzung der Nachbarzähne bei der Präparation approximaler Kavitäten. Eine In-vivo-Studie. *Schweiz Monatsschr Zahnmed.* 1995;105(10):1259-64.
7. Medeiros VA, et al. Iatrogenic damage to approximal surfaces in contact with Class II restorations. *J Dent.* 2000 Feb;28(2):103-10.
8. Qvist V, et al. Progression of approximal caries in relation to iatrogenic preparation damage. *J Dent Res.* 1992 Jul;71(7):1370-3.
9. Ruvo AT, et al. The impact of delayed clinical healing after third molar surgery on health-related quality-of-life outcomes. *J Oral Maxillofac Surg.* 2005 Jul;63(7):929-35.
10. Toschimichi Mori, et al. Luxator® a new instrument for Tooth Extraction. The Nippon Dental Review 2004;12 Vol 64/12:746.