

LITERATUR

Thema: Teilkrone aus hochfester Glaskeramik zur Versorgung eines Prämolaren nach Höckerfraktur
Autor: Prof. Dr. Jürgen Manhart

Literaturverzeichnis

1. Fan, J., et al., *Long-term Clinical Performance of Composite Resin or Ceramic Inlays, Onlays, and Overlays: A Systematic Review and Meta-analysis*. Oper Dent, 2021. **46**(1): p. 25-44.
2. Strasding, M., et al., *Long-term outcomes of all-ceramic inlays and onlays after a mean observation time of 11 years*. Quintessence Int, 2020. **51**(7): p. 566-576.
3. Morimoto, S., et al., *Survival Rate of Resin and Ceramic Inlays, Onlays, and Overlays: A Systematic Review and Meta-analysis*. J Dent Res, 2016. **95**(9): p. 985-94.
4. Collares, K., et al., *A practice-based research network on the survival of ceramic inlay/onlay restorations*. Dent Mater, 2016. **32**(5): p. 687-94.
5. Beier, U.S., et al., *Clinical performance of all-ceramic inlay and onlay restorations in posterior teeth*. Int J Prosthodont, 2012. **25**(4): p. 395-402.
6. Frankenberger, R., et al., *Leucite-reinforced glass ceramic inlays and onlays after 12 years*. J Adhes Dent, 2008. **10**(5): p. 393-8.
7. Wolff, D., H.J. Staehle, and C. Frese, *Komplexe Zahnaufbauten als Alternative zur Überkronung*. ZWR, 2015. **124**(1): p. 30-34.
8. Hickel, R., et al., *Direct composite restorations: extended use in anterior and posterior situations*. Clinical Oral Investigations, 2004. **8**(2): p. 43-44.
9. Frese, C., D. Wolff, and H. Staehle, *Proximal box elevation with resin composite and the dogma of biological width: clinical r2-technique and critical review*. Oper Dent, 2014. **39**(1): p. 22-31.
10. Frese, C., D. Wolff, and H.J. Staehle, *Die R2-Technik: zweiphasige direkte Kompositrestauration. Restaurative Versorgung extrem tiefer Kavitäten*. Zahnärztliche Mitteilungen, 2014. **104**(5): p. 50-59.
11. Frese, C., D. Wolff, and H.J. Staehle, *Komplexe Seitenzahnrestorationen in der R1- und R2-Technik. Schwierige Ausgangssituationen und deren Lösung bei direkter Versorgung mit Kompositmaterialien*. DFZ Der Freie Zahnarzt, 2014. **58**(12): p. 72-81.
12. Manhart, J. and R. Hickel, *"Bulk Fill"-Komposite. Neuartige Einsatztechnik von Kompositen im Seitenzahnbereich*. Swiss Dental Journal, 2014. **124**(1): p. 19-28.
13. Lynch, C.D., et al., *Guidance on posterior resin composites: Academy of Operative Dentistry - European Section*. J Dent, 2014. **42**(4): p. 377-83.
14. Staehle, H.J., *Minimally invasive restorative treatment*. J Adhes Dent, 1999. **1**(3): p. 267-84.
15. Heintze, S.D. and V. Rousson, *Clinical effectiveness of direct class II restorations - a meta-analysis*. J Adhes Dent, 2012. **14**(5): p. 407-31.
16. Montazerian, M. and E.D. Zanotto, *Bioactive and inert dental glass-ceramics*. J Biomed Mater Res A, 2017. **105**(2): p. 619-639.
17. D'Arcangelo, C., et al., *Wear properties of dental ceramics and porcelains compared with human enamel*. J Prosthet Dent, 2016. **115**(3): p. 350-5.
18. Zarone, F., et al., *Current status on lithium disilicate and zirconia: a narrative review*. BMC Oral Health, 2019. **19**(1): p. 134.
19. Guth, J.F., et al., *In vivo wear of CAD-CAM composite versus lithium disilicate full coverage first-molar restorations: a pilot study over 2 years*. Clin Oral Investig, 2020. **24**(12): p. 4301-4311.
20. Kollmuss, M., et al., *Comparison of biogenically reconstructed and waxed-up complete occlusal surfaces with respect to the original tooth morphology*. Clin Oral Investig, 2013. **17**(3): p. 851-7.
21. Mehl, A., et al., *Stabilization effects of CAD/CAM ceramic restorations in extended MOD cavities*. J Adhes Dent, 2004. **6**(3): p. 239-45.
22. Goujat, A., et al., *Mechanical properties and internal fit of 4 CAD-CAM block materials*. J Prosthet Dent, 2018. **119**(3): p. 384-389.

23. Mehl, A., et al., *Randständigkeit von Cerec-II-Inlayrestorationen bei ausgedehnten Kavitäten mit stark geschwächten Höckern*. Deutsche Zahnärztliche Zeitschrift, 1998. **53**(1): p. 57-60.
24. Willard, A. and T.-M. Gabriel Chu, *The science and application of IPS e.Max dental ceramic*. The Kaohsiung Journal of Medical Sciences, 2018. **34**(4): p. 238-242.
25. Zarone, F., et al., *"Digitally Oriented Materials": Focus on Lithium Disilicate Ceramics*. Int J Dent, 2016: p. 9840594.
26. Li, R.W., T.W. Chow, and J.P. Matinlinna, *Ceramic dental biomaterials and CAD/CAM technology: state of the art*. J Prosthodont Res, 2014. **58**(4): p. 208-16.
27. Lien, W., et al., *Microstructural evolution and physical behavior of a lithium disilicate glass-ceramic*. Dent Mater, 2015. **31**(8): p. 928-40.
28. Stawarczyk, B., et al., *Evaluation of mechanical and optical behavior of current esthetic dental restorative CAD/CAM composites*. J Mech Behav Biomed Mater, 2015. **55**: p. 1-11.
29. Seibicke, K., et al., *Biocompatibility of All-Ceramic-Restorations on the basis of inflammatory parameters (IADR Abstract #1676, Seattle)*. 2012.
30. Ahlers, M.O., et al., *Guidelines for the preparation of CAD/CAM ceramic inlays and partial crowns*. Int J Comput Dent, 2009. **12**(4): p. 309-25.
31. Arnetzl, G.V. and G. Arnetzl, *Design of preparations for all-ceramic inlay materials*. Int J Comput Dent, 2006. **9**(4): p. 289-98.
32. Arnetzl, G.V. and G. Arnetzl, *Biomechanical examination of inlay geometries--is there a basic biomechanical principle?* Int J Comput Dent, 2009. **12**(2): p. 119-30.
33. Frankenberger, R., et al., *Präparationsregeln für Keramikinlays und -teilkronen*. Teamwork J Cont Dent Educ, 2007. **10**(6): p. 86-92.
34. Hutsky, A. and R. Frankenberger, *"Keramisch denken" - Präparationsregeln für Inlays und Teilkronen aus Keramik*. Quintessenz, 2011. **62**(1): p. 19-22.
35. Morneburg, T., et al., *Wissenschaftliche Mitteilung der Deutschen Gesellschaft für Prothetische Zahnmedizin und Biomaterialien e. V. (DGPro) (vormals DGZPW): Anwendung des Gesichtsbogens beim funktionsgesunden Patienten im Rahmen restaurativer Maßnahmen*. Deutsche Zahnärztliche Zeitschrift, 2010. **65**(11): p. 690-694.
36. Ahlers, M.O., D. Edelhoff, and H.A. Jakstat, *Reproduction accuracy of articulator mounting with an arbitrary face-bow vs. average values-a controlled, randomized, blinded patient simulator study*. Clin Oral Investig, 2019. **23**(3): p. 1007-1014.
37. Cajazeira, M.R., T.M. De Saboia, and L.C. Maia, *Influence of the operator field isolation technique on tooth-colored direct dental restorations*. Am J Dent, 2014. **27**(3): p. 155-9.
38. Hickel, R., et al., *Die Adhäsivtechnologie. Ein Leitfaden für Theorie und Praxis*. 2001, Seefeld, Germany: 3M ESPE.
39. de Goes, M.F., M.S. Shinohara, and M.S. Freitas, *Performance of a new one-step multi-mode adhesive on etched vs non-etched enamel on bond strength and interfacial morphology*. J Adhes Dent, 2014. **16**(3): p. 243-50.
40. Hanabusa, M., et al., *Bonding effectiveness of a new 'multi-mode' adhesive to enamel and dentine*. J Dent, 2012. **40**(6): p. 475-84.
41. McLean, D.E., et al., *Enamel Bond Strength of New Universal Adhesive Bonding Agents*. Oper Dent, 2015. **40**(4): p. 410-7.
42. Takamizawa, T., et al., *Influence of different etching modes on bond strength and fatigue strength to dentin using universal adhesive systems*. Dent Mater, 2016. **32**(2): p. e9-21.
43. Wagner, A., et al., *Bonding performance of universal adhesives in different etching modes*. J Dent, 2014. **42**(7): p. 800-7.
44. Lenzi, T.L., et al., *Bonding Performance of a Multimode Adhesive to Artificially-induced Caries-affected Primary Dentin*. J Adhes Dent, 2015. **17**(2): p. 125-31.
45. Loguercio, A.D., et al., *A new universal simplified adhesive: 36-Month randomized double-blind clinical trial*. J Dent, 2015. **43**(9): p. 1083-92.
46. Munoz, M.A., et al., *In vitro longevity of bonding properties of universal adhesives to dentin*. Oper Dent, 2015. **40**(3): p. 282-92.
47. Manhart, J., et al., *Review of the clinical survival of direct and indirect restorations in posterior teeth of the permanent dentition*. Oper Dent, 2004. **29**(5): p. 481-508.
48. Malament, K.A., et al., *Comparison of 16.9-year survival of pressed acid etched e.max lithium disilicate glass ceramic complete and partial coverage restorations in posterior teeth:*

- Performance and outcomes as a function of tooth position, age, sex, and thickness of ceramic material.* The Journal of Prosthetic Dentistry, 2020.
49. Malament, K.A., et al., *10.9-year survival of pressed acid etched monolithic e.max lithium disilicate glass-ceramic partial coverage restorations: Performance and outcomes as a function of tooth position, age, sex, and the type of partial coverage restoration (inlay or onlay).* The Journal of Prosthetic Dentistry, 2020.
 50. Edelhoff, D., et al., *Clinical performance of occlusal onlays made of lithium disilicate ceramic in patients with severe tooth wear up to 11 years.* Dent Mater, 2019. **35**(9): p. 1319-1330.
 51. Abduo, J. and R.J. Sambrook, *Longevity of ceramic onlays: A systematic review.* J Esthet Restor Dent, 2018. **30**(3): p. 193-215.
 52. Fotiadou, C., et al., *Longevity of lithium disilicate indirect restorations in posterior teeth prepared by undergraduate students: A retrospective study up to 8.5 years.* J Dent, 2021. **105**: p. 103569.
 53. Beier, U.S. and H. Dumfahrt, *Longevity of silicate ceramic restorations.* Quintessence Int, 2014. **45**(8): p. 637-44.