

## Literatur

### Apparatives Verfahren für die klinische Kariesdiagnose

Prof. Dr. Anahita Jablonski-Momeni/ Marburg

*DT German Edition 1+2/2013*

*PN Parodontologie Nachrichten 2/2013*

1. Buchgraber B, Allmer N, Städtler P: In vivo Accuracy of CarieScan for Detecting Caries (Abstract). *Caries Res* 43, 128 (2009).
2. Hall AF, Kaczmarek U, Pitts NB, Los P, Longbottom C, Czajczynska-Waszkiewicz A, Kochan S: Intra- and inter-examiner repeatability of AC-Impedance Spectroscopy to detect sound and caries sites in vivo (Abstract). *Caries Res* 41, 296 (2007).
3. Jablonski-Momeni A, Rosen SM, Schipper HM, Heinzel-Gutenbrunner M, Pieper K: Performance of ICDAS-II and fluorescence methods for detection of occlusal caries (Abstract). *Int J Paediatr Dent* 19 (Suppl. 1), 130 (2009).
4. Jablonski-Momeni A, Busche J, Heinzel-Gutenbrunner M, Frankenberger R, Pieper K: Reproducibility of the ICDAS-II Two-Digit Coding Method by Undergraduate Students. *Caries Res* 45, 217 (2011).
5. Longbottom C, Huysmans M-C, Pitts NB, Los P, Bruce PG: Detection of dental decay and its extent using a.c. impedance spectroscopy. *Nature Medicine* 2, 235-237 (1996).
6. Longbottom C, Hall AF, Czajczynska-Waszkiewicz A, Pitts NB, Los P, Kochan S, Ricketts DNJ: Caries detection by optimal Visual, Radiographic, Laser Fluorescence and AC-Impedance Spectroscopy techniques (Abstract). *Caries Res* 41, 297 (2007).
7. Pitts NB, Longbottom C, Ricketts D, Czajczynska-Waszkiewicz A: Hidden dentinal caries detection using a novel electrical impedance device (Abstract). *J Dent Res* 87 (Spec Iss B), Abstract 2836 (2008).
8. Ricketts DNJ, Ekstrand KR, Kidd EA, Larsen T: Relating visual and radiographic ranked scoring systems for occlusal caries detection to histological and microbiological evidence. *Operative Dent* 27, 231-237 (2002).