

## Literatur

- 1 Andrews LF. The six keys to normal occlusion 1972; 62: 296–309
- 2 Fanghänel J, Ihlow D, Kirschneck C, Kubein-Meesenburg D, Proff P, Rudzki I. Kieferorthopädische Retention: Kriterien, Regeln und Maßnahmen der Rezidivprophylaxe. Stuttgart: Georg Thieme Verlag; 2018
- 3 Schwarz AM. Lehrgang der Gebissregelung: Bd. I. Der Untersuchungsgang (Diagnostik). Wien/Innsbruck: Urban & Schwarzenberg; 1961
- 4 Andrews LF, Andrews WA. The six elements of orofacial harmony. *Andrews J Orthod Orofac Harmony* 2000; 1: 13–22
- 5 Lundström AF. Malocclusion of the teeth regarded as a problem in connection with the apical base. *Int J Orthod Oral Surg Radiogr* 1925; 11 (7): 591-602, 724-31, 793-812, 933-40, 1022-42, 1109-33
- 6 Moorrees CA. The Dentition of the Growing Child. Cambridge/Mass: Harvard University Press; 1959
- 7 Rasmussen CM, Viozzi CF. A Decision Tree for Orthodontic and Surgical Management of the Maxillary Transverse Dimension in Orthognathic Surgery. *J Oral Maxillofac Surg* 2020; 78 (8): 1236–1238
- 8 Rudzki I, Ihlow D, Fanghänel J, Kirschneck C. Retentionskriterien - Rezidivgefahren - Retentionsphase. In: Ihlow D, Rudzki I (Hrsg.). *Kieferorthopädische Retention: Kriterien, Regeln und Maßnahmen der Rezidivprophylaxe*. Stuttgart: Georg Thieme Verlag; 2018: 55–89
- 9 Angell EH. Treatment of irregularity of the permanent adult teeth. *Dental Cosmos*; 1: 540–544, 599-600
- 10 Joss-Vassalli I, Grebenstein C, Topouzelis N, Sculean A, Katsaros C. Orthodontic therapy and gingival recession: a systematic review. *Orthod Craniofac Res* 2010; 13 (3): 127–141
- 11 Harzer W. *Kieferorthopädie*. Stuttgart: Georg Thieme Verlag; 2011
- 12 Ozbek MM, Memikoglu UTT, Altug-Atac AT, Lowe AA. Stability of maxillary expansion and tongue posture. *Angle Orthod* 2009; 79 (2): 214–220
- 13 Kirschneck C, Proff P, Lux C. S3-Leitlinie “Ideale Behandlungszeitpunkte kieferorthopädischer Anomalien”: Registernummer 083 - 038 2021
- 14 Bucci R, Montanaro D, Rongo R, Valletta R, Michelotti A, D'Antò V. Effects of maxillary expansion on the upper airways: Evidence from systematic reviews and meta-analyses. *J Oral Rehabil* 2019; 46 (4): 377–387
- 15 Torre H, Alarcón J-A. Changes in nasal air flow and school grades after rapid maxillary expansion in oral breathing children. *Med Oral Patol Oral Cir Bucal* 2012; 17 (5): e865-70

- 16** Melsen B. Palatal growth studied on human autopsy material. A histologic microradiographic study. *Am J Orthod* 1975; 68 (1): 42–54
- 17** Kinzinger GSM, Hourfar J, Buschhoff C, Heller F, Korbmacher-Steiner HM, Lisson JA. Age-dependent interactions of maxillary sutures during RME and their effects on palatal morphology : CBCT and dental cast analysis. *J Orofac Orthop* 2022; 83 (6): 412–431
- 18** Holberg C, Steinhäuser S, Rudzki I. Surgically assisted rapid maxillary expansion: midfacial and cranial stress distribution. *Am J Orthod Dentofacial Orthop* 2007; 132 (6): 776–782
- 19** Mommaerts M. Transpalatal distraction as a method of maxillary expansion. *Br J Oral Maxillofac Surg* 1999; 37: 268–272
- 20** Koudstaal MJ, Poort LJ, van der Wal KGH, Wolvius EB, Prahl-Andersen B, Schulten AJM. Surgically assisted rapid maxillary expansion (SARME): a review of the literature. *Int J Oral Maxillofac Surg* 2005; 34 (7): 709–714
- 21** Timms DJ. Forcierte Gaumennahterweiterung. Berlin: QuintessenzVerlags-GmbH; 1986