

Literaturverzeichnis

Thema: Der Speichel – ein Spiegelbild oraler und systemischer Erkrankungen

Autoren: DDr. Christa Eder

- (1)Baglia S, Muglikar S, Kale R. Salivary pH: A diagnostic biomarker. *J Indian Soc Periodontol* 2013; 17(4):461-463
- (2)Bahar G, Feinmesser R, Shpitzer T, Popovtzer A, Nagler RM. Salivary analysis in oral cancer patients. *Cancer* 2007; 109:54
- (3)Bergdahl M, Bergdahl J. Low unstimulated salivary flow and subjective oral dryness: association with medication, anxiety, depression, and stress. *J Dent Res* 2000; 79(9):1652-8
- (4)Bosello S, Peluso G, Iavarone F, Tolusso B, Messina I, Faa G, Castagnola M, Ferraccioli G. Thymosin β_4 and β_{10} in Sjögren's syndrome: saliva proteomics and minor salivary glands expression. *Arthritis Res Ther*. 2016; 18: 229; Published online 2016 Oct 6. doi: 10.1186/s13075-016-1134-7
- (5)Burne RA, Zeng L, Ahn SJ, Palmer SR, Liu Y, Lefebure T, Stanhope MJ, Nascimento MM. Progress dissecting the oral microbiome in caries and health. *Adv Dent Res*. 2012; 24, 77–80
- (6)Cassolato SF, Turnbull RS. Xerostomia: clinical aspects and treatment. *Gerodontology* 2003; 20:64-77
- (7)De Smet K, Contreras R. Human antimicrobial peptides: defensins, cathelicidins and histatins. *Biotechnol Lett* 2005; 27:1337-47
- (8)Eliasson L, Birkhed D, Österberg T, Carlén A. Minor salivary gland secretion rates and immunoglobulin A in adults and the elderly. *Eur J Oral Sci* 2006; 114(6):494-9
- (9)Gorr S. Antimicrobial peptides of the oral cavity. *Periodontol* 2000. 2009;51:152–80. 10.1111/j.1600-0757.2009.00310.x
- (10)Hamada S, Slade HD. Biology, immunology and cariogenicity of *Streptococcus mutans*. *Microbiol Rev* 1980; 44:331-384
- (11)Helmerhorst EJ, Oppenheim FG. Saliva: A dynamic proteome. *J. Dent Res* 2007; 86:680-693
- (12)Holmberg, KV, Hoffman, MP. Anatomy, Biogenesis and Regeneration in Salivary Glands. *Monogr Oral Sci* **2014**; 24:1-13

- (13)Huber MA, Terezhalmay GT. The head and neck radiation oncology patient. *Quintessence Int* 2003; 34(9):693-717
- (14)Hugo FN, Hilgert JB, Corso S, Padilha DMP, Bozzetti MC, Bandeira DR, et al. Association of chronic stress, depression symptoms and cortisol with low saliva flow in a sample of south Brazilians aged 50 years and older. *Gerodontology* 2008; 25(1):18-25. doi: 10.1111/j.1741-2358.2007.00188.x.
- (15)Iavarone F, Melis M, Platania G, Cabras T, Manconi B, Petruzzel R, Cordaro M, Siracusano A, Faa G, Messina I, Zanasi M, Castagnolo M. Characterization of salivary proteins of schizophrenic and bipolar disorder patients by top-down proteomics. *Journal of Proteomics* 103, 30 May 2014; 15-22
- (16)Iijima K, Ando K, Nakashizuka T, Hayakawa T. Collagenase activity in human saliva. *J Dent Res* 1983; 62(6):709-712
- (17)Javaid MA, Ahmed AS, Duran R, Tran S.D. Saliva as a diagnostic tool for oral and systemic diseases. *J Oral Biol Craniofacial Res* 2016; 6:67–76
- (18) Ji-Youn Kim, Ki-Rim Kim, Han-Na Kim. The potential impact of salivary IL-1 on the diagnosis of periodontal disease. *Apilote study. Healthcare (Basel)* 2021; 9(6): 729; doi 10.3390/healthcare 9060729
- (19)Lasisi TJ, Fasanmade AA. Salivary flow and composition in diabetic and non-diabetic subjects. *Niger J Physiol Sci* 2012; 27(1):79-82
- (20)Lee Y, Wong DT. Saliva: An emerging biofluid for early detection of disease. *Am J Dent* 2009; 22: 241-248
- (21)Lippman SM, Hong WK. Molecular markers of the risk of oral cancer, *N Engl J Med* 2001; 344:1323-1326
- (22)Mortazavi H, Baharvand M, Movahhedian A, Mohammadi M, Khodadoust A. Xerostomia due to systemic diseases. A review of 20 conditions and mechanisms. *Ann Med Health Sci Res* 2014; 4(4):503-510
- (23)Oppenheim FG, Xu T, McMillian FM, Levitz SM, Diamond RD, Offner GD, et al. Histatins, a novel family of histidine-rich proteins in human parotid secretion. *The Journal of Biological Chemistry*. 1988;263(16):7472–7
- (24)Qin R, Steel A, Fazel N. Oral mucosa biology and salivary biomarkers. *Clin. Dermatol* 2017; 35:477–483
- (25)Rapado-Gonzales O, Martinez-Reglero C, Salgado-Barreira AS, Takkouche B, Lopez-Lopez R, Suarez-Cunqueiro MM, Muinelo-Romay L. Salivary biomarkers for cancer diagnosis: a meta-analysis. *Ann Med*. 2020; 52(3-4): 131–144
- (26)Moharil RB, Khandekar S, Dive A, Bodhade A. Cyclin D1 in oral premalignant lesions and oral squamous cell carcinoma: An immunohistochemical study. *J Oral Maxillofac Pathol*. 2020 May-Aug; 24(2): 397

- (27)Salvatori O, Puri S, Tati S, Edgerton M. Innate immunity and saliva in *Candida albicans*-mediated oral diseases. *J Dent Res*. 2016; 95(4):365–71.
10.1177/0022034515625222
- (28)Schiødt M, Thorn J . Criteria for the salivary component of Sjögren's syndrome. A review. *Clin Exp Rheumatol* 1989; 7:119–122
- (29)Scully C. Drug effects on salivary glands: dry mouth. *Oral Dis* 2003; 9:165-176
- (30)Tenovuo J. Antimicrobial function of human saliva - how important is it for oral health? *Acta Odontol Scand* 1998; 56(5):250-6
- (31)Tishler M, Yaron I, Shirazi I, Yaron M. Saliva: an additional diagnostic tool in Sjögren's syndrome. *Semin Arthritis Rheum* 1997; 27:173–179
- (32)Zhang Q, Bian Z, et al. Salivary mutans streptococci counts as indicators in caries risk assessment in 6-7-year-old Chinese children. *J.Dent Educ* 2007; 35(2):77-180