

Literatur

1. S3-Leitlinie: Häusliches mechanisches Biofilmmangement in der Prävention und Therapie der Gingivitis. AWMF-Registernummer: 083-022, Stand: November 2018, Amendment: Dezember 2020.
2. S3-Leitlinie: Häusliches chemisches Biofilmmangement in der Prävention und Therapie der Gingivitis. AWMF-Registernummer: 083-016, Stand: November 2018, Amendment: Dezember 2020.
3. Fischman SL, Aguirre A, Charles CH. Use of essential oil—containing mouthrinses by xerostomic individuals: determination of potential for oral mucosal irritation. *Am J Dent.* 2004;17(1):23-26.
4. Kerr AR, Corby PM, Kalliontzi K, McGuire JA, Charles CA. Comparison of two mouthrinses in relation to salivary flow and perceived dryness. *Oral Surg Oral Med Oral Pathol Oral Radiol.* 2015;119(1):59-64.
5. Aceves Argemí R, González Navarro B, Ochoa García-Seisdedos P, Estrugo Devesa A, López-López J. Mouthwash with alcohol and oral carcinogenesis: systematic review and meta-analysis. *J Evid Based Dent Pract.* 2020;20(2):101407.
6. International Agency for Research on Cancer (IARC). World Health Organization. IARC monographs on the evaluation of carcinogenic risks to humans: Report of the advisory group to recommend priorities for IARC Monographs during 2015-2019. <https://monographs.iarc.fr/wp-content/uploads/2018/08/14-002.pdf>. Accessed November 1, 2021.
7. Food and Drug Administration. Oral health care drug products for over-the-counter human use; antigingivitis/antiplaque drug products; establishment of a monograph; proposed rules. *Part III. Fed Regist.* 2003;68(103):32232-32287.
8. La Vecchia C. Mouthwash and oral cancer risk: an update. *Oral Oncol.* 2009;45(3):198-200.
9. DePaola LG, Spolarich AE. Safety and efficacy of antimicrobial mouthrinses in clinical practice. *J Dent Hygiene.* 2007;81(suppl 1):13-25.
10. Minah GE, et al. Effects of 6 months use of an antiseptic mouthrinse on supragingival dental plaque microflora. *J Clin Periodontol* 1989;16:347-352