

Issue: implants 3/2024

Title: Peri-implantitis prevention starts with the choice of a clean implant system - An update from the CleanImplant Foundation

Author: Dr. Dirk U. Duddeck

References:

1. Heitz-Mayfield LJA. Peri-implant mucositis and peri-implantitis: key features and differences. Br Dent J. 2024;236(10):791-4.
2. Scarano A, Khater AGA, Gehrke SA, Serra P, Francesco I, Di Carmine M, et al. Current Status of Peri-Implant Diseases: A Clinical Review for Evidence-Based Decision Making. Journal of functional biomaterials. 2023;14(4).
3. Schwarz F, Derks J, Monje A, Wang HL. Peri-implantitis. J Periodontol. 2018;89 Suppl 1:S267-S90.
4. Ganz SD, Duddeck DU, Kurtzman GM. Peri-implantitis and the Effect of the Implant Surface at Placement. Compend Contin Educ Dent. 2023;44(1):52-5.
5. Duddeck DU, Albrektsson T, Wennerberg A, Larsson C, Beuer F. On the Cleanliness of Different Oral Implant Systems: A Pilot Study. J Clin Med. 2019;8(9).
6. Duddeck DU, Albrektsson T, Wennerberg A, Larsson C, Mouhyi J, Beuer F. Quality Assessment of Five Randomly Chosen Ceramic Oral Implant Systems: Cleanliness, Surface Topography, and Clinical Documentation. Int J Oral Maxillofac Implants. 2021;36(5):863-74.
7. National Center for Biotechnology Information. PubChem Database, 2-Dodecylbenzenesulfonic acid, CID=25457 <https://pubchem.ncbi.nlm.nih.gov/compound/2-Dodecylbenzenesulfonic-acid2024> [Available from: <https://pubchem.ncbi.nlm.nih.gov/compound/2-Dodecylbenzenesulfonic-acid>].
8. National Center for Biotechnology Information. PubChem Compound Summary for DDAC CID 23558, Didecyldimonium Chloride <https://pubchem.ncbi.nlm.nih.gov/compound/Didecyldimonium-Chloride2024> [Available from: PubChem Compound Summary for CID 23558, Didecyldimonium Chloride.
9. Yoshimatsu T, Hiyama K. Mechanism of the action of didecyldimethylammonium chloride (DDAC) against Escherichia coli and morphological changes of the cells. Biocontrol Sci. 2007;12(3):93-9.
10. Marahleh A, Kitaura H, Ohori F, Kishikawa A, Ogawa S, Shen WR, et al. TNF-alpha Directly Enhances Osteocyte RANKL Expression and Promotes Osteoclast Formation. Front Immunol. 2019;10:2925.
11. Hallab NJ, Jacobs JJ. Biologic effects of implant debris. Bull NYU Hosp Jt Dis. 2009;67(2):182-8.
12. Matthews JB, Besong AA, Green TR, Stone MH, Wroblewski BM, Fisher J, et al. Evaluation of the response of primary human peripheral blood mononuclear phagocytes to challenge with in vitro generated clinically relevant UHMWPE particles of known size and dose. J Biomed Mater Res. 2000;52(2):296-307.

13. Rader CP, Sterner T, Jakob F, Schutze N, Eulert J. Cytokine response of human macrophage-like cells after contact with polyethylene and pure titanium particles. J Arthroplasty. 1999;14(7):840-8.
14. Duddeck D, Albrektsson T, Wennerberg A, Mouhyi J, Norton M, Beuer F, et al. CleanImplant Trusted Quality Mark 2017-2018 - Guideline and Consensus Paper [PDF Document of Consensus]. <https://www.cleanimplant.org>