

Title: Single unit implant rehabilitation in the aesthetic area, using Zi Ceramic Implant System (Neodent®) with immediate loading associated with Socket Shield Technique.

Authors: Geninho Thomé, Carolina Accorsi Cartelli, Sérgio Rocha Bernardes, Jean Uhlendor, Brazil.

References

1. Geninho T, Rebecca S, Sergio B, et al. Osseointegration of a novel injection molded 2-piece ceramic dental implant: a study in minipigs. Clin Oral Investig. 25:603-615.
2. Geninho T, Jean U, Pereira VC, Waleska C, Rocha BS, Carvalho TL. Clinical and radiographic success of injection-molded 2-piece zirconia implants submitted to immediate loading: A 12-month report of two cases. Clin Case Rep. 9(12):e05118.
3. Parvin M, Ahmad S, Ramos CB. Clinical outcomes of zirconia implants: a systematic review and meta-analysis. Clin Oral Investig. 28(1):15.
4. Ralf-Joachim K, K DD. Clinical longevity of zirconia implants with the focus on biomechanical and biological outcome. Current Oral Health Reports. 7:344-351.
5. Thomé G, Sandgren R, Bernardes S, et al. Osseointegration of a novel injection molded 2-piece ceramic dental implant: a study in minipigs. Clin Oral Investig. 2021;25(2):603-615. doi:10.1007/s00784-020-03513-z
6. Preto WL, Hsun-Liang C, Hom-Lay W. Will zirconia implants replace titanium implants? Appl Sci (Basel). 11(15):6776.
7. Muhammed SR. Immediate implant placement with socket shield technique in the maxilla: a prospective case series evaluation at 1-year follow-up. Head Face Med. 18(1):17.
8. Giulia B, Nicole R, Kathrin B, R HA, Frank S, Jürgen B. Two-piece zirconia implants in the posterior mandible and maxilla: A cohort study with a follow-up period of 9 years. Clin Oral Implants Res. 33(12):1233-1244.

9. Brunello G, Rauch N, Becker K, Hakimi AR, Schwarz F, Becker J. Two-piece zirconia implants in the posterior mandible and maxilla: A cohort study with a follow-up period of 9 years. *Clin Oral Implants Res.* 2022;33(12):1233-1244. doi:10.1111/clr.14005
10. Sofia K, Daniel V, Michael P, Harald F, N AG. Clinical Performance of Two-Piece Zirconia Dental Implants After 5 and Up to 12 Years. *Int J Oral Maxillofac Implants.* 38(6).
11. Thomé G, Accorsi CC, Dias MSVK, Moreira ACM. Implante imediato com a técnica Socket Shield – relato de uma complicação. *Full Dent. Sci.* 2019;10(38):1038-2631.
12. J SS. Has zirconia made a material difference in implant prosthodontics? A review. *Dent Mater.* 36(1):1-8.
13. Jank S, Hochgatterer G. Success Rate of Two-Piece Zirconia Implants: A Retrospective Statistical Analysis. *Implant dentistry.* 25(2):193-198. doi:10.1097/ID.0000000000000365
14. Adánez MH, Nishihara H, Att W. A systematic review and meta-analysis on the clinical outcome of zirconia implant-restoration complex. *Journal of prosthodontic research.* 62(4):397-406. doi:10.1016/j.jpor.2018.04.007
15. Hashim D, Cionca N, Courvoisier DS, Mombelli A. A systematic review of the clinical survival of zirconia implants. *Clinical oral investigations.* 20(7):1403-1417. doi:10.1007/s00784-016-1853-9
16. Depprich R, Naujoks C, Ommerborn M, Schwarz F, Kübler NR, Handschel J. Current findings regarding zirconia implants. *Clinical implant dentistry and related research.* 16(1):124-137. doi:10.1111/j.1708-8208.2012.00454.x
17. Spitznagel FA, Balmer M, Wiedemeier DB, Jung RE, Gierthmuehlen PC. Clinical outcomes of all-ceramic single crowns and fixed dental prostheses supported by ceramic implants: A systematic review and meta-analyses. *Clinical Oral Implants Research.* 2021;33(1):1-20. doi:10.1111/clr.13871
18. Hashim D, Cionca N, Courvoisier DS, Mombelli A. A systematic review of the clinical survival of zirconia implants. *Clinical oral investigations.* 20(7):1403-1417. doi:10.1007/s00784-016-1853-9

19. Becker J, John G, Becker K, Mainusch S, Diedrichs G, Schwarz F. Clinical performance of two-piece zirconia implants in the posterior mandible and maxilla: a prospective cohort study over 2 years. *Clinical oral implants research*. 28(1):29-35. doi:10.1111/clr.12610
20. Felix B, Jan vWA, S CM. Zirconia dental implants: a clinical, radiographic, and microbiologic evaluation up to 3 years. *Int J Oral Maxillofac Implants*. 29(4).