

**Issue:** implants 04/2024

**Title:** Streamlining full-arch dentistry with **dynamic navigation** and **photogrammetry**

**Author:** *Dr Emilien Tronc*

---

### **Literature**

1. Arisan V, Karabuda CZ, Mumcu E, Özdemir T. Implant positioning errors in freehand and computer-aided placement methods: a single-blind clinical comparative study. *Int J Oral Maxillofac Implants*. 2013 Jan-Feb;28(1):190-204. doi: 10.11607/jomi.2691. PMID: 23377066.
2. Tahmaseb A, Wu V, Wismeijer D, Coucke W, Evans C. The accuracy of static computer-aided implant surgery: A systematic review and meta-analysis. *Clin Oral Implants Res*. 2018 Oct;29 Suppl 16:416-435. doi: 10.1111/clr.13346. PMID: 30328191.
3. Vermeulen J. The Accuracy of Implant Placement by Experienced Surgeons: Guided vs Freehand Approach in a Simulated Plastic Model. *Int J Oral Maxillofac Implants*. 2017 Mar/Apr;32(3):617–624. doi: 10.11607/jomi.5065. Epub 2016 Oct 14. PMID: 27741330.
4. Block MS, Emery RW. Static or Dynamic Navigation for Implant Placement-Choosing the Method of Guidance. *J Oral Maxillofac Surg*. 2016 Feb;74(2):269-77. doi: 10.1016/j.joms.2015.09.022. Epub 2015 Sep 30. PMID: 26452429.
5. Hussein MO. Photogrammetry technology in implant dentistry: A systematic review. *J Prosthet Dent*. 2023 Sep;130(3):318-326. doi: 10.1016/j.prosdent.2021.09.015. Epub 2021 Nov 18. PMID: 34801243.
6. Cheng J, Zhang H, Liu H, Li J, Wang HL, Tao X. Accuracy of edentulous full-arch implant impression: An in vitro comparison between conventional impression, intraoral scan with and without splinting, and photogrammetry. *Clin Oral Implants Res*. 2024 May;35(5):560-572. doi: 10.1111/clr.14252. Epub 2024 Feb 29. PMID: 38421115.