

# Weniger Nebeneffekte durch Minipins?

Dr. Björn Ludwig, Dr. Julia von Bremen, Dr. Jan Hourfar und Prof. Dr. Sabine Ruf

## References:

1. Pancherz, H. and S. Ruf, *The Herbst Appliance: Research-Based Clinical Management* 2008, Chicago: Quintessence.
2. Hourfar, J., B. Ludwig, and S. Ruf, *Das Behandlungsspektrum der Herbst-Apparatur im Verlauf von 3 Jahrzehnten - eine Literaturübersicht*. Inf Orthod Kieferorthop, 2012. **44**(03): p. 173-182.
3. Pancherz, H., *History, background, and development of the Herbst appliance*. Seminars in orthodontics, 2003. **9**(1): p. 3-11.
4. Geiss, E., *Emil Herbst. Sein Leben, Werk und Einfluss auf die heutige Kieferorthopädie.*, 1992, Giessen.
5. Pancherz, H., *Treatment of class II malocclusions by jumping the bite with the Herbst appliance. A cephalometric investigation*. Am J Orthod, 1979. **76**(4): p. 423-42.
6. Hourfar, J., et al., *Festsitzende Behandlungsapparaturen zur Therapie der Distalbisslage - Eine Literaturübersicht*. Inf Orthod Kieferorthop, 2012. **44**(03): p. 183-192.
7. Hansen, K., *Treatment and posttreatment effects of the Herbst appliance on the dental arches and arch relationships*. Seminars in orthodontics, 2003. **9**(1): p. 67-73.
8. Pancherz, H. and S. Ruf, *Herbst-Apparatur*, in *Praxis der Zahnheilkunde*, P. Diedrich, Editor 2000, Urban und Fischer Verlag. p. 281-297.
9. Weschler, D. and H. Pancherz, *Efficiency of Three Mandibular Anchorage Forms in Herbst Treatment: A Cephalometric Investigation*. The Angle Orthodontist, 2005. **75**(1): p. 23-27.
10. Kinzinger, G., L. Frye, and P. Diedrich, *Class II treatment in adults: comparing camouflage orthodontics, dentofacial orthopedics and orthognathic surgery--a cephalometric study to evaluate various therapeutic effects*. J Orofac Orthop, 2009. **70**(1): p. 63-91.
11. Toygar, H.U. and B.H. Kircelli, *Regeneration of multiple adjacent bone dehiscences with guided tissue regeneration after orthodontic proclination: a corrective treatment approach*. Int J Periodontics Restorative Dent, 2010. **30**(4): p. 345-53.
12. Joss-Vassalli, I., et al., *Orthodontic therapy and gingival recession: a systematic review*. Orthodontics & Craniofacial Research, 2010. **13**(3): p. 127-141.
13. Allais, D. and B. Melsen, *Does labial movement of lower incisors influence the level of the gingival margin? A case-control study of adult orthodontic patients*. Eur J Orthod, 2003. **25**(4): p. 343-52.
14. Melsen, B. and D. Allais, *Factors of importance for the development of dehiscences during labial movement of mandibular incisors: A retrospective study of adult orthodontic patients*. American journal of orthodontics and dentofacial orthopedics : official publication of the American Association of Orthodontists, its constituent societies, and the American Board of Orthodontics, 2005. **127**(5): p. 552-561.
15. Djeu, G., C. Hayes, and S. Zawaideh, *Correlation between mandibular central incisor proclination and gingival recession during fixed appliance therapy*. Angle Orthod, 2002. **72**(3): p. 238-45.
16. Aziz, T. and C. Flores-Mir, *A systematic review of the association between appliance-induced labial movement of mandibular incisors and gingival recession*. Aust Orthod J, 2011. **27**(1): p. 33-9.
17. Yared, K.F., E.G. Zenobio, and W. Pacheco, *Periodontal status of mandibular central incisors after orthodontic proclination in adults*. Am J Orthod Dentofacial Orthop, 2006. **130**(1): p. e1-8.
18. Dischinger, T., *Edgewise Herbst Appliance*. J Clin Orthod, 1995. **29**(12): p. 738-42.
19. Blackwood, H.O., 3rd, *Clinical management of the Jasper Jumper*. J Clin Orthod, 1991. **25**(12): p. 755-60.
20. Wigal, T.G., et al., *Stability of Class II treatment with an edgewise crowned Herbst appliance in the early mixed dentition: Skeletal and dental changes*. American journal of orthodontics and dentofacial orthopedics : official publication of the American Association of Orthodontists, its constituent societies, and the American Board of Orthodontics, 2011. **140**(2): p. 210-223.
21. Rothenberg, J., E.S. Campbell, and R. Nanda, *Class II correction with the Twin Force Bite Corrector*. J Clin Orthod, 2004. **38**(4): p. 232-40.
22. Ghislanzoni, L.T., et al., *Treatment and posttreatment outcomes induced by the Mandibular Advancement Repositioning Appliance; a controlled clinical study*. Angle Orthod, 2011. **81**(4): p. 684-91.
23. Langford, N.M., Jr., *The Herbst appliance*. J Clin Orthod, 1981. **15**(8): p. 558-61.
24. Kinzinger, G., et al., *Development of a new fixed functional appliance for treatment of skeletal class II malocclusion first report*. J Orofac Orthop, 2002. **63**(5): p. 384-99.

25. Kinzinger, G.S. and P.R. Diedrich, *Bite jumping with the Functional Mandibular Advancer*. J Clin Orthod, 2005. **39**(12): p. 696-700.
26. Luzzi, C., et al., *The miniscrew Herbst*. J Clin Orthod, 2012. **46**(7): p. 399-405.
27. Poggio, P.M., et al., "*Safe zones*": a guide for miniscrew positioning in the maxillary and mandibular arch. Angle Orthod, 2006. **76**(2): p. 191-7.
28. Ludwig, B., et al., *Insertion von Minischrauben*, in *Mini-Implantate in der Kieferorthopädie. Innovative Verankerungskonzepte*, B. Ludwig, Editor 2007, Quintessenz: Berlin. p. 73-88.
29. Ludwig, B., et al., *Anatomical Guidelines for Miniscrew Insertion: Vestibular Interradicular Sites*. J Clin Orthod, 2011. **45**(3): p. 165-173.
30. Wilmes, B., A. Vlatkovic, and D. Drescher. *[P] Impact of insertion angle on primary stability of orthodontic mini-implants*. in *EOS - Poster*. 2007. Berlin.
31. Antoszewska, J., et al., *Qualitative and quantitative evaluation of root injury risk potentially burdening insertion of miniscrew implants*. Korean J Orthod, 2011. **41**(2): p. 112-120.
32. Antoszewska, J., et al., *Five-year experience with orthodontic miniscrew implants: a retrospective investigation of factors influencing success rates*. Am J Orthod Dentofacial Orthop, 2009. **136**(2): p. 158 e1-10; discussion 158-9.
33. Park, H.S., S.H. Jeong, and O.W. Kwon, *Factors affecting the clinical success of screw implants used as orthodontic anchorage*. Am J Orthod Dentofacial Orthop, 2006. **130**(1): p. 18-25.
34. Asscherickx, K., et al., *Success rate of miniscrews relative to their position to adjacent roots*. Eur J Orthod, 2008. **30**(4): p. 330-5.
35. Ludwig, B., B. Glasl, and K. Walde, *Miniscrews in the Anterior Palate*. Orthodontic Products, 2011(9): p. 91-94.
36. Al-Kalaly, A.A., et al., *Evaluation of bone thickness around the mental foramen for potential fixation of a bone-borne functional appliance: a computer tomography scan study*. Clin Oral Implants Res, 2010. **21**(11): p. 1288-93.