

Therapie eines Tiefbisses mit einer vollständig individuellen lingualen Apparatur unter besonderer Berücksichtigung des Frontzahntorques

Von Dr. Jana Westa, Medizinische Hochschule Hannover

Literatur:

- 1) Hasund A (1974) Klinische Kephalometrie für die Bergen-Technik. Kieferorthopädische Abteilung des zahnärztlichen Institutes der Universität Bergen, Bergen/Norwegen
- 2) Segner D, Hasund A (2003) Individualisierte Kephalometrie. Segner, Hamburg
- 3) Kubein D, Jäger A, Paschereit F (1984) Untersuchungen zum individuellen Interinzisalwinkel und individuellen Wurzeltorque oberer und unterer Frontzähne. J Orofac Orthop 45:187-197
- 4) Ahlers MO, Jakstat HA (2015) CMD-Screening mit dem CMD-Kurzbefund. Quintessenz 66:1399–1409
- 5) Kubein-Meesenburg D (1985) Die kraniale Grenzfunktion des stomatognathen Systems des Menschen. Hanser, München
- 6) Andrews LF (1972) The six keys to normal occlusion. Am J Orthod 62:296-309
- 7) Ihlow D, Rudzki I, Fanghänel J, Kirschneck C, Kubein-Meesenburg D, Proff P (2017) Kieferorthopädische Retention. Thieme, Stuttgart
- 8) Silli S, Mindermann G (2023) Warum GBO und warum zertifizieren und rezertifizieren? Kieferorthop 37:407-417
- 9) Silli S, Kunz F (2024) Original-Patientenpräsentation des German Board of Orthodontic and Orofacial Orthopedics (GBO). Kieferorthop 38:262-268
- 10) Huggare J, Derringer KA, Eliades T, Filleul MP, Kiliaridis S, Kuijpers-Jagtman A, Martina R, Pirttiniemi P, Ruf S, Schwestka-Polly R (2014) The Erasmus programme for postgraduate education in orthodontics in Europe: an update of the guidelines. Eur J Orthod 36:340-349
- 11) Wiechmann D (2003) A new bracket system for lingual orthodontic treatment. Part 2: First clinical experiences and further development. J Orofac Orthop 64:372-388
- 12) Wiechmann D (2025) Novel concept for posterior crossbite correction: Preliminary results. J Orofac Orthop 86:1-10
- 13) Peroz I, Ahlers MO, Hugger A, Imhoff B, Lange M, Mentler C, Ottl P, Wolowski A (2020) CMD-Screening ist wichtig. Schmerz 34:436–437
- 14) Van der Veen MH, Attin R, Schwestka-Polly R, Wiechmann D (2010) Caries outcomes after orthodontic treatment with fixed appliances: do lingual brackets make a difference? Eur J Oral Sci 118:298-303

- 15) Knösel M, Klang E, Helms HJ, Wiechmann D (2016) Occurrence and severity of enamel decalcification adjacent to bracket bases and sub-bracket lesions during orthodontic treatment with two different lingual appliances. *Eur J Orthod*. 38:485-92
- 16) Von Bremen J, Kloukos D, Bettenhäuser-Hartung L, Schmid JQ (2025) Energy drink-induced white spot lesions on labial and lingual tooth surfaces in adolescents treated with lingual appliances: a retrospective cohort study. *Clin Oral Invest* 29, 370
- 17) Hussain U, Wahab A, Kamran MA, Alnazeh AA, Almoammar S, Alshahrani SSM, Niazi FH, Alam S, Arif N, Campobasso A, Pandis N (2025) Prevalence, Incidence and Risk Factors of White Spot Lesions Associated With Orthodontic Treatment – A Systematic Review and Meta-Analysis. *Orthod Craniofac Res* 28:379-399
- 18) Burstone CJ, Koenig HA (1974) Force systems from an ideal arch. *Am J Orthod* 65:270-289
- 19) Nägerl H, Burstone CJ, Becker B, Kubein-Messenburg D (1991) Centers of rotation with transverse forces: an experimental study. *Am J Orthod Dentofacial Orthop* 99):337-345
- 20) Kirschneck C (2024) *DENTICS Kieferorthopädie*. Elsevier, München, p 76
- 21) Cash AC, Good SA, Curtis RV, McDonald F (2004) An evaluation of slot size in orthodontic brackets--are standards as expected? *Angle Orthod* 74:450-453
- 22) Meling TR, Ødegaard J, Segner D (1998) On bracket slot height: a methodologic study. *Am J Orthod Dentofacial Orthop* 113:387-393
- 23) Demling A, Dittmer MP, Schwestka-Polly R (2009) Comparative analysis of slot dimension in lingual bracket systems. *Head Face Med* 5:27
- 24) Al-Qabandi SM (2013) Slot dimension of completely customized lingual orthodontic brackets - a comparative analysis. Master's Thesis Lingual Orthodontics. Hannover Medical School, Department of Orthodontics
- 25) Grauer D, Proffit WR (2011) Accuracy in tooth positioning with a fully customized lingual orthodontic appliance. *Am J Orthod Dentofacial Orthop* 140:433-443
- 26) Försch M, Krull L, Hechtner M, Rahimi R, Wriedt S, Wehrbein H, Jacobs C, Jacobs C (2020) Perception of esthetic orthodontic appliances: An eye tracking and cross-sectional study. *Angle Orthod* 90: 109–117
- 27) Jacobs C, Katzorke M, Wiechmann D, Wehrbein H, Schwestka-Polly R (2017) Single tooth torque correction in the lower frontal area by a completely customized lingual appliance. *Head Face Med* 13:18
- 28) Schmid JQ, Katsaros C, Sculean A, Galletti C, Bettenhäuser-Hartung L, Janssens Y (2025) The effect of lingual orthodontic appliances in the dimensional reduction of labial gingival recession and root prominence caused by wire syndrome in the anterior mandible: a multicenter study. *Quintessence Int* 56:306-317
- 29) Lossdörfer S, Bieber C, Schwestka-Polly R, Wiechmann D (2014) Analysis of the torque capacity of a completely customized lingual appliance of the next generation. *Head Face Med* 10:4
- 30) Alouini O, Knösel M, Blanck-Lubarsch M, Helms HJ, Wiechmann D (2020) Controlling incisor torque with completely customized lingual appliances. *J Orofac Orthop* 81:328-339
- 31) Pauls A, Nienkemper M, Schwestka-Polly R, Wiechmann D (2017) Therapeutic accuracy of the completely customized lingual appliance WIN: A retrospective cohort study.

Behandlungsgenauigkeit der vollständig individuellen lingualen Apparatur WIN: Eine retrospektive Kohortenstudie. J Orofac Orthop 78: 52–61

- 32) Wiechmann D, Schwestka-Polly R, Pancherz H, Hohoff A (2010) Control of mandibular incisors with the combined Herbst and completely customized lingual appliance - a pilot study. Head Face Med 6:3
- 33) Thiem LC, Rank P, Schmid JQ, Janssens Y, Bettenhäuser-Hartung L, Wiechmann D (2024) Favourable dentoalveolar changes after lower premolar extractions for Class III camouflage with completely customized lingual appliances. Head Face Med 20:57