

LITERATURLISTE

Thema: Primäre Implantatstabilität - ist mehr immer besser?

Autor: Prof. Dr. Matthias Karl, Dr. Stefan Scherg, Isabel Faßbender

1. Abu Ruja M, Shokati B, Mendes VC, Azarpazhooh A, Chvartzaid D. Retrospective analysis of dental implant fracture following loading: A retrospective clinical study. *J Prosthet Dent* 2025;134:143-150.
2. Albrektsson T, Zarb G, Worthington P, Eriksson AR. The long-term efficacy of currently used dental implants: a review and proposed criteria of success. *Int J Oral Maxillofac Implants* 1986;1:11-25.
3. Albrektsson T, Chrcanovic B, Östman PO, Sennerby L. Initial and long-term crestal bone responses to modern dental implants. *Periodontol 2000* 2017;73:41-50.
4. Bartold PM, Kuliwaba JS, Lee V, Shah S, Marino V, Fazzalari NL. Influence of surface roughness and shape on microdamage of the osseous surface adjacent to titanium dental implants. *Clin Oral Implants Res* 2011;22:613-618.
5. Berglundh T, Abrahamsson I, Lang NP, Lindhe J. De novo alveolar bone formation adjacent to endosseous implants. *Clin Oral Implants Res* 2003;14:251-262.
6. Buch RS, Weibrich G, Wagner W. Criteria of success in implantology. *Mund Kiefer Gesichtschir* 2003;7:42-46.
7. Coelho PG, Marin C, Teixeira HS, Campos FE, Gomes JB, Guastaldi F, Anchieta RB, Silveira L, Bonfante EA. Biomechanical evaluation of undersized drilling on implant biomechanical stability at early implantation times. *J Oral Maxillofac Surg* 2013;71:69-75.
8. Elias CN, Rocha FA, Nascimento AL, Coelho PG. Influence of implant shape, surface morphology, surgical technique and bone quality on the primary stability of dental implants. *J Mech Behav Biomed Mater* 2012;16:169-180.
9. Erbel C, Laschke MW, Grobecker-Karl T, Karl M. Preclinical performance of a novel dental implant design reducing mechanical stress in cortical bone. *J Funct Biomaterials* 2025;16:102.
10. Fabbri G, Staas T, Urban I. A Retrospective Observational Study Assessing the Clinical Outcomes of a Novel Implant System with Low-Speed Site Preparation Protocol and Tri-Oval Implant Geometry. *J Clin Med* 2022;11:4859.
11. Guan H, van Staden RC, Johnson NW, Loo YC. Dynamic modelling and simulation of dental implant insertion process - A finite element study. *Finite Elements in Analysis and Design* 2011;47:886-897.

12. Hurtgen A, Seidel L, Manni LL, Liegeois L, Lecloux G, Lambert F. Clinical and radiographic assessment of circular versus triangular cross-section neck implants in the posterior maxilla: Five-year follow-up of a randomized controlled trial. *Clin Oral Implants Res* 2023;34:698-706.
13. Ikar M, Grobecker-Karl T, Karl M, Steiner C. Mechanical stress during implant surgery and its effects on marginal bone: a literature review. *Quintessence Int* 2020;51:142-150.
14. Khayat PG, Arnal HM, Tourbah BI, Sennerby L. Clinical outcome of dental implants placed with high insertion torques (up to 176 Ncm). *Clin Implant Dent Relat Res* 2013;15:227-233.
15. Klär V, Zimmerer R, Schulz A, Lethaus B: Biomechanical performance of a novel implant design in simulated extraction sites and sinuslift procedures. *applied sciences* 2023;13:7541.
16. Parvini P, Trimpou G, Begic A, Cafferata EA, Petsos H, Müller KM, Schwarz F, Eickholz P, Obreja K. Esthetic and clinical outcomes after immediate placement and restoration: Comparison of two implant systems in the anterior maxilla-A cross-sectional study. *Clin Implant Dent Relat Res* 2023;25:252-260.
17. Puisys A, Auzbikaviciute V, Minkauskaite A, Simkunaite-Rizgeliene R, Razukevicius D, Linkevicius R, Linkevicius T. Early crestal bone loss: Is it really loss? *Clin Case Rep* 2019;7:1913-1915.
18. Raghavendra S, Wood MC, Taylor TD. Early wound healing around endosseous implants: A review of the literature. *Int J Oral Maxillofac Implants* 2005;20:425-431.
19. Roos J, Sennerby L, Lekholm U, Jemt T, Gröndahl K, Albrektsson T. A qualitative and quantitative method for evaluating implant success: a 5-year retrospective analysis of the Brånemark implant. *Int J Oral Maxillofac Implants* 1997;12:504-514.
20. Schulz A, Klär V, Grobecker-Karl T, Karl M. Biomechanical rationale for a novel implant design reducing stress on buccal bone. *applied sciences* 2023;13:666.
21. Steiner C, Karl M, Grobecker-Karl T: Wedge shaped vs. round implants: Bone strain during the insertion process. *J Oral Implantol* 2022;XLVIII:557-561.
22. Steiner C, Karl M, Grobecker-Karl T. Insertion and loading characteristics of three different bone-level implants. *Int J Oral Maxillofac Implants* 2020;35:560-565.
23. Valles C, Rodríguez-Ciurana X, Clementini M, Baglivo M, Paniagua B, Nart J. Influence of subcrestal implant placement compared with equicrestal position on the peri-implant hard and soft tissues around platform-switched implants: a systematic review and meta-analysis. *Clin Oral Investig* 2018;22:555-570.
24. Wang R, Eppell SJ, Nguyen C, Morris N. Relative Contribution of Trabecular and Cortical Bone to Primary Implant Stability: An In Vitro Model Study. *J Oral Implantol* 2016;42:145-152.