

Fallbeispiel Interdisziplinäre Rehabilitation eines komplexen Patientenfalles mit Spalterkrankung

Von Dr. Johanna Trautmann

Literatur

- 1) Ahlers MO, Jakstat HA. Indikationsstellung per Screening: CMD-Kurzbefund. In: Ahlers MO, Jakstat HA (Hrsg). Klinische Funktionsanalyse – Manuelle Strukturanalyse – Interdisziplinäre Diagnostik. dentaConcept Arbeitsbücher. 4. Aufl. Hamburg: dentaConcept, 2011:155-170.
 - 2) Ericson, S., & Kurol, J. (1987). Radiographic examination of ectopically erupting maxillary canines. *American journal of orthodontics and dentofacial orthopedics: official publication of the American Association of Orthodontists, its constituent societies, and the American Board of Orthodontics*, 91(6), 483–492.
 - 3) Westerlund, A., Sjöström, M., Björnström, L., & Ransjö, M. (2014). What factors are associated with impacted canines in cleft patients?. *Journal of oral and maxillofacial surgery : official journal of the American Association of Oral and Maxillofacial Surgeons*, 72(11), 2109–2114.
 - 4) Hoang, E., Sheller, B., Greenlee, G., Susarla, S., & Mancl, L. (2023). Factors Contributing to Canine Impaction in Patients With Unilateral Cleft Lip and Palate Undergoing Alveolar Bone Grafts. *Journal of oral and maxillofacial surgery: official journal of the American Association of Oral and Maxillofacial Surgeons*, 81(10), 1286–1294. <https://doi.org/10.1016/j.joms.2023.06.029>
 - 5) Fahradyan, A., Tsuha, M., Wolfswinkel, E. M., Mitchell, K. S., Hammoudeh, J. A., & Magee, W., 3rd (2019). Optimal Timing of Secondary Alveolar Bone Grafting: A Literature Review. *Journal of oral and maxillofacial surgery : official journal of the American Association of Oral and Maxillofacial Surgeons*, 77(4), 843–849.
- Arbeitsgemeinschaft der Wissenschaftlichen Medizinischen Fachgesellschaften (AWMF), (2022). *S2k-Leitlinie Dentale digitale Volumentomographie*.

- 6) Kuruthukulam, R. M., & Patil, A. S. (2023). The center of resistance of a tooth: a review of the literature. *Biophysical Reviews*, 15(1), 35–41.
- 7) Hong, R. K., et al. (2005). *Lever-arm and mini-implant system for anterior torque control during retraction in lingual orthodontic treatment*. *Angle Orthodontist*, 75(4), 602–609.
APA: Hong, R. K., Heo, J.-M., & Ha, Y.-K. (2005). Lever-arm and mini-implant system for anterior torque control during retraction in lingual orthodontic treatment. *Angle Orthodontist*, 75(4), 602–609.
- 8) Tanne, K., Nagataki, T., Inoue, Y., Sakuda, M., & Burstone, C. J. (1991). Patterns of initial tooth displacements associated with various root lengths and alveolar bone heights. *American journal of orthodontics and dentofacial orthopedics: official publication of the American Association of Orthodontists, its constituent societies, and the American Board of Orthodontics*, 100(1), 66–71.
- 9) Geramy, A., Geramy, A.R. & Fazli, B. An expansion to the Nägerl's theory of proportionality in reduced alveolar bone height models: a 3D finite element analysis. *BMC Oral Health* 22, 434 (2022).
- 10) Sergl, H. G., Klages, U., & Zentner, A. (1998). Pain and discomfort during orthodontic treatment: Causative factors and effects on compliance. *American Journal of Orthodontics and Dentofacial Orthopedics*, 114(6), 684–691.
- 11) Doll, G. M., Zentner, A., Klages, U., & Sergl, H. G. (2000). Relationship between patient discomfort, appliance acceptance and compliance in orthodontic therapy. *Journal of Orofacial Orthopedics*, 61(6), 398–413.
- 12) Seehra, J., Alshammari, A., Wazwaz, F., Papageorgiou, S. N., Newton, J. T., & Cobourne, M. T. (2023). Periodontal outcomes associated with impacted maxillary central incisor and canine teeth following surgical exposure and orthodontic alignment: a systematic review and meta-analysis. *European journal of orthodontics*, 45(5), 584–598.

- 13) Mousa, M. R., Hajeer, M. Y., Burhan, A. S., Heshmeh, O., & Hajeer, M. Y. (2022). The effectiveness of conventional and accelerated methods of orthodontic traction and alignment of palatally impacted canines in terms of treatment time, velocity of tooth movement, periodontal, and patient-reported outcomes: a systematic review. *Cureus, 14*(5).
- 14) McLaughlin RP, Bennett JC, Trevisi HJ. *Behandlungskonzept der vorprogrammierten Apparatur*. 1 ed. München: Urban und Fischer; 2004.
- 15) Archambault A, Lacoursiere R, Badawi H et al. Torque expression in stainless steel orthodontic brackets: a systematic re-view. *Angle Orthod* 2010; 80: 201–210. DOI: 10.2319/08050 8-352.1
- 16) Kokich, V. G., & Spear, F. M. (1997). Guidelines for managing the orthodontic-restorative patient. *Seminars in orthodontics, 3*(1), 3–20.
- 17) Spear, F. M., & Kokich, V. G. (2007). A multidisciplinary approach to esthetic dentistry. *Dental Clinics of North America, 51*(2), 487-505.
- 18) Soheilifar, S., Soheilifar, S., Javanshir, B., Malekshoar, M., & Mohamadi, Z. (2019). Recovery of Clinical Periodontal Parameters After Orthodontic Appliance Removal: a Prospective Study. *Iranian Journal of Orthodontics, 14*(1), 1-7.
- 19) Raina, S., Raaj, V., Raina, R., Mallik, M., & Raj, N. (2023). Changes in clinical periodontal parameters after removal of fixed orthodontic appliances. *Archives of Dental Research, 12*(1), 29-32.
- 20) van Gastel, J., Quirynen, M., Teughels, W., Coucke, W., & Carels, C. (2011). Longitudinal changes in microbiology and clinical periodontal parameters after removal of fixed orthodontic appliances. *The European Journal of Orthodontics, 33*(1), 15-21.
- 21) Melsen, B., Agerbaek, N., Erikson, J., & Terp, S. (1988). New attachment through

periodontal treatment and orthodontic intrusion. *American Journal of Orthodontics and Dentofacial Orthopedics*, 94(2), 104-116.

- 22) Richmond S, Shaw WC, O'Brien KD, Buchanan IB, Jones R, Stephens CD, Roberts CT, Andrews M (1992): The development of the PAR Index (Peer Assessment Rating): reliability and validity. *Eur J Orthod* 14 (2), 125-139
- 23) Graf I, Bock NC, Bartzela T, Roper V, Schumann U, Reck K, Christ H, Hofer K, Fritz U, Wiechmann D et al. (2022): Quality of orthodontic care-A multicenter cohort study in Germany : Part 1: Evaluation of effectiveness of orthodontic treatments and predictive factors. *J Orofac Orthop* 83 (5), 291-306
- 24) Pegelow, M., Rizell, S., Karsten, A., Mark, H., Lilja, J., Chalien, M. N., ... & Mars, M. (2021). Reliability and predictive validity of dental arch relationships using the 5-Year-Olds' Index and the GOSLON Yardstick to determine facial growth. *The Cleft Palate-Craniofacial Journal*, 58(5), 619-627.