

## Literaturverzeichnis

1. Ahlers MO, Morig G, Blunck U, Hajto J, Probster L, Frankenberger R. Guidelines for the preparation of cad/cam ceramic inlays and partial crowns. *Int J Comput Dent* 2009;12(4):309-325.
2. Belleflamme MM, Geerts SO, Louwette MM, Grenade CF, Vanheusden AJ, Mainjot AK. No post-no core approach to restore severely damaged posterior teeth: An up to 10-year retrospective study of documented endocrown cases. *J Dent* 2017;63:1-7.
3. Castelnuovo J, Tjan AH, Phillips K, Nicholls JI, Kois JC. Fracture load and mode of failure of ceramic veneers with different preparations. *J Prosthet Dent* 2000;83(2):171-180.
4. Charoenporn W, Sornsuan T, Sae-Lee D, Amornvit P, Chaijareenont P, Rungsiyakull P. Evaluating fatigue resistance in occlusal veneers: A comparative study of processing techniques and material thickness of lithium disilicate (IPS e.max press vs. IPS e.max cad). *BMC Oral Health* 2024;24(1):1542.
5. Dumfahrt H, Schaffer H. Porcelain laminate veneers. A retrospective evaluation after 1 to 10 years of service: Part ii--clinical results. *Int J Prosthodont* 2000;13(1):9-18.
6. Edelhoff D, Ahlers MO. Occlusal onlays as a modern treatment concept for the reconstruction of severely worn occlusal surfaces. *Quintessence Int* 2018;49(7):521-533.
7. Edelhoff D, Sorensen JA. Tooth structure removal associated with various preparation designs for anterior teeth. *J Prosthet Dent* 2002a; 87(5):503-509.
8. Edelhoff D, Sorensen JA. Tooth structure removal associated with various preparation designs for posterior teeth. *Int J Periodontics Restorative Dent* 2002b;22(3):241-249.
9. Frankenberger R. *Adhäsive Zahnheilkunde - Wissenschaft und Praxis*. Deutscher Zahnärzte Verlag Köln 2013;191-218.
10. Gierthmuehlen PC, Spitznagel FA, Koschate M, Bonfante EA, Prött LS. Influence of ceramic thickness and dental substrate on the survival rate and failure load of non-retentive occlusal veneers after fatigue. *J Esthet Restor Dent* 2024;36(2):373-380.
11. Kern M, Ahlers MO, Beuer F, Edelhoff D, Frankenberger R, Gierthmühlen P, Güth JF, Kohal RJ, Reiss B, Rosentritt M. *Vollkeramische Therapiekonzepte*. 1. komplett überarb. und ergänzte Neuausgabe 2023. Arbeitsgemeinschaft für Keramik in der Zahnheilkunde 2023;92-102.

12. Loomans BAC, Kreulen CM, Huijs-Visser H, Sterenborg B, Bronkhorst EM, Huysmans M, Opdam NJM. Clinical performance of full rehabilitations with direct composite in severe tooth wear patients: 3.5 years results. *J Dent* 2018;70:97-103.
13. Magne P, Stanley K, Schlichting LH. Modeling of ultrathin occlusal veneers. *Dent Mater* 2012;28(7):777-782.
14. Manhart J, Chen H, Hamm G, Hickel R. Buonocore memorial lecture. Review of the clinical survival of direct and indirect restorations in posterior teeth of the permanent dentition. *Oper Dent* 2004;29(5):481-508.
15. Mehl A, Kunzelmann KH, Folwaczny M, Hickel R. Stabilization effects of cad/cam ceramic restorations in extended mod cavities. *J Adhes Dent* 2004;6(3):239-245.
16. Naumann M, Schmitter M, Frankenberger R, Krastl G. "Ferrule comes first. Post is second!" Fake news and alternative facts? A systematic review. *J Endod* 2018;44(2):212-219.
17. Nawafleh NA, Hatamleh MM, Ochsner A, Mack F. Fracture load and survival of anatomically representative monolithic lithium disilicate crowns with reduced tooth preparation and ceramic thickness. *J Adv Prosthodont* 2017;9(6):416-422.
18. Opdam N, Frankenberger R, Magne P. From 'direct versus indirect' toward an integrated restorative concept in the posterior dentition. *Oper Dent* 2016;41(S7):S27-S34.
19. Peumans M, Van Meerbeek B, Lambrechts P, Vanherle G. Porcelain veneers: A review of the literature. *J Dent* 2000;28(3):163-177.
20. Reiss B, Walther W. Clinical long-term results and 10-year kaplan-meier analysis of cerec restorations. *Int J Comput Dent* 2000;3(1):9-23.
21. Roulet JF, Losche GM, Noack M. Inlays and onlays. *Curr Opin Cosmet Dent* 1993;41-54.
22. Schiffner U, Jordan AR, Meyer-Lueckel H, Kuhr K, Bekes K. Erosions in younger adults in germany: Results of the 6th german oral health study (dms \* 6). *Quintessence Int* 2025;56(11):S76-S80.
23. Seydler B, Rues S, Muller D, Schmitter M. In vitro fracture load of monolithic lithium disilicate ceramic molar crowns with different wall thicknesses. *Clin Oral Investig* 2014;18(4):1165-1171.
24. Walls AW, Steele JG, Wassell RW. Crowns and other extra-coronal restorations: Porcelain laminate veneers. *Br Dent J* 2002;193(2):73-76, 79-82.
25. Wostmann B, Samietz S, Jordan AR, Kuhr K, Nitschke I, Stark H. Tooth loss and denture status: Results of the 6th german oral health study (dms \* 6). *Quintessence Int* 2025;56(11):S60-S68.

26. Zaruba M, Kasper R, Kazama R, Wegehaupt FJ, Ender A, Attin T, Mehl A. Marginal adaptation of ceramic and composite inlays in minimally invasive mod cavities. *Clin Oral Investig* 2014;18(2):579-587.
27. Zhang K, Bao R, Shen D, Wang C, Jin X, Fu B. Enamel thickness distribution of first molars impacts on tooth preparation depths of occlusal veneers and probability of dentin exposure. *BMC Oral Health* 2026;26(1):53.