

## **OEMUS MEDIA AG**

**Titel:            Behandlung eines Abrasionsgebisses mit der Injection-Moulding-Technik (Anwenderbericht)**

**Autor:           Pieter-Jan Swerts**

---

### Literatur:

1. P. Wetselaar, M.J.M. Wetselaar-Glas, L.D. Katzer, M.O. Ahlers. Diagnosing tooth wear, a new taxonomy based on the revised version of the Tooth Wear Evaluation System (TWES 2.0). *J Oral Rehabil*, 47 (2020), pp. 703-712.
2. Loomans B, Opdam N, Attin T, Bartlett D, Edelhoff D, Frankenberger R, Benic G, Ramseyer S, Wetselaar P, Sterenborg B, Hickel R, Pallesen U, Mehta S, Banerji S, Lussi A, Wilson N. Severe Tooth Wear: European Consensus Statement on Management Guidelines. *J Adhes Dent*, 2017;19(2):111-119.
3. Loomans BAC, Kreulen CM, Huijs-Visser HECE, Sterenborg BAMB, Bronkhorst EM, Huysmans MCDNJM, Opdam NJM. Clinical performance of full rehabilitations with direct composite in severe tooth wear patients: 3.5 Years results. *J Dent*, 2018;70:97-103.
4. Mehta SB, Lima VP, Bronkhorst EM, Crins L, Bronkhorst H, Opdam NJM, Huysmans MDNJM, Loomans BAC. Clinical performance of direct composite resin restorations in a full mouth rehabilitation for patients with severe tooth wear: 5.5-year results. *J Dent*. 2021 Sep;112:103743.
5. Mjör IA, Gordan VV. Failure, repair, refurbishing and longevity of restorations. *Oper Dent*. 2002;27(5):528-534.
6. Crins LAMJ, Opdam NJM, Kreulen CM, et al. Randomized controlled trial on the performance of direct and indirect composite restorations in patients with severe tooth wear. *Dent Mater*. 2021;37(11):1645-1654.
7. Abduo J, Lyons K. Clinical considerations for increasing occlusal vertical dimension of occlusion: a review. *Aust Dent J*, 2012;57:2-10.
8. Abduo J. Safety of increasing the VDO: a review. *Quintessence Int* 2012;43: 369-80.
9. Radu M, Radu D, Abboud M. Digital recording of a conventionally determined centric relation: A technique using an intraoral scanner. *J Prosthet Dent*, 2020;123(2):228-231.
10. Borges M, Silva G, Neves F, Soares C, Faria-E-Silva A, Carvalho R, Menezes M. Oxygen inhibition of surface composites and its correlation with degree of conversion and color stability. *Braz Dent J*. 2021;32(1):91-7.
11. Iftekar SF, Aabid A, Amir A, Baig M. Advancements and Limitations in 3D Printing Materials and Technologies: A Critical Review. *Polymers (Basel)*. 2023 May 30;15(11):2519.

12. Yousef H, Harris BT, Elathamna EN, Morton D, Lin WS. Effect of additive manufacturing process and storage condition on the dimensional accuracy and stability of 3D-printed dental casts. *J Prosthet Dent.* 2022 Nov;128(5):1041-1046. doi: 10.1016/j.prosdent.2021.02.028. Epub 2021 Mar 27.
13. Camardella L.T., Vilella O.V., van Hezel M.M., Breuning K.H. Accuracy of stereolithographically printed digital models compared to plaster models. *J. Orofac. Orthop.* 2017; 78:394–402.
14. Korkut B, Tagtekin D, Murat N, Yanikoglu F. Clinical Quantitative Evaluation of Tooth Wear: A 4-year Longitudinal Study. *Oral Health Prev Dent.* 2020 Sep 4;18(1):719-729. doi: 10.3290/j.ohpd.a45075.
15. Muts EJ, van Pelt H, Edelhoff D, et al. Tooth wear: a systematic review of treatment options. *J Prosthet Dent.* 2014;112(4):752- 759.
16. Terry DA, Powers JM. A predictable resin composite injection technique, Part I. *Dent Today.* 2014 Apr;33(4):96, 98-101.
17. Terry DA, Powers JM, Mehta D, Babu V. A predictable resin composite injection technique, part 2. *Dent Today.* 2014 Aug;33(8):12.