

Chancen und Perspektiven der Lingualen Orthodontie im Zeitalter aggressiv vermarkteter Aligner – Exzellenz und Evidenz in der Patientenversorgung

von Prof. Dr. Dr. Dirk Wiechmann.

Literatur

1. Hohoff A, Seifert E, Fillion D, Stamm T, Heinecke A, Ehmer U. Speech performance in lingual orthodontic patients measured by sonagraphy and auditive analysis. *Am J Orthod Dentofacial Orthop.* 2003;123:146–152. <https://doi.org/10.1067/mod.2003.12>
2. Wiechmann D, Rummel V, Thalheim A, Simon JS, Wiechmann L. Customized brackets and archwires for lingual orthodontic treatment. *Am J Orthod Dentofacial Orthop.* 2003;124:593–599. <https://doi.org/10.1016/j.ajodo.2003.08.008>
3. Wiechmann D. Lingual orthodontics (Part 3): Intraoral sandblasting and indirect bonding. *J Orofac Orthop.* 2000;61:280–291. <https://doi.org/10.1007/s000560050013>
4. Wiechmann D. A new bracket system for lingual orthodontic treatment. Part 2: First clinical experiences and further development. *J Orofac Orthop.* 2003;64:372–388. <https://doi.org/10.1007/s00056-003-0325-4>
5. Nandakumar S, Tandon A, Chandrasekaran D, et al. Implications of Lingual Orthodontics Compared to Conventional Orthodontics. *Cureus.* 2024;16:e72588. <https://doi.org/10.7759/cureus.72588>
6. Grauer D, Proffit WR. Accuracy in tooth positioning with a fully customized lingual orthodontic appliance. *Am J Orthod Dentofacial Orthop.* 2011;140:433–443. <https://doi.org/10.1016/j.ajodo.2011.01.020>
7. Pauls AH. Therapeutic accuracy of individualized brackets in lingual orthodontics. *J Orofac Orthop.* 2010;71:348–361. <https://doi.org/10.1007/s00056-010-1027-3>
8. Lossdörfer S, Schwestka-Polly R, Wiechmann D. Control of lower incisor inclination with a completely customized lingual appliance for dentoalveolar compensation of class III malocclusion. *J Orofac Orthop.* 2013;74:381–396. <https://doi.org/10.1007/s00056-013-0163-y>
9. Pauls A, Nienkemper M, Schwestka-Polly R, Wiechmann D. Therapeutic accuracy of the completely customized lingual appliance WIN : A retrospective cohort study. *J Orofac Orthop.* 2017;78:52–61. <https://doi.org/10.1007/s00056-016-0058-9>
10. Klang E, Beyling F, Knösel M, Wiechmann D. Quality of occlusal outcome following space closure in cases of lower second premolar aplasia using lingual orthodontic molar mesialization without maxillary counterbalancing extraction. *Head Face Med.* 2018;14:17. <https://doi.org/10.1186/s13005-018-0176-2>
11. Mujagic M, Pandis N, Fleming PS, Katsaros C. The Herbst appliance combined with a completely customized lingual appliance: A retrospective cohort study of clinical outcomes using the American Board of Orthodontics Objective Grading System. *Int Orthod.* 2020;18:732–738. <https://doi.org/10.1016/j.ortho.2020.07.002>
12. AlQatami FM, Alouini O, Knösel M, Helms HJ, Schwestka-Polly R. Objective treatment outcome assessment of a completely customized lingual appliance: A retrospective study. *Int Orthod.* 2021;19:445–452. <https://doi.org/10.1016/j.ortho.2021.06.004>
13. Graf I, Bock NC, Bartzela T, Röper V, Schumann U, Reck K, Christ H, Höfer K, Fritz U, Wiechmann D, Jost-Brinkmann PG, Wolf M, Ruf S, Braumann B. Quality of orthodontic care-A multicenter cohort study in Germany : Part 1: Evaluation of effectiveness of orthodontic treatments and predictive factors. *J Orofac Orthop.* 2022;83:291–306. <https://doi.org/10.1007/s00056-021-00304-3>

14. Janssens Y, Foley PF, Beyling F, Schwestka-Polly R, Schmid JQ. Quality of occlusal outcome in adult class II patients after maxillary total arch distalization with interradicular mini-screws. *Head Face Med.* 2024;20:27. <https://doi.org/10.1186/s13005-024-00425-1>
15. Janssens Y, Foley PF, Beyling F, Stamm T, Schwestka-Polly R, Schmid JQ. Quality of occlusal outcome in adult Class II patients treated with completely customized lingual appliances and Class II elastics compared to adult Class I patients. *Eur J Orthod.* 2024;46:cjae031. <https://doi.org/10.1093/ejo/cjae031>
16. Möhlhenrich SC, Steur J, Chhatwani S, Beyling F, Danesh G, Wiechmann D. Occlusal changes during orthognathic therapy using a completely customised lingual appliance - initial retrospective observations. *Clin Oral Investig.* 2025;29:272. <https://doi.org/10.1007/s00784-025-06347-9>
17. Janssens Y, Siekmann H, Canal P, Foley PF, Bettenhäuser-Hartung L, Schmid JQ. Quality of occlusal outcome in adult patients with posterior crossbite treated with completely customized lingual appliances and CAD/CAM archwires for maxillary expansion and mandibular compression compared to adult Class I patients: A retrospective study. *Int Orthod.* 2025;23:101040. <https://doi.org/10.1016/j.ortho.2025.101040>
18. Lossdörfer S, Bieber C, Schwestka-Polly R, Wiechmann D. Analysis of the torque capacity of a completely customized lingual appliance of the next generation. *Head Face Med.* 2014;10:4. <https://doi.org/10.1186/1746-160x-10-4>
19. Rummel V, Wiechmann D, Sachdeva RC. Precision finishing in lingual orthodontics. *J Clin Orthod.* 1999;33:101–113.
20. Wiechmann D. Novel concept for posterior crossbite correction : Preliminary results. *J Orofac Orthop.* 2025;86:1–10. <https://doi.org/10.1007/s00056-023-00468-0>
21. Schmid JQ, Gerberding E, Hohoff A, Kleinheinz J, Stamm T, Middelberg C. Non-Surgical Transversal Dentoalveolar Compensation with Completely Customized Lingual Appliances versus Surgically Assisted Rapid Palatal Expansion in Adults-The Amount of Posterior Crossbite Correction. *J Pers Med.* 2022;12:1893. <https://doi.org/10.3390/jpm12111893>
22. Schmid JQ, Gerberding E, Hohoff A, Kleinheinz J, Stamm T, Middelberg C. Non-Surgical Transversal Dentoalveolar Compensation with Completely Customized Lingual Appliances versus Surgically Assisted Rapid Palatal Expansion in Adults-Tipping or Translation in Posterior Crossbite Correction? *J Pers Med.* 2023;13:807. <https://doi.org/10.3390/jpm13050807>
23. Thiem LC, Rank P, Schmid JQ, Janssens Y, Bettenhäuser-Hartung L, Wiechmann D. Favourable dentoalveolar changes after lower premolar extractions for Class III camouflage with completely customized lingual appliances. *Head Face Med.* 2024;20:57. <https://doi.org/10.1186/s13005-024-00459-5>
24. Wiechmann D, Leven R, Rank P, Janssens Y, Schmid JQ. Dentoalveolar process remodelling in the anterior mandible after Class III camouflage treatment with lower premolar extractions. *Head Face Med.* 2025;21:25. <https://doi.org/10.1186/s13005-025-00493-x>
25. Schmid JQ, Bettenhäuser-Hartung L, Kanemeier M, Hohoff A, Kleinheinz J, Stamm T, Middelberg C, Janssens Y. The incidence of gingival recession with non-surgical crossbite correction using completely customized lingual appliances versus surgically assisted rapid palatal expansion in adults: a cohort study. *Prog Orthod.* 2025;26:22. <https://doi.org/10.1186/s40510-025-00568-0>
26. D'Antò V, Oliva G, Nieri M, et al. Indications and limits of clear aligner therapy: an international modified Delphi consensus study. *Prog Orthod.* 2025;26:28. <https://doi.org/10.1186/s40510-025-00575-1>
27. von Bremen J, Kloukos D, Jacobs C, Bettenhäuser-Hartung L, Schmid JQ. Apical root resorption in Class III patients following pronounced mandibular incisor retraction with customized lingual high precision fixed appliances: A retrospective cohort study. *Head Face Med.* 2025;in press

28. Barthelemi S, Hyppolite MP, Palot C, Wiechmann D. Components of overbite correction in lingual orthodontics: molar extrusion or incisor intrusion? *Int Orthod*. 2014;12:395–412. <https://doi.org/10.1016/j.ortho.2014.10.007>
29. Schmid JQ, Katsaros C, Sculean A, Galletti C, Bettenhäuser-Hartung L, Janssens Y. The effect of lingual orthodontic appliances in the dimensional reduction of labial gingival recession and root prominence caused by wire syndrome in the anterior mandible: a multicenter study. *Quintessence Int*. 2025;56:306–317. <https://doi.org/10.3290/j.qi.b5984435>
30. Alouini O, Knösel M, Blanck-Lubarsch M, Helms HJ, Wiechmann D. Controlling incisor torque with completely customized lingual appliances. *J Orofac Orthop*. 2020;81:328–339. <https://doi.org/10.1007/s00056-020-00231-9>
31. Wiechmann D, Schwestka-Polly R, Panherz H, Hohoff A. Control of mandibular incisors with the combined Herbst and completely customized lingual appliance--a pilot study. *Head Face Med*. 2010;6:3. <https://doi.org/10.1186/1746-160x-6-3>
32. Vu J, Panherz H, Schwestka-Polly R, Wiechmann D. Correction of Class II, Division 2 malocclusions using a completely customized lingual appliance and the Herbst device. *J Orofac Orthop*. 2012;73:225–235. <https://doi.org/10.1007/s00056-012-0077-0>
33. Beyling F, Klang E, Niehoff E, Schwestka-Polly R, Helms HJ, Wiechmann D. Class II correction by maxillary en masse distalization using a completely customized lingual appliance and a novel mini-screw anchorage concept - preliminary results. *Head Face Med*. 2021;17:23. <https://doi.org/10.1186/s13005-021-00273-3>
34. Patterson BD, Foley PF, Ueno H, Mason SA, Schneider PP, Kim KB. Class II malocclusion correction with Invisalign: Is it possible? *Am J Orthod Dentofacial Orthop*. 2021;159:e41–e48. <https://doi.org/10.1016/j.ajodo.2020.08.016>
35. Leavitt TD. *An evaluation of Invisalign treatment comparing Class I and Class II malocclusion, using the American Board of Orthodontics objective grading system. Master's thesis. Saint Louis University; 2019.*
36. Janson G, Sathler R, Fernandes TM, Branco NC, Freitas MR. Correction of Class II malocclusion with Class II elastics: a systematic review. *Am J Orthod Dentofacial Orthop*. 2013;143:383–392. <https://doi.org/10.1016/j.ajodo.2012.10.015>
37. Ruf S, Panherz H. Orthognathic surgery and dentofacial orthopedics in adult Class II Division 1 treatment: mandibular sagittal split osteotomy versus Herbst appliance. *Am J Orthod Dentofacial Orthop*. 2004;126:140–152; quiz 254–145. <https://doi.org/10.1016/j.ajodo.2004.02.011>
38. Wiechmann D, Schwestka-Polly R, Hohoff A. Herbst appliance in lingual orthodontics. *Am J Orthod Dentofacial Orthop*. 2008;134:439–446. <https://doi.org/10.1016/j.ajodo.2007.09.015>
39. Bock NC, Ruf S, Wiechmann D, Jilek T. Herbst plus Lingual versus Herbst plus Labial: a comparison of occlusal outcome and gingival health. *Eur J Orthod*. 2016;38:478–484. <https://doi.org/10.1093/ejo/cjw034>
40. Simon M, Keilig L, Schwarze J, Jung BA, Bourauel C. Treatment outcome and efficacy of an aligner technique--regarding incisor torque, premolar derotation and molar distalization. *BMC Oral Health*. 2014;14:68. <https://doi.org/10.1186/1472-6831-14-68>
41. Arveda N, Calza M, Castroflorio T, Garino F, Giancotti A, Varela J, C, Dolce C, Ludwig B, Manzo P, Nanda R, Teresa O, Arreghini A, Cremonini F, Mirabella D, Pepe F, Laspos C, Boyd R, L, Theodoridis G, Mir C, F, Pinho T, Palma S, Schwarze J, Ojima K, Vlaskalic V, Roman M, Moser U, S, Cozzani M, Revenaz M, Riatti R, Fiorillo G, Tai S, El Zoghbi A, Molinari C, Pasciuti E, D'Anto V, Lombardo L, Siciliani G. Clear aligner orthodontic treatment: An international modified Delphi consensus study. *Am J Orthod Dentofacial Orthop*. 2025;<https://doi.org/10.1016/j.ajodo.2025.07.012>
42. Kravitz ND, Kusnoto B, BeGole E, Obrez A, Agran B. How well does Invisalign work? A prospective clinical study evaluating the efficacy of tooth movement with Invisalign. *Am J Orthod Dentofacial Orthop*. 2009;135:27–35. <https://doi.org/10.1016/j.ajodo.2007.05.018>

43. Rajan N, Weir T, Meade MJ. Efficacy of planned moderate to severe torque changes in mandibular central incisors with an initial series of Invisalign aligners: a retrospective cohort study. *Angle Orthod*. 2025;95:12–18. <https://doi.org/10.2319/061724-473.1>
44. Gaddam R, Freer E, Kerr B, Weir T. Reliability of torque expression by the Invisalign® appliance: A retrospective study. *Aust Orthod J*. 2021;37:3–13. <https://doi.org/10.21307/aoj-2021-001>
45. Hong YY, Zhou MQ, Cai CY, et al. Efficacy of upper-incisor torque control with clear aligners: a retrospective study using cone-beam computed tomography. *Clin Oral Investig*. 2023;27:3863–3873. <https://doi.org/10.1007/s00784-023-05006-1>
46. Brezniak N. There is no way that torque movement was accomplished. *Am J Orthod Dentofacial Orthop*. 2021;160:641–642. <https://doi.org/10.1016/j.ajodo.2021.07.009>
47. Alwafi A, Bichu YM, Avanesian A, Adel SM, Vaid NR, Zou B. Overview of systematic reviews and meta-analyses assessing the predictability and clinical effectiveness of clear aligner therapy. *Dentistry Review*. 2023;3:100074. <https://doi.org/https://doi.org/10.1016/j.dentre.2023.100074>
48. R. Vaid N. The emperor's new clothes! APOS Trends in Orthodontics. 2019;9:1–3. <https://doi.org/10.25259/APOS-9-1-1>