

## Literaturverzeichnis

**Thema:** Horizontale Kieferkammaugmentation mit der Schirmschrauben-Technik

**Autoren:** Priv.-Doz. Dr. Dr. Markus Schlee, Priv.-Doz. Dr. Julia Lubauer, Dr. Algirdas Puisys PhD, Prof. Dr. Dr. Robert Sader, PD Dr. Florian Rathe

---

1. Esposito, Marco; Grusovin, Maria Gabriella; Felice, Pietro; Karatzopoulos, Georgios; Worthington, Helen V.; Coulthard, Paul (2009): Interventions for replacing missing teeth. Horizontal and vertical bone augmentation techniques for dental implant treatment. In: *The Cochrane database of systematic reviews* (4), CD003607. DOI: 10.1002/14651858.CD003607.pub4.
2. Jensen, Simon Storgård; Terheyden, Hendrik (2009): Bone augmentation procedures in localized defects in the alveolar ridge: clinical results with different bone grafts and bone-substitute materials. In: *The International journal of oral & maxillofacial implants* 24 Suppl, S. 218–236
3. Jepsen, Søren; Schwarz, Frank; Cordaro, Luca; Derks, Jan; Hämmerle, Christoph H. F.; Heitz-Mayfield, Lisa J. et al. (2019): Regeneration of alveolar ridge defects. Consensus report of group 4 of the 15th European Workshop on Periodontology on Bone Regeneration. In: *Journal of clinical periodontology* 46 Suppl 21, S. 277–286. DOI: 10.1111/jcpe.13121.
4. Stumpf, Thomas; Rathe, Florian; Heumann, Christian; Sader, Robert; Schlee, Markus (2024): Retrospective analysis of augmentation procedures with umbrella screws, a novel tenting technique: a consecutive case series in 279 patients. In: *Quintessence international (Berlin, Germany : 1985)* 55 (1), S. 28–40. DOI: 10.3290/j.qi.b4479067.
5. Elnayef, Basel; Porta, Cristina; Del Suárez-López Amo, Fernando; Mordini, Lorenzo; Gargallo-Albiol, Jordi; Hernández-Alfaro, Federico (2018): The Fate of Lateral Ridge Augmentation: A Systematic Review and Meta-Analysis. In: *The International journal of oral & maxillofacial implants* 33 (3), S. 622–635. DOI: 10.11607/jomi.6290.
6. Lubauer, Julia; Puisys, Algirdas; Sader, Robert; Rathe, Florian; Schlee, Markus (2026): A Histological Assessment of Bone Augmentation of a Knife-Edge Alveolar Ridge by the Umbrella-Screw Tent Technique Using a Xenograft Compound with Polynucleotide-Hyaluronic Acid—A Case Report. In: *Applied Sciences* 16 (5), S. 2290. DOI: 10.3390/app16052290.