

An natürlicher Funktionalität orientierte Apparatur

Von Dr. Luis Carrière

1. McNamara JA Jr, Brudon WL. Orthodontics and dentofacial orthopedics. Ann Arbor, Mich: Needham Press; 2001.
2. Cangialosi TJ, Meistrell ME, Leung MA, Ko JY. A cephalometric appraisal of edgewise Class II nonextraction treatment with extraoral force. Am J Orthod 1988;93:315-24.
3. Hubbard GW, Nanda RS, Currier GF. A cephalometric evaluation of nonextraction cervical headgear treatment in Class II malocclusion. Angle Orthod 1994;64:359-70.
4. Haas AJ. Headgear therapy: the most efficient way to distalize molars. Semin Orthod 2000;6:79-90.
5. Cetlin NM, Ten-Hoeye A. Nonextraction treatment. J Clin Orthod 1983;17:396-413.
6. Ferro F, Monsurrò A, Perillo L. Sagittal and vertical changes alter treatment of Class II Division 1 malocclusion according to the Cetlin method. Am J Orthod Dentofacial Orthop 2000;118:150-8.
7. Wilson WL, Wilson RC. Multi-directional 3D functional Class II treatment. J Clin Orthod 1987;21:186-9.
8. Muse DS, Fillman MJ, Emmerson WJ, Mitchell RD. Molar and incisor changes with Wilson rapid molar distalization. Am J Orthod Dentofacial Orthop 1993;103:556-65.
9. Rana R, Becher MK. Class II correction using the bimetric "dislalizing" arch. Semin Orthod 2000;6:106-18.
10. Blechman AM. Magnetic force systems in orthodontics. Am J Orthod 1985;87:201-10.
11. Gianelly AA, Vaitas AS, Thomas WM. The use of magnets to move molars distally. Am J Orthod Dentofacial Orthop 1989;96:161-7.
12. Itoh T, Tokuda T, Kiyouse S, Hirose T, Matsumoto M, Chaconas SP. Molar distalization with repelling magnets. J Clin Orthop 1991;25:611-7.

13. Bondemark L, Kurol J. Distalization of maxillary first and second molars simultaneously with repelling magnets. *Eur J Orthod* 1992;14:264-72.
14. Bondemark L, Kurol J, Bernhold M. Repelling magnets versus superelastic nickel-titanium coils in simultaneous distal movement of maxillary first and second molars. *Angle Orthod* 1994;64:189-98.
15. Gianelly A, Bednar J, Dietz V. Japanese NiTi coils used to move molars distally. *Am J Orthod Dentofacial Orthop* 1991;99:564-6.
16. Gianelly A. Distal movement of the maxillary molars. *Am J Orthod Dentofacial Orthop* 1998;114:66-72.
17. Locatelli R, Bednar J, Dietz V, Gianelly A. Molar distalization with superelastic NiTi wire. *J Clin Orthod* 1992;26:277-9.
18. Jones R, White J. Rapid Class II molar correction with an open coil jig. *J Clin Orthod* 1992;26:661-4.
19. Gulati S, Kharbanda OP, Parkash H. Dental and skeletal changes after intraoral molar distalization with sectional jig assembly. *Am J Orthod Dentofacial Orthop* 1998;114:319-27.
20. Runger ME, Martin JT, Bukai F. Analysis of rapid molar distal movement without patient cooperation. *Am J Orthod Dentofacial Orthop* 1999;115:153-7.
21. Haydar S, Üner O. Comparison of Jones jig molar distalization appliance with extraoral traction. *Am J Orthod Dentofacial Orthop* 2000;117:49-53.
22. Brickman CD, Sinha PK, Nanda RS. Evaluation of the Jones jig appliance for distal molar movement. *Am J Orthod Dentofacial Orthop* 2000;118:526-34.
23. Carano A, Testa M. The distal jet for upper molar distalization. *J Clin Orthod* 1996;30:374-80.
24. Ngantung V, Nanda RS, Bowan SJ. Posttreatment evaluation of the distal jet appliance. *Am J Orthod Dentofacial Orthop* 2001;120:178-85.
25. Bolla E, Muratore F, Carano A, Bowman J. Evaluation of maxillary molar distalization with the distal jet: a comparison with other contemporary methods. *Angle Orthod* 2002;72:481-94.
26. Keles A. Maxillary unilateral molar distalization with sliding mechanics: a preliminary investigation. *Eur J Orthod* 2001;23:507-15.

27. Kelles A, Pamukcu B. Bilateral maxillary molar distalization with sliding mechanics: Keles Slider. *World J Orthod* 2002;3:57-66.
28. Hilgers JJ. The pendulum appliance for Class II non-compliance therapy. *J Clin Orthod* 1992;26:700-3.
29. Ghosh J, Nanda RS. Evaluation of an intraoral maxillary molar distalization technique. *Am J Orthod Dentofacial Orthop* 1996;110:639-46.
30. Byloff FK, Darendeliler MA. Distal molar movement using the pendulum appliance. Part 1: Clinical and radiological evaluation. *Angle Orthod* 1997;67:249-60.
31. Byloff FK, Darendeliler MA. Distal molar movement using the pendulum appliance.
32. Part 2: The effects of maxillary molar root uprighting bends. *Angle Orthod* 1997;67:261-70.
33. Bussick TJ, McNamara JA. Dentoalveolar and skeletal changes associated with the pendulum appliance. *Am J Orthod Dentofacial Orthop* 2000;117:333-43.
34. Joseph AA, Butchard CJ. An evaluation of the pendulum "distalizing"
35. Kalra V. The K-loop molar distalizing appliance. *J Clin Orthod* 1995;24:298-301.
36. Keles A, Sayinsu K. A new approach in maxillary molar distalization: intraoral bodily molar distalizer. *Am J Orthod Dentofacial Orthop* 2000;117:39-48.
37. Fortini A, Lupoli M, Parri M. The first class appliance for rapid molar distalization. *J Clin Orthod* 1999;33:322-8.
38. Pancherz H. The mechanism of Class II correction in Herbst appliance treatment: a cephalometric investigation. *Am J Orthod* 1982;82:104-13.
39. Steiner CC. The use of cephalometrics as an aid to planning and assessing orthodontic treatment. *Am J Orthod* 1960;46:721-35.
40. Ngantung V, Nanda RS, Bowman SJ. Posttreatment evaluation of the distal jet appliance. *Am J Orthod Dentofacial Orthop* 2001;120:178-85.
41. Burkhardt DR, McNamara JA Jr, Baccetti T. Maxillary molar distalization or mandibular enhancement: a cephalometric comparison of comprehensive orthodontic treatment including the pendulum and the Herbst appliances. *Am J Orthod Dentofacial Orthop* 2003;123:108-16.

42. Carrière J. "La Técnica de Anclaje Inverso y su Ecuación. Aplicación de Razonamiento Cuantitativo al Tratamiento de las Maloclusiones", Quintessenz Verlags-GMBH, en español, Berlín 1990, 1^a edición, Berlín 1993, 2^a edición.
43. Henry R.G Relationship of the maxillary first permanent molar in normal occlusion and malocclusion.
44. Angle E H. New system of regulation and retention. Dent. Register. 1887; 41:597-603.