

Monolithisches Zirkonoxid auf Implantaten

Von Prof. Dr. Regina Mericske-Stern, Bern, Schweiz.

Literatur

Abduo J, Lyons K, Swain M. Fit of zirconia fixed partial denture: a systematic review. *J Oral Rehabil* 2010;37(11):866-876.

Al-Amleh B, Lyons K, Swain M. Clinical trials in zirconia: a systematic review. *J Oral Rehabil* 2010;37(8):641-652.

Albashaireh ZS, Ghazal M, Kern M. Two-body wear of different ceramic materials opposed to zirconia ceramic. *J Prosthet Dent.* 2010 Aug;104(2):105-13.

Beuer F, Edelhoff D, Gernet W, Sorensen JA. Three-year clinical prospective evaluation of zirconia-based posterior fixed dental prostheses (FDPs). *Clin Oral Investig* 2009;13(4):445-451.

Garvie RC, Hannink RH, Pascoe RT. Ceramic Steel? *Nature* 258, 703-704, 1975

Katsoulis J, Mericske-Stern R, Rotkina L, Zbaren C, Enkling N, Blatz MB. Precision of fit of implant-supported screw-retained 10-unit computer-aided-designed and computer-aided-manufactured frameworks made from zirconium dioxide and titanium: an in vitro study. *Clin Oral Implants Res* 2012 (Epub ahead).

Kim MJ, Oh SH, Kim JH, Ju SW, Seo DG, Jun SH, Ahn JS, Ryu JJ. Wear evaluation of the human enamel opposing different Y-TZP dental ceramics and other porcelains. *J Dent.* 2012 Nov;40(11):979-88

Kollar A, Huber S, Mericske E, Mericske-Stern R. Zirconia for teeth and implants: a case series. *Int J Periodontics Restorative Dent.* 2008 Oct;28(5):479-87.

Larsson C, Vult von Steyern P, Nilner K. A prospective study of implant-supported full-arch yttria-stabilized tetragonal zirconia polycrystal mandibular fixed dental prostheses: three-year results. *Int J Prosthodont* 2010;23(4):364-369.

Larsson C, Vult von Steyern P. Five-year follow-up of implant-supported Y-TZP and ZTA fixed dental prostheses. A randomized, prospective clinical trial comparing two different material systems. *Int J Prosthodont* 2010;23(6):555-561.

Rösch R, Mericske-Stern R. Zirconia and removable partial dentures
Schweiz Monatsschr Zahnmed. 2008;118(10):959-74.

Vult von Steyern P, Kokubo Y, Nilner K. Use of abutment-teeth vs. dental implants to support all-ceramic fixed partial dentures: an in-vitro study on fracture strength. *Swed Dent J* 2005;29(2):53-60.