

**Ausgabe:** ZWP Zahnarzt Wirtschaft Praxis 11/2013

**Thema:** CED-IADR-Kongress 2013: Mit Glasionomermaterialien in die Zukunft der Füllungstherapie

**Autor:** Avijit Banerjee

Literatur:

1. Triana R, Prado C, Garro J, Garcia-Godoy F. Dentin bond strength of fluoride-releasing materials. *Am J Dent* 7: 252 (1994)
2. Forsten L. Fluoride release and uptake by glass-ionomers and related materials and its clinical effect. *Biomaterials* 1998; 19:503-508 (1998)
3. Lohbauer U, Kramer N, Siedschlag G, Schubert EW, Laufer B, Muller FA, Petschelt A, Ebert J. Strength and wear resistance of a dental glass-ionomer cement with a novel nanofilled resin coating. *Am J Dent* 24(2):124–128 (2011)
4. Ilie N, Hickel R, Valceanu AS, Huth KC. Fracture toughness of dental restorative materials. *Clin Oral Investig* 16(2):489–498. (2012)
5. J Minim Interv Dent 2010, Vol. 3, No. 3. (2010), pp. 109-125. (2010)
6. J Minim Interv Dent 2010; 3 (1). (2010)
7. Mickenautsch S, Yengopal V, Leal SC, Oliveira LB, Bezerra AC, Bönecker M. Absence of carious lesions at margins of glass-ionomer and amalgam restorations: a meta-analysis. *Eur J Paediatr Dent.* 2009;10:41–46. (2009)
8. Mickenautsch S, Yengopal V, Banerjee A. Atraumatic restorative treatment versus amalgam restoration longevity: a systematic review. *Clin Oral Investig* 2010 Jun;14(3):233-40. (2010)
9. Lohbauer U, Krämer N, Siedschlag G, Schubert EW, Laufer B, Müller FA, Petschelt A, Ebert J. Strength and wear resistance of a dental glass-ionomer cement with a novel nanofilled resin coating. *Am J Dent*. 2011; 14:124-128. (2011)
10. Diem VT: The effect of a nano-filled resin coating on the 3-year clinical performance of a conventional high-viscosity glass-ionomer cement. *Clin Oral Investig.* 2013 Jul 7. [Epub ahead of print] (2013)
11. Lohbauer U et al.: Strength and wear resistance of a dental glass-ionomer cement with a novel nanofilled resin coating. *Am J Dent* 2011; 24: 124–128. (2011)
12. Magni E et al.: SEM and microleakage evaluation of the marginal integrity of two types of class V restorations with or without the use of a light-curable coating material and of polishing. *J Dent* 2008; 36: 885–891. (2008)