

## Literaturverzeichnis

### **Eine neue Leitlinie zur Dentalen Digitalen Volumentomographie**

*Marc Semper*

Endodontie Journal 4/2013

1. Schulze R, Ahlers O, Appel T, Bargholz C, Betz W, Beuer F, Braumann B, Deppe H, Edelhoff D, Eickholz P, Haßfeld S, Hirsch C, Hirschfelder U, Jacker-Guhr S, Ritter L, Terheyden H. Dentale Digitale Volumentomographie. S2k-Leitlinie. Verfügbar: [http://www.awmf.org/uploads/tx\\_szleitlinien/083-0051\\_S2k\\_Dentale\\_Volumentomographie\\_2013-10.pdf](http://www.awmf.org/uploads/tx_szleitlinien/083-0051_S2k_Dentale_Volumentomographie_2013-10.pdf). Zugriff am 18. Oktober 2013.
2. Schulze R, Hassfeld S, Schulze D, Ahlers O, Freesmeyer WB, Ackermann KL, Frank E, Terheyden H, Hirschfelder U, Hassfeld S, Wagner W, Kunkel M, Eickholz P, Edelhoff D, Geurtsen W, Reichert T. Dentale Volumentomographie (DVT) - S1-Empfehlung. Dtsch Zahnärztl Z 2009;64:490-496.
3. Schütte U, Weber A, Kopp I. Ablaufschema für S2k-Leitlinien der DGZMK. In: AWMF online; 2011. p. 1–6.: [http://www.dgzmk.de/uploads/media/Projektplan\\_Leitlinien\\_S2k.pdf](http://www.dgzmk.de/uploads/media/Projektplan_Leitlinien_S2k.pdf). Zugriff am 18. September 2013.
4. Kopp IB, Lorenz W, Müller W, Selbmann HK. Methodische Empfehlungen zur Leitlinienerstellung („Leitlinie für Leitlinien“). In: AWMF online; 2004. p. 1–8.: [http://www.awmf.org/fileadmin/user\\_upload/Leitlinien/Werkzeuge/Publicationen/methoden.pdf](http://www.awmf.org/fileadmin/user_upload/Leitlinien/Werkzeuge/Publicationen/methoden.pdf). Zugriff am 18. September 2013.
5. European Commission. Radiation Protection 172. Evidence Based Guidelines on Cone Beam CT for Dental and Maxillofacial Radiology. Luxembourg. Office for Official Publications of the European Communities. 2012. Verfügbar: [http://ec.europa.eu/energy/nuclear/radiation\\_protection/doc/publication/172.pdf](http://ec.europa.eu/energy/nuclear/radiation_protection/doc/publication/172.pdf).
6. Nitsche T, Menzebach M, Wiltfang J. Indikationen zur implantologischen 3D-Röntgendiagnostik und navigationsgestützten Implantologie - S2-k-Leitlinie. Deutsche Zahnärztl Z 2012;67:388-396.
7. Kunkel M, Reichert C, Haßfeld S, Werkmeister R, Smeets R, Bornes G, Brunsmann F, Frank M, Beck J. Operative Entfernung von Weisheitszähnen. S2k-Leitlinie. Deutsche Zahnärztl Z 2013;68:429-433.
8. Scottish Intercollegiate Guidelines Network. A guideline developer's handbook. Edinburgh: Scottish Intercollegiate Guidelines Network; 2008.
9. Delbecq AL, Van De Ven AH, Gustafson DH. Group techniques for program planning. 1. ed., Glenview: Scott, Foresman, 1975.
10. AAE, AAOMR. Use of cone-beam computed tomography in endodontics Joint Position Statement of the American Association of Endodontists and the American Academy of Oral and Maxillofacial Radiology. Oral Surg Oral Med Oral Pathol Oral Radiol Endod 2011;111:234-237.
11. Scarfe WC, Levin MD, Gane D, Farman AG. Use of Cone Beam Computed Tomography in Endodontics. Int J Dent 2009;2009: 634567.
12. Schulze R, Heil U, Gross D, Brüllmann DD, Dranischnikow E, Schwanecke U, Schömer E. Artefacts in CBCT: a review. Dentomaxillofac Radiol 2011;40:265-273.

13. Yoshioka T, Kikuchi I, Adorno CG, Suda H. Periapical bone defects of root filled teeth with persistent lesions evaluated by cone-beam computed tomography. *Int Endod J* 2011;44:245-252.
14. Wu MK, Shemesh H, Wesselink PR. Limitations of previously published systematic reviews evaluating the outcome of endodontic treatment. *Int Endod J* 2009;42:656-666.
15. Stavropoulos A, Wenzel A. Accuracy of cone beam dental CT, intraoral digital and conventional film radiography for the detection of periapical lesions. An ex vivo study in pig jaws. *Clin Oral Investig* 2007;11:101-106.
16. Paula-Silva FWG, Wu MK, Leonardo MR, Bezerra da Silva LA, Wesselink PR. Accuracy of periapical radiography and cone-beam computed tomography scans in diagnosing apical periodontitis using histopathological findings as a gold standard. *J Endod* 2009;35:1009-1012.
17. Ordinola-Zapata R, Bramante CM, Duarte MH, Fernandes LM, Camargo EJ, de Moraes IG, Bernardineli N, Vivan RR, Capelozza AL, Garcia RB. The influence of cone-beam computed tomography and periapical radiographic evaluation on the assessment of periapical bone destruction in dog's teeth. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2011;112:272-279.
18. Lofthag-Hansen S, Huuonen S, Gröndahl K, Gröndahl H-G. Limited cone-beam CT and intraoral radiography for the diagnosis of periapical pathology. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2007;103:114-119.
19. Liang YH, Li G, Wesselink PR, Wu MK. Endodontic outcome predictors identified with periapical radiographs and cone-beam computed tomography scans. *J Endod* 2011;37:326-331.
20. Lennon S, Patel S, Foschi F, Wilson R, Davies J, Mannocci F. Diagnostic accuracy of limited-volume cone-beam computed tomography in the detection of periapical bone loss: 360° scans versus 180° scans. *Int Endod J* 2011;44:1118-1127.
21. Özen T, Kamburoglu K, Cebeci ARI, Yüksel SP, Paksoy CS. Interpretation of chemically created periapical lesions using 2 different dental cone-beam computerized tomography units, an intraoral digital sensor, and conventional film. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2009;107:426-432.
22. Quinto ET. Singularities of the X-ray transform and limited data tomography in R<sup>2</sup> and R<sup>3</sup>. *J Math Anal* 1993;24:1215-1225.
23. Edlund M, Nair MK, Nair UP. Detection of vertical root fractures by using cone-beam computed tomography: A clinical study. *J Endod* 2011;37:768-772.
24. Hannig C, Dullin C, Hülsmann M, Heidrich G. Three-dimensional, non-destructive visualization of vertical root fractures using flat panel volume detector computer tomography: an ex vivo in vitro case report. *Int Endod J* 2005;38:904-913.
25. Hassan B, Metska ME, Ozok AR, van der Stelt P, Wesselink PR. Detection of vertical root fractures in endodontically treated teeth by a cone beam computed tomography scan. *J Endod* 2009;35:719-722.
26. Hassan B, Metska ME, Ozok AR, van der Stelt P, Wesselink PR. Comparison of five cone beam computed tomography systems for the detection of vertical root fractures. *J Endod* 2010;36:126-129.
27. Wang P, Yan XB, Liu DG, Zhang WL, Zhang ZY, Ma XC. Evaluation of dental root fracture using cone-beam computed tomography. *Chin J Dent Res* 2010;13:31-35.

28. Kamburoğlu K, Murat S, Yüksel SP, Cebeci ARI, Horasan S. Detection of vertical root fracture using cone-beam computerized tomography: an in vitro assessment. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2010;109:74-81.
29. Kamburoğlu K, Kursun S. A comparison of the diagnostic accuracy of CBCT images of different voxel resolutions used to detect simulated small internal resorption cavities. *Int Endod J* 2010;43:798-807.
30. Durack C, Patel S, Davies J, Wilson R, Mannocci F. Diagnostic accuracy of small volume cone beam computed tomography and intraoral periapical radiography for the detection of simulated external inflammatory root resorption. *Int Endod J* 2011;44:136-147.
31. Cohenca N, Simon JH, Mathur A, Malfaz JM. Clinical indications for digital imaging in dento-alveolar trauma. Part 2: root resorption. *Dent Traumatol* 2007;23:105-113.
32. Bhuva B, Barnes JJ, Patel S. The use of limited cone beam computed tomography in the diagnosis and management of a case of perforating internal root resorption. *Int Endod J* 2011;44:777-786.
33. Patel S, Dawood A, Wilson R, Horner K, Mannocci F. The detection and management of root resorption lesions using intraoral radiography and cone beam computed tomography – an in vivo investigation. *Int Endod J* 2009;42:831-838.
34. Shemesh H, Cristescu RC, Wesselink PR, Wu MK. The use of cone-beam computed tomography and digital periapical radiographs to diagnose root perforations. *J Endod* 2011;37:513-516.
35. Matherne RP, Angelopoulos C, Kulild JC, Tira D. Use of cone-beam computed tomography to identify root canal systems in vitro. *J Endod* 2008;34:87-89.
36. Patel S, Dawood A, Ford TP, Whaites E. The potential applications of cone beam computed tomography in the management of endodontic problems. *Int Endod J* 2007;40:818-830.
37. Low KM, Dula K, Burgin W, von Arx T. Comparison of periapical radiography and limited cone-beam tomography in posteriormaxillary teeth referred for apical surgery. *J Endod* 2008;34:557-562.
38. Tsurumachi T, Honda K. A new cone beam computerized tomography system for use in endodontic surgery. *Int Endod J* 2007;40:224-232.
39. Cujé J, Bargholz C, Hülsmann M. The outcome of retained instrument removal in a specialist practice. *Int Endod J* 2010;43:545-554.
40. Cohenca N, Simon JH, Roges R, Morag Y, Malfaz JM. Clinical indications for digital imaging in dento-alveolar trauma. Part 1: traumatic injuries. *Dent Traumatol* 2007;23:95-104.
41. da Silveira HLD, Silveira HED, Liedke GS, Lermen CA, dos Santos RB, de Figueiredo JAP. Diagnostic ability of computed tomography to evaluate external root resorption in vitro. *Dentomaxillofac Radiol* 2007;36:393-396.
42. Costa FF, Gaia BF, Umetsubo OS, Cavalcanti MG. Detection of horizontal root fracture with small-volume cone-beam computed tomography in the presence and absence of intracanal metallic post. *J Endod* 2011;37:1456-1459.
43. Costa FF, Gaia BF, Umetsubo OS, Pinheiro LR, Tortamano IP, Cavalcanti MG. Use of large-volume Cone-Beam Computed Tomography in identification and localization of horizontal root fracture in the presence and absence of intracanal metallic post. *J Endod* 2012;38:856-859.

44. Mozzo P, Procacci C, Tacconi A, Martini PT, Andreis IA. A new volumetric CT machine for dental imaging based on the cone-beam technique: preliminary results. *Eur Radiol* 1998;8:1558-1564.
45. Patel S, Horner K. The use of cone beam computed tomography in endodontics. *Int Endod J* 2009;42:755-756.
46. Wu MK, Wesselink PR, Shemesh H, Patel S. Endodontic epidemiologic investigations and clinical outcome studies with Cone-beam Computed Tomography. *J Endod* 2011;37:513-516.
47. European Society of Endodontology. Quality guidelines for endodontic treatment: consensus report of the European Society of Endodontology. *Int Endod J* 2006;39:921-930.
48. Farman AG. ALARA still applies. *Oral Surg Oral Med Oral Pathol Oral Radiol Endod* 2005;100:395-397.
49. Li G. Patient radiation dose and protection from cone-beam computed tomography. *Imaging Sci Dent* 2013;43:63-69.
50. Wu MK, Shemesh H, Wesselink PR. Radiografie und Digitale Volumentomografie (CBCT) - Zeit für eine Neubewertung? *Endodontie*,2011;20: 399-401.
51. Horner K. Cone-beam computed tomography: time for an evidence-based approach. *Prim Dent J* 2013;2:22-31.