

## **Das gealterte Lächeln: Funktionelle und ästhetische Erwägungen**

***Dr.-medic stom. Costin Marinescu, D.D.S. (usa), Dr. med. dent. Jan Hajtó***

### **Literaturverzeichnis**

1. "Perceptions of ageing." Demakakos, Panayotes, Elizabeth Hacker, and Edlira Gjonça. Retirement, health and relationships of the older population in England (2006): 339.
2. Quantitative in vivo Wear of Human Enamel. P. Lambrechts, M. Braem, M. Vuylsteke-Wauters, G. Vanherle. J DENT RES, December 1989 68: 1752-1754
3. Relationship between occlusal force distribution and the activity of masseter and anterior temporalis muscles in asymptomatic young adults. Wieczorek A, Loster J, Loster BW. Biomed Res Int. 2013; 2013:354017. doi: 10.1155/2013/354017. Epub 2012 Dec 5.
4. Clinical evaluation of the association between noncarious cervical lesions and occlusal forces. Brandini DA, Trevisan CL, Panzarini SR, Pedrini D. J Prosthet Dent. 2012 Nov;108(5):298-303. doi: 10.1016/S0022-3913(12)60180-2.
5. Quantitative in vivo wear of human enamel. Lambrechts P, Braem M, Vuylsteke-Wauters M, Vanherle G. J Dent Res. 1989 Dec;68(12):1752-4.
6. Prevalence of tooth wear in adults. Van't Spijker A, Rodriguez JM, Kreulen CM, Bronkhorst EM, Bartlett DW, Creugers NH. Int J Prosthodont. 2009 Jan-Feb;22(1):35-42.
7. Age estimation by occlusal tooth wear. Kim YK, Kho HS, Lee KH. J Forensic Sci. 2000 Mar;45(2):303-9.
8. Prediction of volumetric strain in the human temporomandibular joint cartilage during jaw movement. Koolstra JH, van Eijden TM. J Anat. 2006 Sep;209(3):369-80.