

Literatur

Implantieren ohne Augmentieren? – Eine Frage der Komponenten und des Verfahrens

Dr. Steffen Kistler, Dr. Frank Kistler, ZT Stephan Adler, PD Dr. Jörg Neugebauer

Implantologie Journal 7/14

1. *Krekmanov, L., et al., Tilting of posterior mandibular and maxillary implants for improved prosthesis support. Int J Oral Maxillofac Implants, 2000. 15(3): S. 405-14.*
2. *Rosen, A. and G. Gynther, Implant treatment without bone grafting in edentulous severely resorbed maxillas: a long-term follow-up study. J Oral Maxillofac Surg, 2007. 65(5): S. 1010-6.*
3. *Testori, T., et al., Immediate occlusal loading and tilted implants for the rehabilitation of the atrophic edentulous maxilla: 1-year interim results of a multicenter prospective study. Clin Oral Implants Res, 2008. 19(3): S. 227-32.*
4. *Malo, P., et al., A pilot study of complete edentulous rehabilitation with immediate function using a new implant design: case series. Clin Implant Dent Relat Res, 2006. 8(4): p. 223-32.*
5. *Bennett, P., et al., Leitfaden Kurze und angulierte Implantate. BDIZ EDI konkret, 2011. 15(2): S. 92-98.*
6. *Pomares, C., A retrospective study of edentulous patients rehabilitated according to the 'all-on-four' or the 'all-on-six' immediate function concept using flapless computer-guided implant surgery. Eur J Oral Implantol, 2010. 3(2): S. 155-63.*
7. *Degidi, M., et al., Clinical outcome of 802 immediately loaded 2-stage submerged implants with a new grit-blasted and acid-etched surface: 12-month follow-up, in Int J Oral Maxillofac Implants, Yes, Editor 2006, 00 until 01 year. S. 763-8.*
8. *Kim, K.S., et al., Biomechanical comparison of axial and tilted implants for mandibular full-arch fixed prostheses. Int J Oral Maxillofac Implants, 2011. 26(5): S. 976-84.*
9. *Bevilacqua, M., et al., The influence of cantilever length and implant inclination on stress distribution in maxillary implant-supported fixed dentures. J Prosthet Dent, 2011. 105(1): S. 5-13.*
10. *Silva, G.C., et al., Stress patterns on implants in prostheses supported by four or six implants: a three-dimensional finite element analysis. Int J Oral Maxillofac Implants, 2010. 25(2): S. 239-46.*
11. *Aparicio, C., P. Perales, and B. Rangert, Tilted implants as an alternative to maxillary sinus grafting: a clinical, radiologic, and periotest study. Clin Implant Dent Relat Res, 2001. 3(1): S. 39-49.*