

Literatur

Transgingivale Implantate im zahnlosen Unterkiefer

Dr. Claudia Carolina Lenzi

Jahrbuch Implantologie 2015

1. Adell R, Lekholm U, Rockler B, Brånemark PI: A 15-year study of osseointegrated implants in the treatment of the edentulous jaw. *Int J Oral Surg*; 1981; 10 (6): 387-416.
2. Brånemark PI, Breine U, Adell R., Hansson BO, Lindström J, Ohlson A: Intra-osseous anchorage of dental prosthesis. I. Experimental Studies. *Scand J Plast Reconstr Surg*; 1969; 3: 81-100.
3. Brånemark PI, Hansson BO, Adell R, Breine U, Lindstrom J, Hallen O, Ohman A: Osseointegrated implants in the treatment of the edentulous jaw. Experience from a 10-year period. *Scand J Plast Reconstr Surg Suppl*; 1977; 16: 1-132.
4. Schnitman PA, Wöhrle PS, Rubenstein JE, DaSilva JD, Wang NH: Ten-year results for Brånemark implants immediately loaded with fixed prostheses at implant placement. *Int J Oral Maxillofac Implants*; 1997; 12 (4): 495-503.
5. Gallucci GO, Bernard JP, Bertosa M, Belser UC: Immediate loading with fixed screwretained provisional restorations in edentulous jaws: the pickup technique. *Int J Oral Maxillofac Implants*; 2004; 19 (4): 524-533.
6. Buser DA, Schroeder A, Sutter F, Lang NP: The new concept of ITI hollow-cylinder and hollow-screw implants: Part 2. Clinical aspects, indications, and early clinical results. *Int J Oral Maxillofac Implants*; 1988; 3 (3): 173-181.
7. Bernard JP, Belser UC, Martinet JP, Borgis SA: Osseointegration of Brånemark fixtures using a single-step operating technique. A preliminary prospective one-year study in the edentulous mandible. *Clin Oral Implants Res*; 1995; 6 (2): 122-129.
8. Buser D, Weber HP, Lang NP: Tissue integration of non-submerged implants. 1-year results of a prospective study with 100 ITI hollow-cylinder and hollow-screw implants. *Clin Oral Implants Res*; 1990; 1 (1): 33-40.
9. Ruggeri A, Franchi M, Marini N, Trisi P, Piattelli A: Supracrestal circular collagen fiber network around osseointegrated nonsubmerged titanium implants. *Clin Oral Implants Res*; 1992; 3 (4): 169-175.
10. Weber HP, Buser D, Donath K, Fiorellini JP, Doppalapudi V, Paquette DW, Williams RC: Comparison of healed tissues adjacent to submerged and non-submerged unloaded titanium dental implants. A histometric study in beagle dogs. *Clin Oral Implants Res*; 1996; 7 (1): 11-19.

11. Schnitman PA, Wöhrle PS, Rubenstein JE: Immediate fixed interim prostheses supported by two-stage threaded implants: methodology and results. *J Oral Implantol*; 1990; 16 (2): 96-105.
12. Lefkove MD, Beals RP: Immediate loading of cylinder implants with overdentures in the mandibular symphysis: the titanium plasma-sprayed screw technique. *J Oral Implantol*; 1990; 16 (4): 265-271.
13. Chiapasco M, Gatti C, Rossi E, Haefliger W, Markwalder TH: Implant-retained mandibular overdentures with immediate loading. A retrospective multicenter study on 226 consecutive cases. *Clin Oral Implants Res*; 1997; 8 (1): 48-57.
14. Gatti C, Chiapasco M: Immediate loading of Brånemark implants: a 24-month follow-up of a comparative prospective pilot study between mandibular overdentures supported by Conical transmucosal and standard MK II implants. *Clin Implant Dent Relat Res*; 2002; 4 (4): 190-199.
15. Attard NJ, David LA, Zarb GA: Immediate loading of implants with mandibular overdentures: one-year clinical results of a prospective study. *The International journal of prosthodontics*; 2005; 18 (6): 463-470.
16. Degidi M, Piattelli A, Iezzi G, Carinci F: Retrospective study of 200 immediately loaded implants retaining 50 mandibular overdentures. *Quintessence Int*; 2007; 38 (4): 281-288.
17. Chiapasco M, Gatti C: Implant-retained mandibular overdentures with immediate loading: a 3- to 8-year prospective study on 328 implants. *Clin Implant Dent Relat Res*; 2003; 5 (1): 29-38.
18. Degidi M, Piattelli A: Immediate functional and non-functional loading of dental implants: a 2- to 60-month follow-up study of 646 titanium implants. *J Periodontol*; 2003; 74 (2): 225-241.
19. Degidi M, Piattelli A: Comparative analysis study of 702 dental implants subjected to immediate functional loading and immediate nonfunctional loading to traditional healing periods with a follow-up of up to 24 months. *Int J Oral Maxillofac Implants*; 2005; 20 (1): 99-107.
20. Degidi M, Piattelli A: 7-year follow-up of 93 immediately loaded titanium dental implants. *J Oral Implantol*; 2005; 31 (1): 25-31.
21. Klee de Vasconcellos D, Bottino MA, Saad PA, Faloppa F: A new device in immediately loaded implant treatment in the edentulous mandible. *Int J Oral Maxillofac Implants*; 2006; 21 (4): 615-622.
22. De Grandmont P, Feine J, Tache R, Boudras P, Donohue W, Tanguay R, Lund J: Withinsubject comparison of implant-supported mandibular prostheses: psychometric evaluation. *J*

Dent Res; 2004: 1096-1104.

23. Testori T, Meltzer A, Del Fabbro M, Zuffetti F, Troiano M, Francetti L, Weinstein RL: Immediate occlusal loading of Osseotite implants in the lower edentulous jaw. A multicenter prospective study. Clin Oral Implants Res; 2004; 15 (3): 278-284.

24. Misch CE: Density of bone: effect on treatment plans, surgical approach, healing, and progressive bone loading. Int J Oral Implantol; 1990; 6 (2): 23-31.

25. Cordaro L, Torsello F, Rocuzzo M: Clinical outcome of submerged vs. non-submerged implants placed in fresh extraction sockets. Clin Oral Implants Res; 2009; 20 (12): 1307-1313.