

Literatur

Ästhetische Versorgung mittels Hochleistungskunststoffen in der Implantatprothetik

Priv.-Doz. Dr. Jörg Neugebauer, Dr. Steffen Kistler, Stephan Adler, Dr. Frank Kistler

Jahrbuch Implantologie 2015

- [1] Adler S, Kistler S, Kistler F et al. Pressen statt Fräsen: Vielfältige Indikationsmöglichkeiten für Hochleistungspolymer. Quintessenz Zahntechnik 2013; 39: 376–384.
- [2] Chaar MS, Witkowski S, Strub JR et al. Effect of veneering technique on the fracture resistance of zirconia fixed dental prostheses. Journal of oral rehabilitation 2013; 40: 51–59.
- [3] Guess PC, Att W, Strub JR. Zirconia in fixed implant prosthodontics. Clinical implant dentistry and related research 2012; 14: 633–645.
- [4] Horak Z, Pokorny D, Fulín P et al. [Polyetheretherketone (PEEK)]. Part I: prospects for use in orthopaedics and traumatology]. Acta chirurgiae orthopaedicae et traumatologiae Cechoslovaca 2010; 77: 463–469.
- [5] Kern M, Lehmann F. Influence of surface conditioning on bonding to polyetheretherketon (PEEK). Dental materials : official publication of the Academy of Dental Materials 2012; 28: 1280–1283.
- [6] Neugebauer J, Adler S, Kistler F et al. Der Einsatz von Kunststoffen bei der festsitzenden prothetischen Implantatversorgung. ZWR Das Deutsche Zahnärzteblatt 2013; 122: 242–245.
- [7] Rosentritt M, Kolbeck C, Handel G et al. Influence of the fabrication process on the in vitro performance of fixed dental prostheses with zirconia substructures. Clinical oral investigations 2011; 15: 1007–1012.
- [8] Santing HJ, Meijer HJ, Raghoebar GM et al. Fracture strength and failure mode of maxillary implant-supported provisional single crowns: a comparison of composite resin crowns fabricated directly over PEEK abutments and solid titanium abutments. Clinical implant dentistry and related research 2012; 14: 882–889.
- [9] Schmidlin PR, Stawarczyk B, Wieland M et al. Effect of different surface pre-treatments and luting materials on shear bond strength to PEEK. Dental materials : official publication of the Academy of Dental Materials 2010; 26: 553–559.
- [10] Silva NR, Bonfante E, Rafferty BT et al. Conventional and modified veneered zirconia vs. metalloceramic: fatigue and finite element analysis. Journal of prosthodontics : official journal of the American College of Prosthodontists 2012; 21: 433–439.
- [11] Zhao M, An M, Wang Q et al. Quantitative proteomic analysis of human osteoblast-like MG-63 cells in response to bioinert implant material titanium and polyetheretherketone. Journal of proteomics 2012; 75: 3560–3573.