

## Literatur

### Optimierung des gingivo-periimplantären Gewebes durch Vestibulumplastik

Dr. Michael Schäfer

*Implantologie Journal 5/15*

1. Simion M, Trisi P, Piatelli A: Vertikal ridge augmentation using a membrane technique associated with osseointegrated implants. *Int J Periodontics Restorative Dent* 1994;14:496–511.
2. Lekovic V, Camargo PM, Klokkevold PR: Preservation of alveolar bone in extraction sockets using bioabsorbable membranes. *J Periodontol* 1998;69:1044–1049.
3. Strietzel FP, Shakibaie-M B: Der Einsatz des TefGen-FD®-Membran zum Erhalt des Alveolarkamms nach Zahnextraktionen: eine klinische Studie. *Dtsch Zahnärztl Z* 1998;12:883–886.
4. Cardaropoli D, Cardaropoli G: Preservation of the postextraction alveolar ridge: a clinical and histologic study. *Int J Periodontics Restorative Dent*. 2008 Oct; 28(5):469–477.
5. Shakibaie-M B: Socket und Ridge Preservation aus dreidimensionaler Sicht – Eine klinische Studie. *Z Zahnärztl Impl* 2009 (in press).
6. Araujo MG, Lindhe J: Dimensional ridge alterations following tooth extraction. An experimental study in the dog. *J Clin Periodontol* 2005;32: 212–218.
7. Araujo M, Linder E, Wennström J, Lindhe J: The Influence of Bio-Oss Collagen on Healing of an Extraction Socket: An Experimental Study in the Dog. *Int J Periodontics Restorative Dent* 2008;28:123–135.
8. Schropp L, Wenzel A, Kostopoulos L, Karring T: Bone healing soft tissue contour changes following single-tooth extraction: A clinical and radiographic 12-month prospective study. *Int J Periodontics Restorative Dent* 2003;23:313–323.
9. Buser D, Dula K, Lang NP, Nyman S: Long-term stability of osseointegrated implants in bone regenerated with membrane technique. 5-year results of a prospective study with 12 implants. *Clin Oral Implants Res* 1996;7:175–183.
10. Nevins M, Mellonig JT, Clem DS, Reiser GM, Buser DA: Implants in regenerated bone: Long-term survival. *Int J Periodontics Restorative Dent* 1998;18(1):34–35.
11. Vance GS, Greenwell H, Miller RL, Hill M, Johnston H, Scheetz JP: Comparison of an allograft in an experimental putty carrier and a bovine-derived xenograft used in ridge preservation: a clinical and histologic study in humans. *Int J Oral Maxillofac Implants*. 2004 Jul-Aug;19(4):491–497.
12. Pohlenz P (2007) Weiterentwicklung der C-Bogen basierten dreidimensionalen Bildgebung in der Mund-, Kiefer- und Gesichtschirurgie. Med. Habilitation, Universität Hamburg.