

Literatur

Halitosis und die Rolle der Zungenreinigung

Dr. med. dent. Silke Hornstein, Prof. Dr. med. dent. Peter Hahner M.Sc., Prof. Dr. med. dent. Georg Gaßmann

Prophylaxe Journal 2/2015

Allaker R.P. (2009). Investigations into the micro-ecology of oral malodour in man and companion animals. *J Breath Res.* 4(1): 017103.

Amou T., Yoshioka M., Grenier D. (2014) The Detection of Candida Species in Patients with Halitosis. *Int J Dent.* 12(2):145–151.

Aung E., Ueno M., Zaitu T., Furukawa S., Kawaguchi Y. (2015). Effectiveness of three oral hygiene regimens on oral malodor reduction: a randomized clinical trial. *Trials* 2015;16:31 DOI 10.1186/s13063-015-0549-9

Blom T., Slot D.E., Quirynen M. & Van der Weijden G.A. (2012) The effect of mouthrinses on oral malodour: a systematic review. *Int J Dent Hygiene* 10, 209-222.

Bosy A (1997). Oral malodor: philosophical and practical aspects. *J Can Dent Assoc* 63: 196–201.

Bollen C.M. & Beikler T. (2012) Halitosis: the multidisciplinary approach. *International Journal of Oral Science* 4, 55-63.

Dadamio, J.; Van Tornout, M.; Teughels, W.; Dekeyser, C.; Coucke, W.; Quirynen, M. (2013a) Efficacy of different mouthrinse formulations in reducing oral malodour. a randomized clinical trial. *Journal of Clinical Periodontology* 40, 505-513.

Dadamio, J.; Laleman, I.; Quirynen M. (2013b) The role of toothpaste in oral malodour management. *Monographs in Oral Sciences* 23, 45-60.

De Boever E. H.; Loesche W. J. (1995) Assessing the contribution of anaerobic microflora of the tongue to oral malodor. *J Am Dent Assoc*; 126: 1384.

Delanghe, G.; Ghyselen, J.; Feenstra, L.; van Stenninghe, D. (1997) Experiences of a Belgian multidisciplinary breath odour clinic. *Acta Otorhinolaryngol Belg.*; 51: 43-48.

Feng X., Chen X., Cheng R., Sun L., Zhang Y., He T. (2010) Breath malodor reduction with use of a stannous-containing sodium fluoride dentifrice: a meta-analysis of four randomized and controlled clinical trials. *Am J Dent* ;23 Spec No B:27B-31B.

Filippi A.; Meyer J. (2004) *Schweiz Med Forum*; 4: 585–589.

Fukui Y, Yaegaki K, Murata T et al (2008). Diurnal changes in oral malodour among dental-office workers. *Int Dent J* 58(3): 159–166.

Gilmore, E.L.; Gross, A. & Whitley, R. (1973) Effect of tongue brushing on plaque bacteria. *Oral Surgery, Oral Medicine and Oral Pathology* 36, 201-204.

Greenman J (1999). Microbial aetiology of halitosis. In: Newman HN, Wilson M, eds *Dental plaque revisited; oral biofilms in health and disease*. Bioline Publications: Cardiff, UK, pp. 419–442.

Gross, A.; Barnes, C.P. & Lyon, T.C. (1975) Effects of tongue brushing on tongue coating and dental plaque scores. *Journal of Dental Research* 54, 1236.

Haraszthy V. I.; Zambon J. J.; Sreenivasan P.K. et al. (2007) Identification of oral bacterial species associated with halitosis. *J Am Dent Assoc*; 138:1113– 1120.

Johnson P. W.; Wang W.; Tonitzetich J. (1992) Modulation of human gingival fibroblast cell metabolism by methyl mercaptan. *J Periodontal Res*; 27:476–483.

Lang B.; Filippi A. (2004) Halitosis, Teil 2: Diagnostik & Therapie. *Schweiz Monatsschr Zahnmed*; 114 (11):1151–1159.

Loesche W.J. (1999) The effect of antimicrobial mouthrinses on oral malodor and their status relative to US Food and Drug Administration regulations. *Quintessence International* 30, 311-318.

Loesche W.J., Kazor C. (2002) Microbiology and treatment of halitosis. *Periodontol* 2000; 28:256-279.

Menon, M.V. & Coykendall, A.L. (1994) Effect of tongue scarping. *Journal of Dental Research* 73, 1492.

Nadanovsky P, Carvalho LB, Ponce de Leon A (2007). Oral malodour and its association with age and sex in a general population in Brazil. *Oral Dis* 13(1): 105–109.

Outhouse TL, Al-Alawi R, Fedorowicz Z, Keenan JV (2006). Tongue scraping for treating halitosis. *Cochrane Database Syst Rev* 2: CD005519.

Porter SR, Scully C (2006). Oral malodour (halitosis). *BMJ* 333(7569): 632–635.

Quirynen M., Mongardini C., van Steenberghe D. (1998) The effect of a 1-stage full-mouth disinfection on oral malodor and microbial colonization of the tongue in periodontitis. A pilot study. *J Periodontol*;69:374-382

Quirynen, M.; Avontroodt, P.; Soers, C.; Zhao, H. Pauwels, M. & van Steenberghe, D. (2004) Impact of tongue cleansers on microbial load and taste. *Journal of Clinical Periodontology* 31, 506-510.

Quirynen M.; Dadamio J.; van den Velde S et al. (2009) Characteristics of 2000 patients who visited a halitosis clinic. *J Clin Periodontol*; 36:970–975.

Quirynen M., Zhao H., Soers C., Dekeyser C., Pauwels M., Coucke W., Steenberghe D. (2005) The impact of periodontal therapy and the adjunctive effect of antiseptics on breath odor-related outcome variables: a double-blind randomized study. *J Periodontol*;76:705-712

Ralph W.J. (1988) Oral hygiene - why neglect the tongue? Australian Dental Journal 33, 224-225.

Rayman S, Almas K (2008). Halitosis among racially diverse populations: an update. Int J Dent Hyg 6(1): 2–7.

Rosenberg M, Knaan T, Cohen D (2007). Association among bad breath, body mass index, and alcohol intake. J Dent Res 86(10): 997–1000.

Rosenberg M.; Leib E. (1995) Experiences of an Israeli malodor clinic. In: Bad breath: research perspectives. Rosenberg M (Hrsg.). Tel Aviv, Israel: Ramot Publishing, Tel Aviv University, 137–148.

Sanz M, Roldán S, Herrera D (2001). Fundamentals of breath malodour. J Contemp Dent Pract 4: 1–17.

Scully C, Porter S, Greenman J (1994). What to do about halitosis. BMJ 308: 217–218.

Seemann R, Bizhang M, Djamchidi C, Kage A, Nachnani S (2006). The proportion of pseudo-halitosis patients in a multidisciplinary breath malodour consultation. Int Dent J 56(2): 77–81.

Seemann: Messung von Mundgeruch. In: Halitosis - Patienten mit Mundgeruch in der zahnärztlichen Praxis. Filippi A. (Hrsg.) Quintessenz Verlags-GmbH 2006: 39-50.

Slot D.E., De Geest S., van der Weijden G.A., Quirynen M. (2015) Treatment of oral malodour. Medium-term efficacy of mechanical and/or chemical agents: a systematic review. J Clin Periodontol; doi: 10.1111/jcpe.12378.

Stedman RL (1968). The chemical composition of tobacco and tobacco smoke. Chem Rev 68: 153–207.

Suarez F, Springfield J, Furne J, Levitt M (1999). Differentiation of mouth versus gut as site of origin of odoriferous breath gases after garlic ingestion. Am J Physiol 276: G425–G430.

Suzuki N, Yoneda M, Naito T, Iwamoto T, Hirofuji T (2008b). Relationship between halitosis and psychologic status. Oral Surg Oral Med Oral Pathol Oral Radiol Endod 106(4): 542–547.

Suzuki N, Yoneda M, Naito T et al (2011). Association between oral malodour and psychological characteristics in subjects with neurotic tendencies complaining of halitosis. Int Dent J 61(2): 57–62.

Tangerman A, Winkel EG (2007). Intra- and extra-oral halitosis: finding of a new form of extra-oral blood-borne halitosis caused by dimethyl sulphide. J Clin Periodontol 34(9): 748–755.

Van den Broek, A.M.; Feemstra, L. & de Baat, C. (2008) A review of the current literature on management of halitosis. Oral Diseases 14, 30-39.

Van der Sleen M.I., Slot D.E., Van Trijffel E., Winkel E.G., Van der Weijden G.A. (2010). Effectiveness of mechanical tongue cleaning on breath odour and tongue coating: a systematic review. *Int J Dent Hyg.*; 8:258-268.

Van Tornout, M.; Dadamio, J.; Coucke, W. & Quirynen, M. (2013) Tongue coating: related factors. *Journal of Clinical Periodontology* 40, 180-185.

Yaegaki K, Coil JM (2000). Examination, classification, and treatment of halitosis; clinical perspectives. *J Can Dent Assoc* 5: 257–261.

Young A., Jonski G., Rölla G., Wåler S.M. (2001) Effects of metal salts on the oral production of volatile sulfur-containing compounds (VSC). *J Clin Periodontol*;28:776-781.