

## Literatur

### Klinische Erfahrungen mit resorbierbaren Kollagenmembranen

Priv.-Doz. Dr. med. dent. Sven Rinke, M.Sc., M.Sc., Dr. med.dent. Michael Jablonski

*Implantologie Journal* 6/2015

- 1.) Esposito M, Grusovin MG, Felice P, Karatzopoulos G, Worthington HV, Coulthard P. The efficacy of horizontal and vertical bone augmentation procedures for dental implants - a Cochrane systematic review. *Eur J Oral Implantol.* 2009; 2(3):167-184.
- 2.) Clementini M, Morlupi A, Canullo L, Agrestini C, Barlattani A. Success rate of dental implants inserted in horizontal and vertical guided bone regenerated areas: a systematic review. *Int J Oral Maxillofac Surg.* 2012; 41(7):847-852.
- 3.) Dimitriou R, Mataliotakis GI, Calori GM, Giannoudis PV. The role of barrier membranes for guided bone regeneration and restoration of large bone defects: current experimental and clinical evidence. *BMC Med.* 2012; 10:81.
- 4.) Schwarz F, Sager M, Rothamel D, Herten M, Sculean A, Becker J. Einsatz nativer und quervernetzter Kollagenmembranen für die gesteuerte Gewebe- und Knochenregeneration *Schweiz Monatsschr Zahnmed.* 2006; 116(11):1112-1123.
- 5.) Rakhmatia YD, Ayukawa Y, Furuhashi A, Koyano K. Current barrier membranes: titanium mesh and other membranes for guided bone regeneration in dental applications. *J Prosthodont Res.* 2013; 57(1):3-14.
- 6.) Parrish LC, Miyamoto T, Fong N, Mattson JS, Cerutis DR. Non-bioabsorbable vs. bioabsorbable membrane: assessment of their clinical efficacy in guided tissue regeneration technique. A systematic review. *J Oral Sci.* 2009; 51(3):383-400.
- 7.) Retzepi M, Donos N. Guided Bone Regeneration: biological principle and therapeutic applications. *Clin Oral Implants Res.* 2010; 21(6):567-576.
- 8.) Gentile P, Chiono V, Tonda-Turo C, Ferreira AM, Ciardelli G. Polymeric membranes for guided bone regeneration. *Biotechnol J.* 2011; 6(10):1187-1197.
- 9.) Stoecklin-Wasmer C, Rutjes AW, da Costa BR, Salvi GE, Jüni P, Sculean A. Absorbable collagen membranes for periodontal regeneration: a systematic review. *J Dent Res.* 2013; 92(9):773-781.
- 10.) Tal H, Kozlovsky A, Artzi Z, Nemcovsky CE, Moses O. Cross-linked and non-cross-linked collagen barrier membranes disintegrate following surgical exposure to the oral environment: a histological study in the cat. *Clin Oral Implants Res.* 2008 Aug; 19(8):760-766.
- 11.) Rothamel D, Schwarz F, Sager M, Herten M, Becker J. Biodegradation of differently cross-linked collagen membranes: an experimental study in the rat. *Clin. Oral Impl. Res.* 16, 2005; 369–378.

- 12.) Moses O, Pitaru S, Artzi Z, Nemcovsky CE. Healing of dehiscence-type defects in implants placed together with different barrier membranes: a comparative clinical study. *Clin Oral Implants Res.* 2005 Apr; 16(2):210-219.
- 13.) Bozkurt A, Apel C, Sellhaus B, van Neerven S, Wessing B, Hilgers R-D, Pallua N. Differences in degradation behavior of two non-cross-linked collagen barrier membranes: an in vitro and in vivo study. *Clin. Oral Impl. Res.* 00, 2013, 1–9 doi: 10.1111/clr.12284
- 14.) Nguyen TT, Mui B, Mehrabzadeh M, Chea Y, Chaudhry Z, Chaudhry K, Tran SD. Regeneration of tissues of the oral complex: current clinical trends and research advances. *J Can Dent Assoc.* 2013; 79:d1.
- 15.) Wessing B, Bozkurt A, Sellhaus B, Emmerich M. GBR with a mechanically stable resorbable membrane as a potential alternative to the use of autogenous bone block grafts. *Clin Oral Impl Res.* October 2013:24(Supplement s9); 153-154.