

**Ausgabe:** Dental Tribune D-A 9/2016, S. 17-18, CH , S. 25-26

**Thema:** Digitale Medien in der Zahnmedizin

**Autor:** Von Dr. Gabriel Bosch, Prof. Dr. Dr. Martin Rücker und Priv.-Doz. Dr. Dr. Bernd Stadlinger, Zürich, Schweiz.

Literatur:

1. Ender, A., T. Attin, and A. Mehl, In vivo precision of conventional and digital methods of obtaining complete-arch dental impressions. *J Prosthet Dent*, 2016. 115(3): p. 313-20.
2. Otto, T. and W.H. Mormann, Clinical performance of chairside CAD/CAM feldspathic ceramic posterior shoulder crowns and endocrowns up to 12 years. *Int J Comput Dent*, 2015. 18(2): p. 147-61.
3. Bosch, G., A. Ender, and A. Mehl, Non- and minimally invasive full-mouth rehabilitation of patients with loss of vertical dimension of occlusion using CAD/CAM: an innovative concept demonstrated with a case report. *Int J Comput Dent*, 2015. 18(3): p. 273-86.
4. Kunzelmann KH, R.s.P., Schäfer S, Fatigue testing of ultrathin occlusal veneers, in EFCD Conseuro 2015. 2015.
5. Schlichting, L.H., et al., Novel-design ultra-thin CAD/CAM composite resin and ceramic occlusal veneers for the treatment of severe dental erosion. *J Prosthet Dent*, 2011. 105(4): p. 217-26.
6. Furhauser, R., et al., Esthetics of Flapless Single-Tooth Implants in the Anterior Maxilla Using Guided Surgery: Association of Three-Dimensional Accuracy and Pink Esthetic Score. *Clin Implant Dent Relat Res*, 2015. 17 Suppl 2: p. e427-33.
7. Tahmaseb, A., et al., Computer technology applications in surgical implant dentistry: a systematic review. *Int J Oral Maxillofac Implants*, 2014. 29 Suppl: p. 25-42.
8. Youk, S.Y., et al., A survey of the satisfaction of patients who have undergone implant surgery with and without employing a computer-guided implant surgical template. *J Adv Prosthodont*, 2014. 6(5): p. 395-405.
9. Arisan, V., C.Z. Karabuda, and T. Ozdemir, Implant surgery using bone- and mucosa-supported stereolithographic guides in totally edentulous jaws: surgical and post-operative outcomes of computer-aided vs. standard techniques. *Clin Oral Implants Res*, 2010. 21(9): p. 980-8.