

## Literatur

### **Möglichkeiten parallelwandiger Implantatkörper mit konischen Abutmentverbindungen**

Stefan Scherg

*Implantologie Journal 9/15*

1. Glauser R, Portmann M, Ruhstaller P, Lundgren AK, Häggerle CH, Gottlow J. Stability measurements of immediately loaded machined and oxidized implants in the posterior maxilla. A comparative clinical study using resonance frequency analysis. *Applied Osseointegration Research* 2001; 2:27-9.
2. Zechner W, Tangl S, Furst G, Tepper G, Thams U, Mailath G, Watzek G. Osseous healing characteristics of three different implant types. *Clin Oral Implants Res* 2003; 14:150-7.
3. Ivanoff CJ, Widmark G, Johansson C, Wennerberg A. Histologic evaluation of bone response to oxidized and turned titanium micro-implants in human jawbone. *Int J Oral Maxillofac Implants* 2003; 18:341-8.
4. Degidi M, Nardi D, Piattelli A. 10-Year Follow-Up of Immediately Loaded Implants with TiUnite Porous Anodized Surface. *Clin Implant Dent Relat Res* 2012; 14(6):828-38
5. Östman PO, Hellman M, Sennerby L. Ten years later. Results from a prospective singlecentre clinical study on 121 oxidized (TiUnite) Brånenmark implants in 46 patients. *Clin Implant Dent Relat Res* 2012 Dec; 14(6):852-60.
6. Glauser R. Eleven-year results of implants with an oxidized surface placed predominantly in soft bone and subjected to immediate occlusal loading. *Clin Oral Impl Res* 2012; 23 suppl 7:140-1.
7. Achilli A., Tura F., Euwe E.: Immediate/early function with tapered implants supporting maxillary and mandibular posterior fixed partial dentures: preliminary results of a prospective multicenter study. *J Prosthet Dent* 2007; 97 (6 suppl): p. S.52-58.
8. Canullo L, Fedele GR, Iannello G, Jepsen S. Platform switching and marginal bone-level alterations: the results of a randomized-controlled trial. *Clin Oral Implants Res.* 2010 Jan; 21(1):115-21. doi: 10.1111/j.1600-0501.2009.01867.x. PubMed PMID: 20070752.
9. Zipprich H, Weigl P, Lange B, Lauer HC. Erfassung, Ursachen und Folgen von Mikrobewegungen am Implantat-Abutment-Interface. *Implantologie*. 2007;15(1):31–46.
10. Vandeweghe S, De Bruyn H. A within-implant comparison to evaluate the concept of platform switching: a randomised controlled trial. *Eur J Oral Implantol.* 2012 Autumn;5(3): 253-62.
11. Linkevicius T, Apse P, Grybauskas S, Puisys A. Influence of thin mucosal tissues on crestal bone stability around implants with platform switching: a 1-year pilot study. *J Oral Maxillofac Surg.* 2010 Sep;68(9):2272-7.
12. Atieh MA, Ibrahim HM, Atieh HA, Platform switching for marginal bone preservation around dental implants: a systematic review and meta-analysis, *J Peridontol.*

2010;81(10): 1350-66.

13. Chiapasco M, Casentini P, Zaniboni M. Bone augmentation procedures in implant dentistry. *Int J Oral Maxillofac Implants*. 2009;24 Suppl:237-59. Review. PubMed PMID: 19885448.
14. Chen ST, Buser D. Clinical and esthetic outcomes of implants placed in postextraction sites. *Int J Oral Maxillofac Implants*. 2009;24 Suppl:186-217. Review. PubMed PMID: 19885446.
15. den Hartog L, Huddleston Slater JJR, Vissink A, Meijer HJA, Raghoebar GM. Treatment outcome of immediate, early and conventional single-tooth implants in the aesthetic zone: a systematic review to survival, bone level, soft-tissue, aesthetics and patient satisfaction. *J Clin Periodontol* 2008; 35: 1073–1086. doi: 10.1111/j.1600-051X.2008.01330.x.
16. Sailer I, Mühlmann S, Zwahlen M, Hämerle CH, Schneider D. Cemented and screw-retained implant reconstructions: a systematic review of the survival and complication rates. *Clin Oral Implants Res*. 2012 Oct;23 Suppl 6:163-201. doi: 10.1111/j.1600-0501.2012.02538.x. Review. PubMed PMID: 23062142.
17. Wilson TG Jr. The positive relationship between excess cement and peri-implant disease: a prospective clinical endoscopic study. *J Periodontol*. 2009 Sep; 80(9):1388-92. doi: 10.1902/jop.2009.090115. PubMed PMID: 19722787.
18. Linkevicius T, Puisys A, Vindasiute E, Linkeviciene L, Apse P. Does residual cement around implant-supported restorations cause peri-implant disease? A retrospective case analysis. *Clin Oral Implants Res*. 2013 Nov;24(11):1179-84. doi: 10.1111/j.1600-0501.2012.02570.x. Epub 2012 Aug 8. PubMed PMID: 22882700.
19. Agar JR, Cameron SM, Hughbanks JC, Parker MH. Cement removal from restorations luted to titanium abutments with simulated subgingival margins. *J Prosthet Dent*. 1997 Jul;78(1):43-7. PubMed PMID: 9237145.
20. EKfeldt A, Fürst B, Carlsson GE. Zirconia abutments for single-tooth implant restorations: a retrospective and clinical follow-up study. *Clin Oral Implants Res*. 2011 Nov;22(11):1308-14. doi: 10.1111/j.1600-0501.2010.02114.x. Epub 2011 Mar 8. PubMed PMID: 21382085.
21. den Hartog L, Meijer HJ, Stegenga B, Tymstra N, Vissink A, Raghoebar GM. Single implants with different neck designs in the aesthetic zone: a randomized clinical trial. *Clin Oral Implants Res*. 2011 Nov;22(11):1289-97. doi: 10.1111/j.1600-0501.2010.02109.x. Epub 2011 Feb 24. PubMed PMID: 21985286.
22. den Hartog L, Raghoebar GM, Slater JJ, Stellingsma K, Vissink A, Meijer HJ. Single-tooth implants with different neck designs: a randomized clinical trial evaluating the aesthetic outcome. *Clin Implant Dent Relat Res*. 2013 Jun;15(3):311-21. doi: 10.1111/j.1708-8208.2011.00372.x. Epub 2011 Aug 4. PubMed PMID: 21815991.
23. Tymstra N, Raghoebar GM, Vissink A, Den Hartog L, Stellingsma K, Meijer HJA: Treatment outcome of two adjacent implant crowns with different implant platform designs in the aesthetic zone: a 1-year randomized clinical trial. *J Clin Periodontol* 2011; 38: 74–85. doi: 10.1111/j.1600-051X.2010.01638.x