

## Literatur

### **Rehabilitation mit minimalinvasiven vollkeramischen Restaurationen**

Dr. Guerino Paolantoni/Neapel, Italien

*Cosmetic Dentistry 4/2015*

1. Sorenson DA. Form follows function: occlusion based rationale for esthetic dentistry. J Indiana Dent Assoc. 1998 Summer; 77(2):25-30.
2. Raj V. Esthetic paradigms in the interdisciplinary management of maxillary anterior dentition-a review. J Esthet Restor Dent. 2013 Oct; 25(5):295-304.
3. Magne P, Belser U. Bonded porcelain restoration in the anterior dentition. A biomimetic approach. Chicago: Quintessence, 2002.
4. Lecocq G, Truong Tan Trung L. Smile esthetics: calculated beauty? Int Orthod. 2014 Jun; 12(2):149-70.
5. Paolantoni G, Sommella A. Veneers: a mini-invasive approach. Teamwork Media 2010.
6. Kanemura N, Sano H, Tagami J. Tensile bond strength to and SEM evaluation of ground and intact enamel surface. J Dent 1999; 27(7):523-30.
7. Gurel G, Morimoto S, Calamita MA, Coachman C, Sesma N. Clinical performance of porcelain laminate veneers: outcomes of the aesthetic pre-evaluative temporary (APT) technique. Int J Periodontics Restorative Dent. 2012 Dec; 32(6):625-35.
8. Kois JC, McGowan S. Diagnostically generated anterior tooth preparation for adhesively retained porcelain restorations: rationale and technique. J Calif Dent Assoc. 2004 Feb; 32(2):161-6.
9. Gurrea J, Bruguera A. Wax-up and mock-up. A guide for anterior periodontal and restorative treatments. Int J Esthet Dent. 2014 Summer; 9(2):146-62.
10. Shobha KS, Mahantesha, Seshan H, Mani R, Kranti K. Clinical evaluation of the biological width following surgical crown-lengthening procedure: A prospective study. J Indian Soc Periodontol. 2010 Jul; 14(3):160-7.
11. Pontoriero R, Carnevale G. Surgical crown lengthening: A 12 months clinical wound Healing study. 2001; 9 35-43.
12. Goldberg PV, Higginbottom FL, Wilson TG. Periodontal considerations in restorative and implant therapy. Periodontol 2000. 2001; 25:100-9.
13. Magne P, Magne M. Use of additive waxup and direct intraoral mock-up for enamel preservation with porcelain laminate veneers. Eur J Esthet Dent 2006; 1:10-19.
14. Magne P, Magne M, Belser U. The diagnostic template: A key element to the comprehensive esthetic treatment concept. Int J Periodontics Restorative dentistry 1996; 16:560-569.

15. Magne P, Belser UC. Novel porcelain laminate preparation approach driven by a diagnostic mock-up. *J Esthet Restor Dent* 2004; 16:7-16.
16. Petridis H. Survival of ceramic veneers, made with different materials, after a minimum follow-up of 5 years. Systematic review and Metanalysis: *European Journal of Esthetic Dentistry* 2012; 7:150.
17. Edelhoff D, Sorensen JA. Tooth structure removal associated with various preparations designs for anterior teeth. *J Prosthet Dent* 2002; 87:503-509.
18. Akoglu B, Gemalmaz D. Fracture resistance of ceramic veneers with different preparation design. *Journal of Prosthodontics* 20 (2011) 380–384.
19. Kontakiotis EG, Filippatos CG, Stefopoulos S, Tzanetakakis GN. A prospective study of the incidence of asymptomatic pulp necrosis following crown preparation. *Int Endod J.* 2014 Jun 25.
20. Cloyd S, Puri S. Using the double-cord packing technique of tissue retraction for making crown impressions. *Dent Today* 1999; 18:54-59.
21. Koch T, Peutzfeldt A, Malinovskii V, Flury S, Häner R, Lussi A. Temporary zinc oxide-eugenol cement: eugenol quantity in dentin and bond strength of resin composite. *Eur J Oral Sci.* 2013 Aug; 121(4):363-9.
22. Rigoni P, Amaral FL, França FM, Basting RT. Color agreement between nanofluorapatite ceramic discs associated with try-in pastes and with resin cements. *Braz Oral Res.* 2012 Nov-Dec; 26(6):516-22.
23. Jentsch H, Rupf S, Schneider H. Licht- und rasterelektronenmikroskopische In-vitro-Untersuchung der Benetzung von unterschiedlich feuchtem Schmelz und Dentin durch den Haftvermittler TECO und die Optimierung des Applikationsmodus (Kavitätenklasse V). 2007; 1-13.
24. Irie M.; Evaluation of Shear Bond Strength and Mechanical Properties of Self-Adhesive Cements; University of Okayama, Department of Biomaterials; Okayama, Japan; 2013 – data on file, DMG, Hamburg, Germany